

# PRODUCT ENVIRONMENTAL PROFILE Environmental Product Declaration

TA200DU Thermal Overload Relays



TA200DU-200

REGISTRATION NUMBER		IN COMPLIANCE WITH PCR-ED4-EN-2021 09	9 06
ABBG-00195-V02.02-EN		SUPPLEMENTED BY PSR-0005-ED3-EN-202	3 06 06
VERIFIER ACCREDITATION N	UMBER	INFORMATION AND REFERENCE DOCUMEN	TS
VH51		www.pep-ecopassport.org	
DATE OF ISSUE		VALIDITY PERIOD	
04-2024			
INDEPENDENT VERIFICATION	N OF THE DECLARATION AND DATA,	N COMPLIANCE WITH ISO 14025: 2006	
INTERNAL	EXTERNAL ⊠		
THE PCR REVIEW WAS COND	UCTED BY A PANEL OF EXPERTS CH	AIRED BY JULIE ORGELET (DDEMAIN)	PEP
PEP ARE COMPLIANT WITH	eco		
THE COMPONENTS OF THE PROGRAM.	PASS PORT.		
DOCUMENT IN COMPLIANCE ENVIRONMENTAL DECLARAT		ENTAL LABELS AND DECLARATIONS. TYPE III	
© Copyright 2024 ABB. All rig	hts reserved.		



ABB STOTZ-KONTAKT GmbH,	
EPD Owner Eppelheimer Strasse 82, 69123 Heidelberg, Germany www.abb.com	
Manufacturer name and addressABB Bulgaria EOOD - Petrich branch 1, Varna str., 2850 Petrich, Bulgaria.	
Company contacts EPD_ELSP@in.abb.com	
Reference product TA200DU-200 Thermal Overload Relay	
The thermal overload relay is an economic electromechanical prot vice for the main circuit. It offers reliable and fast protection for mo event of overload or phase failure. The device has trip class 10A. The relays are connected directly to the block contactors. Single mounting available as accessory.	tors in the e overload
The functional unit to this study is a single Thermal Overload Re switchgear and control gear solutions mentioned in the scope e.g. for all-or-nothing relays TC94, measuring relays and protection equipm on which the general rules of PCR apply and this product is consider sive product' with non-continuous operation scenario with a reference of 20 years.	uses TC32, ent TC95), red a 'Pas-
TA200DU-* TA200DU-*-V1000 where * denotes the rated current (e.g. TA200DU-90, TA200DU-90-V1000,	)
Reference lifetime 20 years	
Product category Electrical, Electronic and HVAC-R Products	
Use Scenario  The use phase has been modeled based on the sales mix data (2023 corresponding low voltage electricity countries mix	3), and the
Raw materials & Manufacturing: [Global]  Geographical Assembly: [Bulgaria]  representativeness Distribution / Use: [Global] specific sales mix  EoL: [Global]	
<b>Technological representa-</b> Materials and processes data are specific for the production of <b>tiveness</b> Thermal Overload Relays	
tiveness Thermal Overload Relays  This study is based on the LCA study described in the LCA report	
tiveness Thermal Overload Relays  This study is based on the LCA study described in the LCA report 1SAC200271H0001	
tiveness Thermal Overload Relays  LCA Study This study is based on the LCA study described in the LCA report 1SAC200271H0001  EPD type Representative product	
tiveness Thermal Overload Relays  LCA Study This study is based on the LCA study described in the LCA report 1SAC200271H0001  EPD type Representative product  EPD scope "Cradle to grave"  Year of reported primary 2023	
tiveness Thermal Overload Relays  LCA Study This study is based on the LCA study described in the LCA report 1SAC200271H0001  EPD type Representative product  EPD scope "Cradle to grave"  Year of reported primary data 2023	

STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	2/15
© Converight 2024 ARR All rights reserved						



# **Contents**

ABB Purpose & Embedding Sustainability	4
General Information	4
Constituent Materials	5
LCA background information	6
Functional unit and Reference Flow	6
System boundaries and life cycle stages	6
Temporal and geographical boundaries	7
Boundaries in the life cycle	7
Data quality	7
Environmental impact indicators	
Allocation rules	8
Limitations and simplifications	8
Energy Models	
Inventory analysis	9
Environmental impacts	12
Additional environmental information	14
References	15





# **ABB Purpose & Embedding Sustainability**

ABB is a leading global technology company that energizes the transformation of society and industry to achieve a more productive, sustainable future. By connecting software to its electrification, robotics, automation and motion portfolio, ABB pushes the boundaries of technology to drive performance to new levels. With a history of excellence stretching back more than 130 years, ABB's success is driven by about 105 thousand talented employees in over 100 countries.

ABB's Electrification business offers a wide-ranging portfolio of products, digital solutions and services, from substation to socket, enabling safe, smart and sustainable electrification. Offerings encompass digital and connected innovations for low voltage and medium voltage, including EV infrastructure, solar inverters, modular substations, distribution automation, power protection, wiring accessories, switchgear, enclosures, cabling, sensing and control. ABB is committed to continually promoting and embedding sustainability across its operations and value chain, aspiring to become a role model for others to follow. With its ABB Purpose, ABB is focusing on reducing harmful emissions, preserving natural resources and championing ethical and humane behavior.



# **General Information**

ABB's production unit in Petrich is built in 1996 and the factory has expanded ever since. The city is located in Southwestern Bulgaria. ABB's newest production unit in Petrich built in 2019 manufactures low voltage products. The factory represents ABB's third greenfield investment in Bulgaria and is the company's fifth production unit in the country.

ABB Bulgaria EOOD - Petrich branch have implemented and maintain Quality Management System (QMS), Environmental Management Systems (EMS), Health & Safety Management System (HSMS) and Energy Management System (EnMS), according to the international standards ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 and ISO 50001:2018.

The main activity of the ABB production unit in Petrich focuses on acting as an outsourcing producer for electro-mechanical assemblies, including welding/winding/pressing/ assembling of sub-assemblies for low voltage control products and DIN rail mounted products. Customers of the factory are ABB companies in Western Europe, such as Germany, Switzerland, Czech Republic, Italy, etc.

Approved Public ABBG-00195-V02.02-EN 1SAC200275H0001 B.003 en 4/15	STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE
	Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	4/15



#### **TA200DU Product Cluster**

The TA200DU thermal overload relay is an economic electromechanical protection device for the main circuit. It offers reliable and fast protection for motors in the event of overload or phase failure. The device has trip class 10A. Further features are the temperature compensation, trip contact (NC), signal contact (NO), automatic or manual reset selectable, trip-free mechanism, STOP and Test function and a trip indication. The overload relays are connected directly to the block contactors. Single mounting kits are available as accessory.

Product cluster declared in this PEP includes the following Thermal Overload Relays across a range namely TA200DU and covers variants of this product range.

Thermal Overload Relay	Variants	Rated voltage U <sub>e</sub> [V]	Rated current $I_e$ [A]	Number of poles
	TA200DU-90	690	90	3
	TA200DU-110	690	110	3
	TA200DU-135	690	135	3
	TA200DU-150	690	150	3
	TA200DU-175	690	175	3
TA200DU	TA200DU-200	690	200	3
	TA200DU-90-V1000	690	90	3
	TA200DU-110-V1000	690	110	3
	TA200DU-135-V1000	690	135	3
	TA200DU-150-V1000	690	150	3
	TA200DU-175-V1000	690	175	3
	TA200DU-200-V1000	690	200	3

Table 1: Technical characteristics of TA200DU Thermal Overload Relays (Refer Technical catalogue for complete details).



# **Constituent Materials**

#### TA200DU-200

The representative product, TA200DU-200 weighs about 1kg including its paper documentation and packaging.

Materials	Name	IEC 62474 MC	[g]	Weight %
	Cu and CU alloys	M-121	350.52	35.2%
Metals	Steel	M-119	189.76	19.1%
	Stainless Steel	M-100	0.47	<0.1%
	<b>Unsaturated Polyester</b>	M-301	309.80	31.1%
Plastics	Polyamide (PA)	M-258	45.31	4.5%
	Polycarbonate (PC)	M-254	11.46	1.2%
	Polyethylene (PE)	M-251	3.45	0.3%
Others	Paper / Cardboard	M-341	84.99	8.5%
	Ceramics	M-160	0.34	<0.1%
Total			996.10	100.0%

Table 2: Weight of materials TA200DU-200

Approved Public ABBG-00195-V02.02-EN 1SAC200275H0001 B.003 en 5/15	STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE
	Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	5/15






Figure 1: Composition of TA200DU-200

Packaging for TA200DU weight the following substance composition.

Materials	Unit	TA200DU-200
Corrugated Cardboard	g	63.8

Table 3: Weight of materials for TA200DU-200 Packaging



# LCA background information

### **Functional unit and Reference Flow**

The functional unit is the reference unit used to quantify the performance of the service delivered by a product to the user. The main purpose of the functional unit is to provide a reference to which inputs and outputs are related in the LCA.

The functional unit to this study is a single Thermal Overload Relay (Other switchgear and control gear solutions mentioned in the scope e.g. fuses TC32, all-or-nothing relays TC94, measuring relays and protection equipment TC95), on which the general rules of PCR apply and this product is considered a 'Passive product' with non-continuous operation scenario for a reference lifetime of 20 years.

The Reference Flow of the study is a single Thermal Overload Relay (including its packaging and accessories) with mass described in table 3.

# System boundaries and life cycle stages

The life cycle of the Thermal Overload Relay , an EEPS (Electronic and Electrical Products and Systems), is a "from cradle to grave" analysis and covers the following main life cycle stages: manufacturing, including the relevant acquisition of raw material, preparation of semi-finished goods, etc. and processing steps; distribution; installation, including the relevant steps for the preparation of the product for use; use including the required maintenance steps within the

Approved Public ABBG-00195-V02.02-EN 1SAC200275H0001 B.003 en 6/15	STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE
	Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	6/15



RSL (reference service life of the product) associated to the reference product; end-of-life stage, including the necessary steps until final disposal or recovery of the product system.

The following table shows the stages of the product life cycle and the information stages according to EN 50693:2019 [3] for the evaluation of electronic and electrical products and systems.




Table 4: Phases for the evaluation of construction products according to EN50693:2019 [3].

### Temporal and geographical boundaries

The ABB component suppliers are sourced all over the world. All primary data collected from ABB are from 2023, which is a representative production year. Secondary data are also representative for this year, as provided by Ecoinvent [6].

The selected Ecoinvent [6] processes in the LCA model have a global representativeness, Due to the unclear origin of each component. In this way, a conservative approach has been adopted.

# Boundaries in the life cycle

As indicated in the PCR capital goods such as buildings, machinery, tools and infrastructure, the packaging for internal transport which cannot be allocated directly to the production of the reference product, may be excluded from the system boundary.

Infrastructures, when present, such as processes deriving from the ecoinvent [6] database have not been excluded.

### **Data quality**

In this PEP, both primary and secondary data are used. Site specific foreground data have been provided by ABB. Main data sources are the bill of materials & drawings which are available on the ERP (SAP) & Windchill. For all processes for which primary are not available, generic data originating from the ecoinvent database [6], allocation cut-off by classification, are used. The ecoinvent database available in the SimaPro software [7] is used for the calculations.

The data quality characterized by quantitative and qualitative aspects, is presented in Appendix 1. Each data quality parameter has been rated according to DQR tables from Chapter

STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE	
Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	7/15	
a Country 2004 ADD All City and a							



7.19.2.2 of the Product Environmental Footprint Guide v.6.3 to give an indication of geography, technology and temporal representativeness.

### **Environmental impact indicators**

The information obtained from the inventory analysis is aggregated according to the effects related to the various environmental issues. According to "PCR-ed4-EN-2021 09 06" and EN 50693 [3] the environmental impact indicators must be determined using the characterization factors and impact assessment methods specified in EN 15804:2012+A2:2019 [8].

PCR-ed4-EN-2021 09 06 and the EN 50693:2019 [3] standard establish four indicators for climate change: Climate change (total) which includes all greenhouse gases; Climate change (fossil fuels); Climate change (biogenic) which includes the emissions and absorption of biogenic carbon dioxide and biogenic carbon stored in the product; Climate change (land use) - land use and land use transformation. Other indicators as per the PCR[1].

#### Allocation rules

An allocation key is used for consumptions related to the manufacturing process in the production site, as well for company waste. Since the factory produces several products (different Fusegears and Contactor products) only a part of the environmental impact has been allocated to the Thermal Overload Relay production line.

All these flows have been allocated and divided by the total number of Thermal Overload Relays produced in 2023.

### **Limitations and simplifications**

Raw materials life cycle stage includes the extraction of raw materials as well as the transport distances to the manufacturing suppliers. These distances are assumed to be 1000 km assuming no specific data available (PCR-ed4-EN-2021\_09\_06, ch 2.5.3). This distance has been added to the one already included in the market processes used for the model, as a result of a conservative choice made by the LCA operators.

Surface treatments like galvanizing, tin and silver plating as well as their related transport processes (back and forth from the finishing suppliers) have been considered in the LCA model. Scraps for metal working and plastic processes are included when already defined in Ecoinvent [6].

Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	8/15
STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE



# **Energy Models**

LCA Stage	EN 15804:2012 + A2:2019 module	Energy model	Notes
Raw material extraction and processing	A1-A2	Electricity, {RoW}  market group for   Cut-off Electricity, {GLO}  market group for   Cut-off	Based on materials and supplier's locations
Manufacturing	А3	ABB Green Mix Low Voltage	Specific Energy model for ABB manufacturing plant, 100% renewable
Installation (Packaging EoL)	A5	Electricity, {GLO}  market group for   Cut-off	
Use Stage	B1	Electricity, [country]x   market for   Cut-off, S **	Low voltage, based on 2023 country sales mix
EoL	C1-C4	Electricity, {GLO}  market group for   Cut-off	

Table 5: Energy models used in each LCA stage



# **Inventory analysis**

In this PEP, both primary and secondary data are used. Site specific foreground data have been provided by ABB. For data collection, Bills of Material (BOM) extracted from ABB's internal SAP and Windchill ERP were used. They are a list of all the components and assemblies that constitute the finished product, organized by hierarchy level. Each item is matched with its code, quantity, weight and supplier. The BOMs were then processed, adding material, surface area, volume and weight data, taken from technical drawings/datasheets. Finally, the manufacturing process and surface treatment were assigned, according to information provided by R&D personnel. Road distances between the suppliers and ABB were calculated using Google Maps, and marine distances using Distances & Time (Searates).

All primary data collected from ABB are from 2023, which was a representative production year. The ecoinvent cut-off by classification system processes [6] are used to represent the LCA model

To improve both the inventory and modelling phase of the product, a specific modular dataset framework has been adopted. Raw materials and Manufacturing processes datasets from Ecoinvent database [6] have been clustered and listed inside two distinct mater data tables ABB Raw Materials and ABB Materials & Processes. Data used in the analysis is not older than 10 years.

#### Manufacturing stage

The Thermal Overload Relays are composed of a multitude of components, all of which are made from of numerous materials. Most of the inputs to the products' manufacturing stage are already produced component parts.

STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	9/15
@ C	APP All rights recogned		·			



All the Thermal Overload Relay components have been modelled according to their specific raw materials and manufacturing processes.

The single use packaging as well as paper documentation are also included in the analysis in the manufacturing stage. ABB receives unpackaged product from supplier, sorts, packs and delivers to the customer according to the orders.

Most of the inputs to the products' manufacturing stage are already produced component parts from the supply chain.

The entire supplier's network has been modelled with the calculation of each transportation stage, from the first manufacturing supplier to the next.

All the distances from the last subassembly suppliers' factories to the ABB facility have been calculated.

The energy mix used for the production phase is representative for ABB production site and includes renewable energy only.

The complete energy mix has been modelled considering the documents on energy origins provided to ABB for the year 2023.

#### Distribution

The transport distances from ABB manufacturing plant to the distribution centers (regional distribution centers / local sales organizations) have been calculated considering the specific 2023 sales mix data for TF/TA product cluster (SAP ERP sales data as a source).

The other parameter affecting the environmental impact for this LCA stage is the total mass of the product (including its packaging). Different mass values for each specific configuration covered by this study have been considered in the model.

As per PSR, additional distance of 1000km is considered to account for the last mile delivery distance




Figure 2: Distribution methodology.

#### Installation

The installation phase only implies manual activities, and no energy is consumed. This phase also includes the disposal of the packaging of the product.

For the disposal of the packaging after installation of the product at the end of its life, a transport distance of 1000 km (according to PCR [1]) was assumed.

The actual disposal site is unknown and is managed by the customer. The disposal scenario of the packaging was calculated based on the Eurostat data available.

Approved Public ABBG-00195-V02.02-EN 1SAC200275H0001	B.003	en	10/15



#### Use

Use and maintenance are modelled according to the PCR [1].

During the use phase, Thermal Overload relays dissipate some electricity due to power losses. They are calculated according to the data provided in the catalogue of the Thermal Overload Relay and following the PCR [1] & PSR [2] rules:

Parameters	i	
lu	[A]	200
Load Rate	[%]	30
h/year	[h]	8760
RSL	[years]	20
Time operating coefficient	[%]	30

Table 6: Use phase parameters

The formula for the calculation of the electricity consumed is shown below and it is described as follows, where  $P_{use}$  is the power consumed by the switch at a given value of current at load rate:

$$E_{use} [kWh] = \frac{P_{use} * 8760 * RSL * \alpha}{1000}$$

The above calculations have been performed according to the number of poles (3) on which relevant current flows during use phase.

The Energy model used for this phase was built based on the 2023 actual sales mix data for the specific Thermal Overload Relay product (SAP ERP sales data as a source).

From Ecoinvent [6] database, the low voltage electricity country mix for each country(x) has been selected with its respective percentage on the total sales mix (Electricity, low voltage [country]x | market for | Cut-off, S).

Since no maintenance happens during the use phase, the environmental impacts linked to this procedure have been considered as null in the analysis.

#### **End of life**

The end-of-life stage is modelled according to PCR [1] and IEC/TR 62635 [9]. The percentages for end-of-life treatments of materials are taken from IEC/TR 62635 [9].

Since no specific data is available, the transport distances from the place of use to the place of disposal are assumed to be 1000 km (local/domestic transport by lorry, according to PCR [1]).

Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	11/15
STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE





# **Environmental impacts**

#### TA200DU-200

The following table show the environmental impact indicators of the life cycle of a TA200DU-200 Thermal Overload Relay as indicated by PCR [1] and EN 50693:2019 [3]. The indicators are divided into the contribution of the processes to the different stages (manufacturing, distribution, installation, use and end-of-life).

Impact category								End of
GWP-fossil         kg CO2 eq         5.96E+01         6.06E+00         3.49E+00         1.56E-02         4.96E+01         4.12E-01           GWP-blulc         kg CO2 eq         5.07E-01         2.73E-02         1.02E-03         4.12E-02         4.26E-01         1.27E-02           GWP-lulc         kg CFC11-eq         9.89E-07         2.38E-07         5.65E-08         2.42E-09         6.70E-07         2.10E-08           AP         mol H+ eq         4.36E-01         1.86E-01         1.49E-02         6.08E-05         2.32E-01         2.10E-08           EP-freshwater         kg P eq         4.88E-02         1.24E-02         5.97E-03         3.91E-05         4.29E-02         1.05E-03           EP-terrestrial         mol N eq         6.24E-02         1.24E-02         5.97E-03         3.91E-05         4.29E-02         1.05E-03           EP-terrestrial         mol N eq         6.28E-01         1.53E-01         6.40E-02         2.28E-04         4.06E-01         1.32E-03           ADP-m8m         kg Sb eq         2.68E-03         2.28E-03         1.85E-06         2.60E-08         4.10E-00           MDP         depriv.         1.47E-01         4.27E+00         9.80E-02         1.20E-03         1.03E+02         4.10E+00	Impact category	Unit	Total	Manufacturing	Distribution	Installation	Use	
GWP-biogenic         kg CO2 eq         5.07E-01         2.73E-02         1.02E-03         4.12E-02         4.25E-01         1.27F-02           GWP-bluluc         kg CO2 eq         5.06E-01         8.99E-03         4.56E-04         4.40E-06         4.96E-01         3.57E-04           ODP         kg CFC11-eq         9.89E-07         5.65E-08         2.42E-09         6.70E-07         2.10E-08           AP         mol H+ eq         4.36E-01         1.86E-01         1.49E-02         6.08E-05         2.32E-01         2.11E-03           EP-freshwater         kg P eq         4.88E-02         1.42E-02         7.43E-05         9.32E-07         3.44E-02         1.05E-04           EP-terrestrial         mol N eq         6.28E-01         1.53E-01         6.40E-02         2.28E-04         4.06E-01         1.32E-03           PCP         kg NMVOC eq         1.98E-01         4.68E-02         2.06E-02         7.11E-05         1.29E-01         1.32E-03           ADP-makm         kg Sbeq         2.68E-03         2.28E-03         1.85E-06         2.60E-08         4.10E+00           WDP         depriv.         4.74E+01         4.27E+00         9.80E-02         1.20E-03         1.03E+01         3.74E-02           PENRE         MJ	GWP-total	kg CO2 eq	6.06E+01	6.10E+00	3.49E+00	5.69E-02		
GWP-luluc         kg CO2 eq         5.06E-01         8.99E-03         4.56E-04         4.40E-06         4.96E-01         3.57E-04           ODP         kg CFC11-eq         9.89E-07         2.38E-07         5.65E-08         2.42E-09         6.07E-07         2.10E-08           AP         mol H+ eq         4.36E-01         1.86E-01         1.49E-02         6.08E-05         2.32E-01         2.11E-03           EP-freshwater         kg P eq         4.88E-02         1.42E-02         7.43E-05         9.32E-07         3.44E-02         1.01E-04           EP-terrestrial         mol N eq         6.24E-02         1.24E-02         5.97E-03         3.91E-05         4.29E-02         1.05E-03           EP-terrestrial         mol N eq         6.28E-01         1.53E-01         6.40E-02         2.28E-04         4.06E-01         1.32E-03           ADP-m&m         kg Sb eq         2.68E-03         2.28E-03         1.85E-06         2.60E-08         4.01E-04         2.82E-07           ADP-mSm         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.25E+02         4.10E+00           WDP         depriv.         1.47E+01         4.27E+00         9.80E-02         1.20E-03         1.03E+01         3.74E-02	GWP-fossil	kg CO2 eq		6.06E+00	3.49E+00	1.56E-02	4.96E+01	4.12E-01
ODP         kg CFC11-eq         9.89E-07         2.38E-07         5.65E-08         2.42E-09         6.70E-07         2.10E-08           AP         mol H+ eq         4.36E-01         1.86E-01         1.49E-02         6.08E-05         2.32E-01         2.11E-03           EP-freshwater         kg P eq         4.88E-02         1.42E-02         7.43E-05         9.32E-07         3.44E-02         1.01E-04           EP-marine         kg N eq         6.24E-02         1.24E-02         5.97E-03         3.91E-05         4.29E-02         1.01E-04           EP-terrestrial         mol N eq         6.28E-01         1.53E-01         6.40E-02         2.28E-04         4.06E-01         4.39E-03           POCP         kg NMVOC eq         1.98E-01         4.68E-02         2.06E-02         7.11E-05         1.29E-01         1.32E-03           ADP-mam         kg Sb eq         2.68E-03         2.28E-03         1.85E-06         2.60E-08         4.01E-04         2.82E-07           ADP-fossil         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.25E+02         4.10E+00           PENRE         MJ         9.56E+02         8.18E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00	GWP-biogenic	kg CO2 eq	5.07E-01	2.73E-02	1.02E-03	4.12E-02	4.25E-01	1.27E-02
AP	GWP-luluc	kg CO2 eq	5.06E-01	8.99E-03	4.56E-04	4.40E-06	4.96E-01	3.57E-04
EP-freshwater         kg P eq         4.88E-02         1.42E-02         7.43E-05         9.32E-07         3.44E-02         1.01E-04           EP-marine         kg N eq         6.24E-02         1.24E-02         5.97E-03         3.91E-05         4.29E-02         1.05E-03           EP-terrestrial         mol N eq         6.28E-01         1.53E-01         6.40E-02         2.28E-04         4.06E-01         4.39E-03           ADP-m&m         kg Sb eq         2.68E-03         2.28E-03         1.85E-06         2.60E-08         4.01E-04         2.82E-07           ADP-m&m         kg Sb eq         2.68E-03         2.28E-03         1.85E-06         2.60E-08         4.01E-04         2.82E-07           ADP-fossil         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.25E+02         4.10E+00           WDP         depriv.         1.47E+01         4.27E+00         9.80E-02         1.20E-03         1.03E+01         3.74E-02           PENRE         MJ         9.56E+02         8.18E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PENRT         MJ         7.35E+00         7.35E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00	ODP	kg CFC11-eq	9.89E-07	2.38E-07	5.65E-08	2.42E-09	6.70E-07	2.10E-08
EP-marine         kg N eq         6.24E-02         1.24E-02         5.97E-03         3.91E-05         4.29E-02         1.05E-03           EP-terrestrial         mol N eq         6.28E-01         1.53E-01         6.40E-02         2.28E-04         4.06E-01         4.39E-03           POCP         kg NMVOC eq         1.98E-01         4.68E-02         2.06E-02         7.11E-05         1.29E-01         1.32E-03           ADP-m8m         kg Sb eq         2.68E-03         2.28E-03         1.85E-06         2.60E-08         4.01E-04         2.82E-07           ADP-fossil         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.25E+02         4.10E+00           WDP         depriv.         1.47E+01         4.27E+00         9.80E-02         1.20E-03         1.03E+01         3.74E-02           PENRE         MJ         9.56E+02         8.18E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PENRT         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PERR         MJ         2.21E+02         1.61E+01         2.27E-01         2.13E-03         2.05E+02         3.84E-01           PERRT	AP	mol H+ eq	4.36E-01	1.86E-01	1.49E-02	6.08E-05	2.32E-01	2.11E-03
EP-terrestrial   mol N eq   6.28E-01   1.53E-01   6.40E-02   2.28E-04   4.06E-01   4.39E-03   POCP   kg MNVOC eq   1.98E-01   4.68E-02   2.06E-02   7.11E-05   1.29E-01   1.32E-03   ADP-m&m   kg Sb eq   2.68E-03   2.28E-03   1.85E-06   2.60E-08   4.01E-04   2.82E-07   ADP-fossil   MJ   9.64E+02   8.92E+01   4.60E+01   1.72E-01   8.25E+02   4.10E+00   MDP   depriv.   1.47E+01   4.27E+00   9.80E-02   1.20E-03   1.03E+01   3.74E-02   PENRE   MJ   9.56E+02   8.18E+01   4.60E+01   1.72E-01   8.24E+02   4.10E+00   PENRM   MJ   7.35E+00   7.35E+00   0.00E+00   0.00E+00	EP-freshwater	kg P eq	4.88E-02	1.42E-02	7.43E-05	9.32E-07	3.44E-02	1.01E-04
POCP	EP-marine	kg N eq	6.24E-02	1.24E-02	5.97E-03	3.91E-05	4.29E-02	1.05E-03
ADP-m8m	EP-terrestrial	mol N eq	6.28E-01	1.53E-01	6.40E-02	2.28E-04	4.06E-01	4.39E-03
MJ	POCP	kg NMVOC eq	1.98E-01	4.68E-02	2.06E-02	7.11E-05	1.29E-01	1.32E-03
WDP         m3 of equiv. depriv.         1.47E+01         4.27E+00         9.80E-02         1.20E-03         1.03E+01         3.74E-02           PENRE         MJ         9.56E+02         8.18E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PENRM         MJ         7.35E+00         7.35E+00         0.00E+00         0.00E+00         0.00E+00           PENRT         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PERE         MJ         2.21E+02         1.61E+01         2.27E-01         2.13E-03         2.05E+02         3.84E-01           PERM         MJ         7.53E-01         7.53E-01         0.00E+00	ADP-m&m	kg Sb eq	2.68E-03	2.28E-03	1.85E-06	2.60E-08	4.01E-04	2.82E-07
WDP         depriv.         1.47E+01         4.27E+00         9.80E-02         1.60E-03         1.03E+01         3.74E-02           PENRE         MJ         9.56E+02         8.18E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PENRM         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PERR         MJ         2.21E+02         1.61E+01         2.27E-01         1.72E-03         2.05E+02         3.84E-01           PERR         MJ         7.53E-01         7.53E-01         0.00E+00	ADP-fossil	МЈ	9.64E+02	8.92E+01	4.60E+01	1.72E-01	8.25E+02	4.10E+00
PENRM         MJ         7.35E+00         7.35E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00           PENRT         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PERE         MJ         2.21E+02         1.61E+01         2.27E-01         2.13E-03         2.05E+02         3.84E-01           PERM         MJ         7.53E-01         7.53E-01         0.00E+00         1.	WDP	•	1.47E+01	4.27E+00	9.80E-02	1.20E-03	1.03E+01	3.74E-02
PENRT         MJ         9.64E+02         8.92E+01         4.60E+01         1.72E-01         8.24E+02         4.10E+00           PERE         MJ         2.21E+02         1.61E+01         2.27E-01         2.13E-03         2.05E+02         3.84E-01           PERM         MJ         7.53E-01         7.53E-01         0.00E+00         0.00E+00         0.00E+00         0.00E+00           PERT         MJ         2.22E+02         1.69E+01         2.27E-01         2.13E-03         2.05E+02         3.84E-01           SM         kg         2.77E-01         2.77E-01         0.00E+00         1.48E-01         1.44E-03	PENRE	МЈ	9.56E+02	8.18E+01	4.60E+01	1.72E-01	8.24E+02	4.10E+00
PERE         MJ         2.21E+02         1.61E+01         2.27E-01         2.13E-03         2.05E+02         3.84E-01           PERM         MJ         7.53E-01         7.53E-01         0.00E+00         3.84E-01         S.84E-01         S.84E-01         S.84E-01         2.27E-01         2.13E-03         2.05E+02         3.84E-01         S.84E-01         S.84E-01         S.84E-01         S.84E-01         0.00E+00         1.44E-03         1.44E-03         1.44E-03         1.44E-03         1.44E-03         1.44E-03         1.44E-03	PENRM	МЈ	7.35E+00	7.35E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERE         MJ         2.21E+02         1.61E+01         2.27E-01         2.13E-03         2.05E+02         3.84E-01           PERM         MJ         7.53E-01         7.53E-01         0.00E+00         3.84E-01         S.84E-01         S.84E-01         S.84E-01         2.27E-01         2.13E-03         2.05E+02         3.84E-01         S.84E-01         S.84E-01         S.84E-01         S.84E-01         0.00E+00         1.44E-03         1.44E-03         1.44E-03         1.44E-03         1.44E-03         1.44E-03         1.44E-03	PENRT	МЈ	9.64E+02	8.92E+01	4.60E+01	1.72E-01	8.24E+02	4.10E+00
PERM         MJ         7.53E-01         7.53E-01         0.00E+00         0.00E+00         0.00E+00         0.00E+00           PERT         MJ         2.22E+02         1.69E+01         2.27E-01         2.13E-03         2.05E+02         3.84E-01           SM         kg         2.77E-01         2.77E-01         0.00E+00         1.44E-03         4.48E+00         1.44E-03         4.48E+00         4.42E-07         1.58E-03         7.32E-06         1.44E-03         4.42E-07         1.58E-03         7.32E-06         0.14E-03         4.77E-00         1.08E-06         5.08E-03	PERE	МЈ	2.21E+02	1.61E+01		2.13E-03	2.05E+02	3.84E-01
SM         kg         2.77E-01         2.77E-01         0.00E+00         1.44E-03         4.48E+00         1.44E-03         1.44E-0	PERM	MJ	7.53E-01	7.53E-01		0.00E+00	0.00E+00	0.00E+00
SM         kg         2.77E-01         2.77E-01         0.00E+00         0.00E+0	PERT	МЈ	2.22E+02	1.69E+01	2.27E-01	2.13E-03	2.05E+02	3.84E-01
RSF         MJ         0.00E+00         0.00E+			2.77E-01	2.77E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PET         MJ         1.19E+03         1.06E+02         4.63E+01         1.74E-01         1.03E+03         4.48E+00           FW         m3         1.23E+00         1.13E-01         3.42E-03         3.93E-05         1.12E+00         1.44E-03           HWD         kg         2.66E-03         7.68E-04         3.08E-04         4.42E-07         1.58E-03         7.32E-06           N-HWD         kg         6.78E+00         1.77E+00         6.18E-01         3.27E-02         3.89E+00         4.63E-01           RWD         kg         5.30E-03         1.91E-04         4.77E-06         1.08E-06         5.08E-03         1.39E-05           CfR         kg         0.00E+00         5.87E-01         1.82E-02         0.00E+00         1.77E-02         0.00E+00         1.82E-02         0.00E+00				0.00E+00		0.00E+00	0.00E+00	0.00E+00
PET         MJ         1.19E+03         1.06E+02         4.63E+01         1.74E-01         1.03E+03         4.48E+00           FW         m3         1.23E+00         1.13E-01         3.42E-03         3.93E-05         1.12E+00         1.44E-03           HWD         kg         2.66E-03         7.68E-04         3.08E-04         4.42E-07         1.58E-03         7.32E-06           N-HWD         kg         6.78E+00         1.77E+00         6.18E-01         3.27E-02         3.89E+00         4.63E-01           RWD         kg         5.30E-03         1.91E-04         4.77E-06         1.08E-06         5.08E-03         1.39E-05           CfR         kg         0.00E+00         5.87E-01           MfER         kg         3.59E-02         0.00E+00         0.00E+00         7.7E-02         0.00E+00         5.87E-01           EN         MJ by energy vector         0.00E+00         0.00E+00 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00E+00</td>								0.00E+00
HWD         kg         2.66E-03         7.68E-04         3.08E-04         4.42E-07         1.58E-03         7.32E-06           N-HWD         kg         6.78E+00         1.77E+00         6.18E-01         3.27E-02         3.89E+00         4.63E-01           RWD         kg         5.30E-03         1.91E-04         4.77E-06         1.08E-06         5.08E-03         1.39E-05           CfR         kg         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         5.87E-01           MfER         kg         3.59E-02         0.00E+00         0.00E+00         1.77E-02         0.00E+00         5.87E-01           MJ by energy vector         0.00E+00		МЈ	1.19E+03	1.06E+02	4.63E+01	1.74E-01	1.03E+03	4.48E+00
N-HWD         kg         6.78E+00         1.77E+00         6.18E-01         3.27E-02         3.89E+00         4.63E-01           RWD         kg         5.30E-03         1.91E-04         4.77E-06         1.08E-06         5.08E-03         1.39E-05           CfR         kg         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         5.87E-01           MfER         kg         3.59E-02         0.00E+00         0.00E+00         1.77E-02         0.00E+00         1.82E-02           EN         MJ by energy vector         0.00E+00         0.00E+0	FW	m3	1.23E+00	1.13E-01	3.42E-03	3.93E-05	1.12E+00	1.44E-03
N-HWD         kg         6.78E+00         1.77E+00         6.18E-01         3.27E-02         3.89E+00         4.63E-01           RWD         kg         5.30E-03         1.91E-04         4.77E-06         1.08E-06         5.08E-03         1.39E-05           CfR         kg         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         5.87E-01           MfER         kg         3.59E-02         0.00E+00         0.00E+00         1.77E-02         0.00E+00         1.82E-02           EN         MJ by energy vector         0.00E+00         0.00E+0	HWD	kg	2.66E-03	7.68E-04	3.08E-04	4.42E-07	1.58E-03	7.32E-06
RWD         kg         5.30E-03         1.91E-04         4.77E-06         1.08E-06         5.08E-03         1.39E-05           CfR         kg         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         0.00E+00         5.87E-01           MfER         kg         3.59E-02         0.00E+00         0.00E+00         1.77E-02         0.00E+00         1.82E-02           MJ by energy vector         0.00E+00         0.00E+00 <td>N-HWD</td> <td></td> <td>6.78E+00</td> <td>1.77E+00</td> <td>6.18E-01</td> <td>3.27E-02</td> <td>3.89E+00</td> <td>4.63E-01</td>	N-HWD		6.78E+00	1.77E+00	6.18E-01	3.27E-02	3.89E+00	4.63E-01
MfR         kg         8.19E-01         1.53E-01         0.00E+00         7.87E-02         0.00E+00         5.87E-01           MfER         kg         3.59E-02         0.00E+00         0.00E+00         1.77E-02         0.00E+00         1.82E-02           MJ by energy vector         0.00E+00	RWD		5.30E-03	1.91E-04	4.77E-06	1.08E-06	5.08E-03	1.39E-05
MfR         kg         8.19E-01         1.53E-01         0.00E+00         7.87E-02         0.00E+00         5.87E-01           MfER         kg         3.59E-02         0.00E+00         0.00E+00         1.77E-02         0.00E+00         1.82E-02           MJ by energy vector         0.00E+00	CfR		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MfER         kg         3.59E-02         0.00E+00         0.00E+00         1.77E-02         0.00E+00         1.82E-02           EN         MJ by energy vector         0.00E+00         3.46E-08         3.46E-08         3.46E-08         1.32E-09         1.26E-06         3.46E-08         1.90E+01         2.66E-02         2.37E+01         1.92E-01         8.65E+01         1.89E+00         1.89E+0	MfR		8.19E-01	1.53E-01	0.00E+00	7.87E-02	0.00E+00	5.87E-01
EN         vector         0.00E+00         0.0	MfER		3.59E-02	0.00E+00	0.00E+00	1.77E-02	0.00E+00	1.82E-02
Efp         disease inc.         1.96E-06         5.84E-07         7.52E-08         1.32E-09         1.26E-06         3.46E-08           IrHH         kBq U-235 eq         1.98E+01         6.96E-01         2.09E-02         7.87E-04         1.90E+01         2.66E-02           ETX FW         CTUe         3.14E+02         2.01E+02         2.37E+01         1.92E-01         8.65E+01         1.89E+00           HTX CE         CTUh         5.08E-08         3.29E-08         5.13E-10         5.15E-12         1.68E-08         5.06E-10           HTX N-CE         CTUh         3.24E-06         2.39E-06         4.30E-08         2.30E-10         7.68E-07         3.16E-08	EN		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
IrHH         kBq U-235 eq         1.98E+01         6.96E-01         2.09E-02         7.87E-04         1.90E+01         2.66E-02           ETX FW         CTUe         3.14E+02         2.01E+02         2.37E+01         1.92E-01         8.65E+01         1.89E+00           HTX CE         CTUh         5.08E-08         3.29E-08         5.13E-10         5.15E-12         1.68E-08         5.06E-10           HTX N-CE         CTUh         3.24E-06         2.39E-06         4.30E-08         2.30E-10         7.68E-07         3.16E-08			1.96E-06	5.84E-07	7.52E-08	1.32E-09	1.26E-06	3.46E-08
ETX FW         CTUe         3.14E+02         2.01E+02         2.37E+01         1.92E-01         8.65E+01         1.89E+00           HTX CE         CTUh         5.08E-08         3.29E-08         5.13E-10         5.15E-12         1.68E-08         5.06E-10           HTX N-CE         CTUh         3.24E-06         2.39E-06         4.30E-08         2.30E-10         7.68E-07         3.16E-08					2.09E-02			2.66E-02
HTX CE         CTUh         5.08E-08         3.29E-08         5.13E-10         5.15E-12         1.68E-08         5.06E-10           HTX N-CE         CTUh         3.24E-06         2.39E-06         4.30E-08         2.30E-10         7.68E-07         3.16E-08				2.01E+02				
HTX N-CE CTUh 3.24E-06 2.39E-06 4.30E-08 2.30E-10 7.68E-07 3.16E-08		CTUh	5.08E-08	3.29E-08	5.13E-10	5.15E-12	1.68E-08	5.06E-10
				2.39E-06			7.68E-07	
			1.88E+02	7.83E+01	9.31E+00	1.95E-01	9.76E+01	2.84E+00

Table 7: Impact indicators for TA200DU-200

	ABB. All rights reserved.	,				
Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	12/15
STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE



Impact category	Unit	TA200DU-200
Biogenic Carbon content of the product	kg	5.36E-03
Biogenic Carbon content of the associated packaging	kg	1.28E-02

Table 8: Inventory flow other indicators

#### **Environmental impact indicators**

GWP-total	Global Warming Potential total (Climate change)
GWP-fossil	Global Warming Potential fossil
GWP-biogenic	Global Warming Potential biogenic
GWP-luluc	Global Warming Potential land use and land use change
ODP	Depletion potential of the stratospheric ozone layer
AP	Acidification potential
EP-freshwater	Eutrophication potential - freshwater compartment
EP-marine	Eutrophication potential - fraction of nutrients reaching marine end compartment
EP-terrestrial	Eutrophication potential -Accumulated Exceedance
POCP	Formation potential of tropospheric ozone
ADP-m&m	Abiotic Depletion for non-fossil resources potential
ADP-fossil	Abiotic Depletion for fossil resources potential, WDP
WDP	Water deprivation potential.

#### **Resource use indicators**

PERE	Use of renewable primary energy excluding renewable primary energy resources used as raw material
PERM	Use of renewable primary energy resources used as raw material
PERT	Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials)
PENRE	Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw material
PENRM	Use of non-renewable primary energy resources used as raw material
PENRT	Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials)
PET	Total use of primary energy in the lifecycle

#### Secondary materials, water and energy resources

SM	Use of secondary materials
RSF	Use of renewable secondary fuels
NRSF	Use of non-renewable secondary fuels
FW	FW: Net use of fresh water

#### Waste category indicators

HWD	Hazardous waste disposed
N-HWD	Non-hazardous waste disposed
RWD	Radioactive waste disposed

#### **Output flow indicators**

CfR	Component for reuse	
MfR	Materials for recycling	
MfER	Materials for energy recovery	
FN	Exported energy	

STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	13/15
e Constitutional App. All States and						



#### Other indicators

Efp	Emissions of Fine particles
IrHH	Ionizing radiation, human health
ETX FW	Ecotoxicity, freshwater
HTX CE	Human toxicity, carcinogenic effects
HTX N-CE	Human toxicity, non-carcinogenic effects
IrLS	Impact related to Land use / soil quality

#### **Extrapolation for Homogeneous environmental family**

This LCA covers different build configurations in addition to the representative product. All the analyzed configurations have the same main functionality, product standards and manufacturing technology. A sensitivity analysis has been conducted to identify the influential parameters that affect the environmental footprint of the product.

As the variants have almost similar construction as compared to the reference product, their weights are same as that of the Reference product weights. Hence the Manufacturing, Distribution, Installation & End of Life impacts can be considered to be same as that of the Reference product (Results in Table 7). The Use phase extrapolation factors are mentioned below:

#### Use

Product	Current In [A]	LCA Stage	Factor
TA200DU-90	90	_	0.58
TA200DU-110	110		0.61
TA200DU-135	135		0.78
TA200DU-150	150		0.78
TA200DU-175	175		0.90
TA200DU-200	200	Use Phase	1.00
TA200DU-90-V1000	90	USE Pliase	0.58
TA200DU-110-V1000	110		0.61
TA200DU-135-V1000	135		0.78
TA200DU-150-V1000	150		0.78
TA200DU-175-V1000	175		0.90
TA200DU-200-V1000	200		1.00



# Additional environmental information

According to the waste treatment scenario calculation in Simapro [7], based on the recycling rate in the technical report IEC/TR 62635 Edition 1.0 [9] Table D.6, the following recyclability potentials were calculated. The recyclability potential is calculated based on the product weight (excluding packaging).

	TA200DU-200
Recyclability potential	62.6%

Table 9: Recyclability potential of TA200DU-200.

STATUS	SECURITY LEVEL	PEP ECOPASSPOR REG. NUMBER	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	14/15
© Copyright 2024 ARR All rights reserved						



### References

- [1] PCR "PEP-PCR-ed4-EN-2021\_09\_06" Product Category Rules for Electrical, Electronic and HVAC-R Products (published: 6<sup>th</sup> September 2021)
- [2] PSR "PSR-0005-ed3-EN-2023 06 06- SPECIFIC RULES FOR Electrical switchgear and control gear Solutions (Circuit breakers)
- [3] EN 50693:2019 Product category rules for life cycle assessments of electronic and electrical products and systems
- [4] ISO 14040:2006 Environmental management -Life cycle assessment Principles and framework
- [5] ISO 14044:2006 Environmental management Life cycle assessment Requirements and guidelines
- [6] ecoinvent v3.9 (2023). ecoinvent database version 3.9 (https://ecoinvent.org/)
- [7] SimaPro Software version 9.3.0.3 PRé Sustainability
- [8] UNI EN 15804:2012+A2:2019: Sustainability of constructions Environmental product declarations (September 2019)
- [9] IEC/TR 62635 Guidelines for end-of-life information provided by manufacturers and recyclers and for recyclability rate calculation of electrical and electronic equipment Edition 1.0 2012-10

Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	15/15
 Approved	Public	ABBG-00195-V02.02-EN	1SAC200275H0001	B.003	en	115/15