





HT200NPSA

INDEX	PART NAME	MATERIAL	QUANTITY	WEIGHT
1	LATERAL PANEL	MAGNELIS	2	13,0 kg
2	ACOUSTIC GRID	MAGNELIS	1	67,1 kg
3	ROOF	MAGNELIS	1	16,2 kg
4	BASEFRAME	PAINTED STEEL	2	11,3 kg
5	OUTDOOR UNIT BRACKET	PAINTED STEEL	2	1,6 kg
6	AIR SEPARATION	P3	1	2,5 kg
7	FLAT WASHER D=8	GALVANIZED STEEL	24	-
8	LATERAL ACOUSTIC GRID	MAGNELIS	2	25,0 kg
9	HEX NUT M8	GALVANIZED STEEL	16	-
10	SCREW M8X30 8.8	GALVANIZED STEEL	42	-
11	SILENTBLOCKS M8 D 40X20	STEEL + RUBBER	4	-
12	SELF-DRILLING SCREW 3.5X13	GALVANIZED STEEL	4	-
13	FIXATION PROFILE	MAGNELIS	2	-
14	REAR PANEL	MAGNELIS	1	26,8 kg




Total weight: 220 kg

IN CASE NOT USED, **OUTDOOR UNIT BRACKET** SHOULD BE POSITIONED FULLY TO THE LEFT AND RIGHT FOR MAX. RIGIDITY




B-B

* MAX. DIMENSIONS
FOR OUTDOOR UNIT
INSTALLATION







BASEFRAME TOP VIEW DETAIL FOR FIXING

Position to fix to fundament floor



HT200NPSA - Packaging



A box with the necessary screws to build the cabin will be provided with the package.