

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PANDUIT PART NUMBER*	NO. OF BUNDLES	* A *	REC. FAST.	'B'	'C' ±.062	'D' ±.015	"E"	'F' REF	'G'	*H*	USE WITH CABLE TIE	WEIGHT bs [g]/ 100 pcs.
MTPC1H-E10	1	0.205	#10 SCR.	0.305	2.094	0.625	0.203	1.50	.320	.103	M,I,S,H	0.72 [324]
MTPC2H-E10	S				3.594			3.00				1.20 [543]
MTPC3H-E10	3				5.094			4.50				1.69 [766]
MTPC4H-E10	4				6.594			6.00				2.4 [1089]
MTPC5H-E10	151				8.094			7.50				2.9 [1315]
MTPC6H-E10	6				9.594			9.00				3.4 [1542]
MTPC7H-E10	7				11.094			10.50				3.7 [1672]





NOTES:

- *1. SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE.
- 2. MATERIAL:
 -39: NATURAL HEAT STABILIZED NYLON 6/6
- 3. KNOCKOUT PIN WITNESS SHALL BE FLUSH TO -.002
- 4. ENGRAVING PLACED ON THE TOP SURFACE ('PANDUIT', AS SHOWN) SHALL BE LOCATED ON THE ENDS OF THE PART RECESSED BELOW SURFACE.

DIMENSIONS IN BRACKETS ARE METRIC [mm]

CAD FILENAME/LAYERS

G00239MY_DC_GB0239MY/00B



TINLEY PARK, ILLINOIS

MTP CONTOUR SERIES MULTIPLE TIE PLATE

UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE:
(.X) ±0.05 [1.3] (.XXX) ±0.010 [0.25]
(.XX) ±0.02 [0.5] ANGLES ±5°

UNLESS OTHERWISE SPECIFIED,
ALL DIMENSIONS ARE GIVEN
IN INCHES, THIRD ANGLE PROJECTION.

- 1												
	00B	7/8/08	ARHA		ADDED MTPC7H-E10, REMOVED -30 MATERIAL, REV'D TO TEAMCENTER NAME AND REV HISTORY	GB0239MY	00В				DRAWN BY DJSM	MAT'L:
	R	4/10/07	DJSM		INITIAL RELEASE - REPLACES GB0239MS	GB0239MY	R				4/10/07	SE
	REV	DATE	BY	СНК	DESCRIPTION	ECN -	R	CUST	SUP		CHK 'D	

SEE	NOTE	2

DRAWING NO.

DRAWING NO.

DWG

A
SIZE