

## PRODUCT-DETAILS

# TY528MXR-RW

## TY28MX FOR RAILWAY SP



### Informations générales

|                              |                                                                                                                                                                                                                                                                         |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extension du type de produit | TY528MXR-RW                                                                                                                                                                                                                                                             |
| Code de produit              | 7TCG009210R0089                                                                                                                                                                                                                                                         |
| EAN                          | 5415022243604                                                                                                                                                                                                                                                           |
| Description courte           | TY28MX FOR RAILWAY SP                                                                                                                                                                                                                                                   |
| Description longue           | Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 361mm (14.2 Inches), Width of 4.8mm (0.19 Inches), Tensile Strength Rating of 222 Newtons (50 pounds) |

### Commande

|                 |               |
|-----------------|---------------|
| EAN             | 5415022243604 |
| UPC             | 786209884244  |
| Pays d'origine  | Hungary (HU)  |
| Code douanier   | 3926909990    |
| Unité de mesure | each          |

### Dimensions

|                      |                   |
|----------------------|-------------------|
| Produit Largeur Net  | 0.19 in<br>4.8 mm |
| Produit Longueur Net | 14.2 in<br>361 mm |

## Emballage

|                                |                    |
|--------------------------------|--------------------|
| Emballage Niveau 1<br>Unités   | 100 pièce          |
| Emballage Niveau 1<br>Largeur  | 4.32 in<br>110 mm  |
| Emballage Niveau 1<br>Hauteur  | 0.78 in<br>20 mm   |
| Emballage Niveau 1<br>Longueur | 18.86 in<br>479 mm |
| Emballage Niveau 2<br>Unités   | 5000 pièce         |
| Emballage Niveau 2<br>Largeur  | 13.6 in<br>345 mm  |
| Emballage Niveau 2<br>Hauteur  | 9.75 in<br>248 mm  |
| Emballage Niveau 2<br>Longueur | 21.1 in<br>536 mm  |

## Technique UL/CSA

|                                   |     |
|-----------------------------------|-----|
| Flammability According to<br>UL94 | V-2 |
|-----------------------------------|-----|

## Informations Supplémentaires

|                     |                                                                                                                                                                                                                      |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Marque / Étiquette  | Ty-Rap                                                                                                                                                                                                               |
| Bundle Diameter     | 0.12 to 4.02 in<br>3 to 102 mm                                                                                                                                                                                       |
| Couleur             | Black                                                                                                                                                                                                                |
| Effective Date      | 20140612                                                                                                                                                                                                             |
| Lock Type           | Stainless Steel Barb                                                                                                                                                                                                 |
| Matériau            | Nylon/Polyamide 6.6                                                                                                                                                                                                  |
| Type de produit     | OTHER ARTICLES OF PLASTIC                                                                                                                                                                                            |
| Type de produit     | High Performance                                                                                                                                                                                                     |
| Fonctions spéciales | Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time. |
| Tensile Strength    | 50 lb<br>222 N                                                                                                                                                                                                       |
| Thickness           | 0.05 in<br>1.3 mm                                                                                                                                                                                                    |

## Certificats et Déclarations (Numéro de document)

|                                        |             |
|----------------------------------------|-------------|
| Fiche produit, informations techniques | TDS000518   |
| Instructions et manuels                | TY528MXR-RW |

## Classifications

|                                          |                           |
|------------------------------------------|---------------------------|
| ETIM 6                                   | EC000046 - collier        |
| ETIM 7                                   | EC000046 - Cable tie      |
| ETIM 8                                   | EC000046 - Cable tie      |
| UNSPSC                                   | 39121703                  |
| Catégorie DEEE                           | Product Not in WEEE Scope |
| Code de catégorie granulaire IDEA (IGCC) | 5034 >> Cable ties        |

---

## Catégories

---

Produits basse tension → Produits d'installation → Gestion des câbles et connectivité → Cable Ties

