# **Product Environmental Profile**

#### **Harmony BX1**

## **Essential Edge Controller**








### General information

Reference product	Harmony BX1 - HMIBX1A0NDA					
Description of the product	Harmony BX1 is Essential Edge Controller with Ethernet, 2 serial, Linux, 24V DC.					
Description of the range	The products of the range are: Essential Edge Controller The environmental impacts of this reference product are representative of the impacts of the other products of the range which are developed with a similar technology.					
Functional unit	To provide Essential Edge Controller during 10 years and maximum use rate at 24W, based on below function:  - HDMI for display connection 1 front  - Ethernet 2 RJ45 SMSC LAN7500 front  - USB 3.0 type A 2 front  - TPM connector Ver 2.0 TPM module by default motherboard In accordance with the relevant standards:  - EN 55011  - IEC 61000-6-1  - IEC 61131-2  - FCC part 15  - UL 61010-2-201  - CSA C22.2 No 61010-2-201					

## Constituent materials



# Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website <a href="https://www.se.com/ww/en/work/support/green-premium/">https://www.se.com/ww/en/work/support/green-premium/</a>

#### **(**[]

#### Additional environmental information

End Of Life

Recyclability potential:

58%

The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.

## 

Reference service life time	10 years							
Product category	Other equipments - Active product							
Installation elements	The product does not require any installation operations.							
Use scenario	The product is in active mode 100% of the time	The product is in active mode 100% of the time with a power use of 24W, for 10 years.						
Time representativeness	The collected data are representative of the year 2023							
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and représentaive of the actual type of technologies used to make the product.							
Geographical representativeness	Rest of the World							
	[A1 - A3]	[A5]	[B6]	[C1 - C4]				
Energy model used	Electricity Mix; 2018; Taiwan, TW	Electricity Mix; Low voltage; 2018; France, FR Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC	Electricity Mix; Low voltage; 2018; France, FR Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC	Electricity Mix; Low voltage; 2018; France, FR Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC				

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneiderelectric.com/contact

Mandatory Indicators			Harmony BX1 - HMIBX1A0NDA					
Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads	
kg CO2 eq	1.02E+03	3.73E+01	1.79E+00	0*	9.70E+02	1.28E+01	-4.06E+00	
kg CO2 eq	1.02E+03	3.71E+01	1.79E+00	0*	9.69E+02	1.28E+01	-3.97E+00	
kg CO2 eq	9.42E-01	1.88E-01	0*	0*	7.32E-01	2.25E-02	-9.90E-02	
kg CO2 eq	1.02E-05	9.85E-06	0*	0*	0*	3.88E-07	0.00E+00	
kg CFC-11 eq	1.08E-05	5.67E-06	2.72E-09	0*	5.10E-06	3.53E-08	-5.69E-07	
mol H+ eq	6.35E+00	3.00E-01	1.15E-02	0*	6.02E+00	1.39E-02	-3.00E-02	
kg (PO4) <sup>3-</sup> eq	3.92E-03	1.17E-04	6.65E-07	0*	3.00E-03	8.01E-04	-1.32E-05	
kg N eq	7.26E-01	3.13E-02	5.39E-03	0*	6.85E-01	5.13E-03	-2.26E-03	
mol N eq	8.49E+00	3.35E-01	5.94E-02	0*	8.05E+00	5.25E-02	-2.51E-02	
kg COVNM eq	2.40E+00	1.12E-01	1.53E-02	0*	2.26E+00	1.34E-02	-8.70E-03	
kg Sb eq	1.03E-02	1.02E-02	0*	0*	4.66E-05	2.31E-05	-3.05E-04	
MJ	2.68E+04	5.58E+02	2.47E+01	0*	2.61E+04	6.63E+01	-6.18E+01	
m3 eq	5.75E+01	1.71E+01	6.73E-03	2.75E-02	3.93E+01	1.04E+00	-1.16E+00	
	kg CO2 eq kg CO2 eq kg CO2 eq kg CO2 eq kg CFC-11 eq mol H+ eq kg (PO4)³- eq kg N eq mol N eq kg COVNM eq kg Sb eq MJ	kg CO2 eq 1.02E+03 kg CO2 eq 1.02E+03 kg CO2 eq 1.02E+01 kg CO2 eq 9.42E-01 kg CO2 eq 1.02E-05 kg CFC-11 1.08E-05 eq 6.35E+00 kg (PO4)3- 3.92E-03 kg N eq 7.26E-01 mol N eq 8.49E+00 kg COVNM eq 2.40E+00 kg Sb eq 1.03E-02 MJ 2.68E+04	We will be a considered by the constraint of the constraint o	Unit         Total (without Module D)         [A1 - A3] - Manufacturing         [A4] - Distribution           kg CO2 eq         1.02E+03         3.73E+01         1.79E+00           kg CO2 eq         1.02E+03         3.71E+01         1.79E+00           kg CO2 eq         9.42E-01         1.88E-01         0*           ex g CO2 eq         1.02E-05         9.85E-06         0*           kg CFC-11 eq         1.08E-05         5.67E-06         2.72E-09           mol H+ eq         6.35E+00         3.00E-01         1.15E-02           kg (PO4)³* eq         3.92E-03         1.17E-04         6.65E-07           kg N eq         7.26E-01         3.13E-02         5.39E-03           mol N eq         8.49E+00         3.35E-01         5.94E-02           kg COVNM eq         2.40E+00         1.12E-01         1.53E-02           kg Sb eq         1.03E-02         1.02E-02         0*           MJ         2.68E+04         5.58E+02         2.47E+01	Unit         Total (without Module D)         [A1 - A3] - Manufacturing         [A4] - Distribution         [A5] - Installation           kg CO2 eq         1.02E+03         3.73E+01         1.79E+00         0*           kg CO2 eq         1.02E+03         3.71E+01         1.79E+00         0*           kg CO2 eq         9.42E-01         1.88E-01         0*         0*           ex g CO2 eq         1.02E-05         9.85E-06         0*         0*           kg CFC-11 eq         1.08E-05         5.67E-06         2.72E-09         0*           mol H+ eq         6.35E+00         3.00E-01         1.15E-02         0*           kg (PO4) <sup>3*</sup> eq         3.92E-03         1.17E-04         6.65E-07         0*           kg N eq         7.26E-01         3.13E-02         5.39E-03         0*           mol N eq         8.49E+00         3.35E-01         5.94E-02         0*           kg COVNM eq         2.40E+00         1.12E-01         1.53E-02         0*           kg Sb eq         1.03E-02         1.02E-02         0*         0*	Unit         Total (without Module D)         [A1 - A3] - Manufacturing         [A4] - Distribution         [A5] - Installation         [B1 - B7] - Use           kg CO2 eq         1.02E+03         3.73E+01         1.79E+00         0*         9.70E+02           kg CO2 eq         1.02E+03         3.71E+01         1.79E+00         0*         9.69E+02           kg CO2 eq         9.42E-01         1.88E-01         0*         0*         7.32E-01           eq CO2 eq         1.02E-05         9.85E-06         0*         0*         0*         0*           kg CFC-11 eq         1.08E-05         5.67E-06         2.72E-09         0*         5.10E-06           mol H+ eq         6.35E+00         3.00E-01         1.15E-02         0*         6.02E+00           kg (PO4)³* eq         3.92E-03         1.17E-04         6.65E-07         0*         3.00E-03           kg N eq         7.26E-01         3.13E-02         5.39E-03         0*         6.85E-01           mol N eq         8.49E+00         3.35E-01         5.94E-02         0*         8.05E+00           kg COVNM eq         2.40E+00         1.12E-01         1.53E-02         0*         2.26E+00           kg Sb eq         1.03E-02         1.02E-02         0* </td <td>Unit         Total (without Module D)         [A1 - A3] - Manufacturing         [A4] - Distribution         [A5] - Installation         [B1 - B7] - Use         [C1 - C4] - End of life           kg CO2 eq         1.02E+03         3.73E+01         1.79E+00         0*         9.69E+02         1.28E+01           kg CO2 eq         1.02E+03         3.71E+01         1.79E+00         0*         9.69E+02         1.28E+01           kg CO2 eq         1.02E+03         3.71E+01         0*         0*         7.32E-01         2.25E-02           kg CO2 eq         1.02E-05         9.85E-06         0*         0*         0*         0*         3.88E-07           kg CFC-11 eq         1.08E-05         5.67E-06         2.72E-09         0*         5.10E-06         3.53E-08           mol H+ eq         6.35E+00         3.00E-01         1.15E-02         0*         6.02E+00         1.39E-02           kg (PO4)**         3.92E-03         1.17E-04         6.65E-07         0*         3.00E-03         8.01E-04           kg N eq         7.26E-01         3.13E-02         5.39E-03         0*         6.85E-01         5.13E-03           mol N eq         8.49E+00         3.35E-01         5.94E-02         0*         8.05E+00         5.25E-02</td>	Unit         Total (without Module D)         [A1 - A3] - Manufacturing         [A4] - Distribution         [A5] - Installation         [B1 - B7] - Use         [C1 - C4] - End of life           kg CO2 eq         1.02E+03         3.73E+01         1.79E+00         0*         9.69E+02         1.28E+01           kg CO2 eq         1.02E+03         3.71E+01         1.79E+00         0*         9.69E+02         1.28E+01           kg CO2 eq         1.02E+03         3.71E+01         0*         0*         7.32E-01         2.25E-02           kg CO2 eq         1.02E-05         9.85E-06         0*         0*         0*         0*         3.88E-07           kg CFC-11 eq         1.08E-05         5.67E-06         2.72E-09         0*         5.10E-06         3.53E-08           mol H+ eq         6.35E+00         3.00E-01         1.15E-02         0*         6.02E+00         1.39E-02           kg (PO4)**         3.92E-03         1.17E-04         6.65E-07         0*         3.00E-03         8.01E-04           kg N eq         7.26E-01         3.13E-02         5.39E-03         0*         6.85E-01         5.13E-03           mol N eq         8.49E+00         3.35E-01         5.94E-02         0*         8.05E+00         5.25E-02	

Inventory flows Indicators	Harmony BX1 - HMIBX1A0NDA							
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2.75E+03	1.38E+01	0*	0*	2.74E+03	5.70E-01	-2.24E+00
Contribution to use of renewable primary energy resources used as raw material	MJ	5.58E+00	5.58E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of renewable primary energy resources	MJ	2.76E+03	1.94E+01	0*	0*	2.74E+03	5.70E-01	-2.24E+00
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.67E+04	5.51E+02	2.47E+01	0*	2.61E+04	6.63E+01	-6.18E+01
Contribution to use of non renewable primary energy resources used as raw material	MJ	7.18E+00	7.18E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	2.68E+04	5.58E+02	2.47E+01	0*	2.61E+04	6.63E+01	-6.18E+01
Contribution to use of secondary material	kg	7.01E-05	7.01E-05	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	1.34E+00	3.99E-01	1.57E-04	6.41E-04	9.15E-01	2.43E-02	-2.69E-02
Contribution to hazardous waste disposed	kg	2.19E+02	1.93E+02	0*	0*	2.26E+01	3.62E+00	-2.47E+01
Contribution to non hazardous waste disposed	kg	1.64E+02	1.37E+01	6.22E-02	2.81E-01	1.50E+02	1.49E-01	-5.91E+00
Contribution to radioactive waste disposed	kg	2.87E-02	9.05E-03	4.43E-05	0*	1.95E-02	3.36E-05	-4.46E-03
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	6.18E-01	6.61E-02	0*	0*	0*	5.52E-01	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	5.03E-03	6.75E-04	0*	0*	0*	4.36E-03	0.00E+00

<sup>\*</sup> represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product	kg de C	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg de C	7.57E-02

Life cycle assessment performed with EIME version v6.2-22, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

According to this environmental analysis, proportionality rules may be used to evaluate the impacts of other products of this range, ratios to apply can be provided upon request

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number:	ENVPEP2405013_V1	Drafting rules	PCR-4-ed4-EN-2021 09 06			
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08			
Date of issue	07-2024	Information and reference documents	www.pep-ecopassport.org			
		Validity period	5 years			
Independent verification of the declaration and data, in compliance with ISO 14021: 2016						
Internal X	External					

The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)

PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022

The components of the present PEP may not be compared with components from any other program.

Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"

Schneider Electric Industries SAS Country Customer Care Center

http://www.se.com/contact 35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP2405013\_V1 ©2024 - Schneider Electric – All rights reserved 07–2024