

Product Environmental Profile

TBUX297592S - Expansion Module 6607 IO




General information

| | |
|----------------------------|---|
| Reference product | TBUX297592S - Expansion Module 6607 IO |
| Description of the product | The 6607 I/O Expansion module increases the SCADAPack I/O capacity by providing 16 digital inputs, 8 of which have an associated counter, 10 digital outputs, 8 analog inputs, 2 analog outputs. The 6607 input output module can be used with SCADAPack x70 RTUs. |
| Functional unit | The 6607 I/O Expansion module with 16 digital inputs are used to monitor the state of devices, 10 digital outputs to control the output devices, 8 analog inputs to monitor the sensors and 2 analog outputs to control the remote devices, during its 10 years lifetime with a power use of 1.2 W at 100% use rate, in accordance with the IEC/EN 61131-2, CSA and UL standards. |

Constituent materials

| | |
|------------------------|--|
| Reference product mass | 1500 g including the product, its packaging, additional elements and accessories |
|------------------------|--|



| | |
|----------|--------|
| Plastics | 0.10% |
| Metals | 35.20% |
| Others | 64.70% |

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website <https://www.se.com>

Additional environmental information

| | | | |
|-------------|--------------------------|-----|---|
| End Of Life | Recyclability potential: | 66% | The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). Schneider specific rates have been calculated based on REEECYLAB tool developed by Ecosystem. |
|-------------|--------------------------|-----|---|

Environmental impacts

| | | | |
|----------------------------------|--|--------|--|
| Reference service life time | 10 years | | |
| Product category | Other equipments - Active product | | |
| Life cycle of the product | The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study | | |
| Electricity consumption | The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligible consumption | | |
| Installation elements | Installation will vary based on the client's specific situation. It is not expected to involve significant physical operations or materials. | | |
| Use scenario | The product is in active mode 100% of the time with a power use of max 1.2 W for 10 years. | | |
| Time representativeness | The collected data are representative of the year 2024 | | |
| Technological representativeness | Manufacturing process of Electronics parts by using soldering process, Metal parts by using forging and Casting process and Plastic parts by using Injection moulding process for Expansion Module 6607 IO | | |
| Geographical representativeness | NA-19%, LATAM-35%, MENA-8%, EU-25%, APAC-13% | | |
| Energy model used | [A1 - A3] | [A5] | [B6] |
| | Electricity Mix; Low voltage; 2020; Mexico, MX | Europe | Electricity Mix; Production mix; Low voltage; US, CA, MX, BR, APAC, UE-27, TR. |
| | [C1 - C4] | Europe | |

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.se.com/contact>

| Mandatory Indicators | | TBUX297592S - Expansion Module 6607 IO | | | | | | |
|--|---------------------------|--|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Impact indicators | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to climate change | kg CO2 eq | 1.07E+02 | 3.89E+01 | 2.83E+01 | 3.27E-02 | 3.76E+01 | 2.29E+00 | -1.95E+00 |
| Contribution to climate change-fossil | kg CO2 eq | 1.07E+02 | 3.89E+01 | 2.83E+01 | 2.65E-02 | 3.76E+01 | 2.28E+00 | -1.95E+00 |
| Contribution to climate change-biogenic | kg CO2 eq | 4.61E-02 | 0* | 0* | 6.18E-03 | 5.58E-02 | 5.87E-04 | -4.87E-03 |
| Contribution to climate change-land use and land use change | kg CO2 eq | 4.56E-08 | 3.58E-08 | 0* | 0* | 0* | 9.85E-09 | 0.00E+00 |
| Contribution to ozone depletion | kg CFC-11 eq | 4.64E-05 | 2.09E-05 | 2.53E-05 | 0* | 1.61E-07 | 0* | -2.90E-07 |
| Contribution to acidification | mol H+ eq | 5.56E-01 | 2.10E-01 | 1.11E-01 | 3.63E-04 | 2.28E-01 | 5.95E-03 | -1.20E-02 |
| Contribution to eutrophication, freshwater | kg (PO4) ³⁻ eq | 1.37E-04 | 6.49E-05 | 3.36E-06 | 1.33E-07 | 4.34E-05 | 2.56E-05 | -2.97E-06 |
| Contribution to eutrophication, marine | kg N eq | 1.20E-01 | 4.71E-02 | 4.57E-02 | 1.72E-04 | 2.54E-02 | 1.42E-03 | -1.13E-03 |
| Contribution to eutrophication, terrestrial | mol N eq | 1.42E+00 | 5.02E-01 | 4.92E-01 | 1.75E-03 | 4.07E-01 | 1.52E-02 | -1.32E-02 |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 4.42E-01 | 1.78E-01 | 1.77E-01 | 4.20E-04 | 8.09E-02 | 4.89E-03 | -4.63E-03 |
| Contribution to resource use, minerals and metals | kg Sb eq | 4.11E-03 | 4.09E-03 | 0* | 0* | 1.58E-05 | 6.62E-07 | -6.30E-04 |
| Contribution to resource use, fossils | MJ | 1.78E+03 | 5.67E+02 | 3.70E+02 | 3.11E-01 | 7.36E+02 | 1.09E+02 | -4.58E+01 |
| Contribution to water use | m3 eq | 1.37E+01 | 8.39E+00 | 1.51E+00 | 6.45E-02 | 3.20E+00 | 5.82E-01 | -8.61E-01 |

| Inventory flows Indicators | | TBUX297592S - Expansion Module 6607 IO | | | | | | |
|---|------|--|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Inventory flows | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to renewable primary energy used as energy | MJ | 3.01E+02 | 0* | 0* | 0* | 3.05E+02 | 0* | -3.74E-01 |
| Contribution to renewable primary energy used as raw material | MJ | 1.54E+01 | 1.54E+01 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to total renewable primary energy | MJ | 3.17E+02 | 1.21E+01 | 0* | 0* | 3.05E+02 | 0* | -3.74E-01 |
| Contribution to non renewable primary energy used as energy | MJ | 1.78E+03 | 5.64E+02 | 3.70E+02 | 3.11E-01 | 7.36E+02 | 1.09E+02 | -4.58E+01 |
| Contribution to non renewable primary energy used as raw material | MJ | 3.20E+00 | 3.20E+00 | 0* | 0* | 0* | 0* | 0.00E+00 |

| Inventory flows | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
|--|------|--------------------------|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Contribution to total non renewable primary energy | MJ | 1.78E+03 | 5.67E+02 | 3.70E+02 | 3.11E-01 | 7.36E+02 | 1.09E+02 | -4.58E+01 |
| Contribution to use of secondary material | kg | 7.06E-03 | 7.06E-03 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of non renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to net use of fresh water | m³ | 3.20E-01 | 1.95E-01 | 3.51E-02 | 1.50E-03 | 7.48E-02 | 1.36E-02 | -2.00E-02 |
| Contribution to hazardous waste disposed | kg | 7.20E+01 | 7.07E+01 | 1.87E-02 | 0* | 1.09E+00 | 2.58E-01 | -4.97E+01 |
| Contribution to non hazardous waste disposed | kg | 3.27E+01 | 2.40E+01 | 3.65E-02 | 7.02E-01 | 7.91E+00 | 2.01E-02 | -1.61E+00 |
| Contribution to radioactive waste disposed | kg | 1.44E-02 | 7.34E-03 | 5.91E-03 | 0* | 1.14E-03 | 5.00E-06 | -7.26E-04 |
| Contribution to components for reuse | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to materials for recycling | kg | 5.90E-01 | 7.61E-02 | 0* | 0* | 0* | 5.14E-01 | 0.00E+00 |
| Contribution to materials for energy recovery | kg | 2.57E-08 | 2.57E-08 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to exported energy | MJ | 5.84E-03 | 7.79E-04 | 0* | 0* | 0* | 5.06E-03 | 0.00E+00 |

* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 1.97E-01

* The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

| Mandatory Indicators | | TBUX297592S - Expansion Module 6607 IO | | | | | | | |
|--|---------------------------|--|------|------|------|------|------|----------|------|
| Impact indicators | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
| Contribution to climate change | kg CO2 eq | 3.76E+01 | 0* | 0* | 0* | 0* | 0* | 3.76E+01 | 0* |
| Contribution to climate change-fossil | kg CO2 eq | 3.76E+01 | 0* | 0* | 0* | 0* | 0* | 3.76E+01 | 0* |
| Contribution to climate change-biogenic | kg CO2 eq | 5.58E-02 | 0* | 0* | 0* | 0* | 0* | 5.58E-02 | 0* |
| Contribution to climate change-land use and land use change | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to ozone depletion | kg CFC-11 eq | 1.61E-07 | 0* | 0* | 0* | 0* | 0* | 1.61E-07 | 0* |
| Contribution to acidification | mol H+ eq | 2.28E-01 | 0* | 0* | 0* | 0* | 0* | 2.28E-01 | 0* |
| Contribution to eutrophication, freshwater | kg (PO4) ³⁻ eq | 4.34E-05 | 0* | 0* | 0* | 0* | 0* | 4.34E-05 | 0* |
| Contribution to eutrophication marine | kg N eq | 2.54E-02 | 0* | 0* | 0* | 0* | 0* | 2.54E-02 | 0* |
| Contribution to eutrophication, terrestrial | mol N eq | 4.07E-01 | 0* | 0* | 0* | 0* | 0* | 4.07E-01 | 0* |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 8.09E-02 | 0* | 0* | 0* | 0* | 0* | 8.09E-02 | 0* |
| Contribution to resource use, minerals and metals | kg Sb eq | 1.58E-05 | 0* | 0* | 0* | 0* | 0* | 1.58E-05 | 0* |
| Contribution to resource use, fossils | MJ | 7.36E+02 | 0* | 0* | 0* | 0* | 0* | 7.36E+02 | 0* |
| Contribution to water use | m3 eq | 3.20E+00 | 0* | 0* | 0* | 0* | 0* | 3.20E+00 | 0* |

| Inventory flows Indicators | | TBUX297592S - Expansion Module 6607 IO | | | | | | | |
|---|------|--|------|------|------|------|------|----------|------|
| Inventory flows | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
| Contribution to use of renewable primary energy excluding renewable primary energy used as raw material | MJ | 3.05E+02 | 0* | 0* | 0* | 0* | 0* | 3.05E+02 | 0* |
| Contribution to use of renewable primary energy resources used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to total use of renewable primary energy resources | MJ | 3.05E+02 | 0* | 0* | 0* | 0* | 0* | 3.05E+02 | 0* |
| Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material | MJ | 7.36E+02 | 0* | 0* | 0* | 0* | 0* | 7.36E+02 | 0* |
| Contribution to use of non renewable primary energy resources used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to total use of non-renewable primary energy resources | MJ | 7.36E+02 | 0* | 0* | 0* | 0* | 0* | 7.36E+02 | 0* |

| Inventory flows | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
|--|------|-----------------|------|------|------|------|------|----------|------|
| Contribution to use of secondary material | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of renewable secondary fuels | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of non renewable secondary fuels | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to net use of freshwater | m³ | 7.48E-02 | 0* | 0* | 0* | 0* | 0* | 7.48E-02 | 0* |
| Contribution to hazardous waste disposed | kg | 1.09E+00 | 0* | 0* | 0* | 0* | 0* | 1.09E+00 | 0* |
| Contribution to non hazardous waste disposed | kg | 7.91E+00 | 0* | 0* | 0* | 0* | 0* | 7.91E+00 | 0* |
| Contribution to radioactive waste disposed | kg | 1.14E-03 | 0* | 0* | 0* | 0* | 0* | 1.14E-03 | 0* |
| Contribution to components for reuse | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to materials for recycling | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to materials for energy recovery | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to exported energy | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.4, database version 2024-01 in compliance with ISO 14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

According to this environmental analysis, proportionality rules may be used to evaluate the impacts of other products of this range, ratios to apply can be provided upon request

The Manufacturing stage has the largest impact on the environment, followed by the Use Phase and Distribution stage. In the Manufacturing phase, the Resource Use, Minerals and Metals indicator is attributes 99.6%. On the other hand, the Ozone Depletion indicator attributes 54.6% of the impact to the Distribution phase.

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

| | | | |
|---|------------------|-------------------------------------|--|
| Registration number : | ENVPEP2411015_V1 | Drafting rules | PCR-4-ed4-EN-2021 09 06 |
| Date of issue | 12-2024 | Supplemented by | PSR-0005-ed3-EN-2023 06 06 |
| | | Information and reference documents | www.pep-ecopassport.org |
| | | Validity period | 5 years |
| Independent verification of the declaration and data, in compliance with ISO 14021 : 2016 | | | |
| Internal | X | External | |
| The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain) | | | |
| PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022 | | | |
| The components of the present PEP may not be compared with components from any other program. | | | |
| Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations" | | | |

Schneider Electric Industries SAS
 Country Customer Care Center <http://www.schneider-electric.com/contact>
 +001 508 549 3992
 70 Mechanic Street
 MA 02035
 Foxboro
 USA

www.se.com

ENVPEP2411015_V1

Published by Schneider Electric

©2024 - Schneider Electric – All rights reserved

12-2024