Product Environmental Profile

TeSys Tera - Motor Management RJ45 cable






General information

Reference product	TeSys Tera - Motor Management RJ45 cable - LTMT9RJ401
Description of the product	TeSys Tera - motor management RJ11 cable is a main and sensor module connection cable between main module and expansion module for digital data exchange.
Description of the range	Single product
Functional unit	TeSys Tera - motor management RJ11 cable is a main and sensor module connection cable between main module and expansion module for digital data exchange and the Product is in active mode 100% of the life time with the reference service of 10 years.
Specifications are:	Connector: 8P8C (8 Pole 8 connection) cable with RJ45 connectors at both ends Connections: Straight Cable type: CAT 5 cable

Constituent materials

Reference product mass 71 g Including the product and its packaging.



 Others
 66.2%

 Metals
 17.0%

 Plastics
 16.8%

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website https://www.se.com



(19) Additional environmental information

End Of Life

Recyclability potential:

47%

The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).



Reference service life time	10 years										
Product category	Other equipments - Active product										
Life cycle of the product	The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study										
Electricity consumption	The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligable consumption										
Installation elements	The Product does not need any special installation	The Product does not need any special installation operation.									
Use scenario	The Product is in active mode 100% of the life time with the reference service of 10 years.										
Time representativeness	The collected data are representative of the year 2025										
Technological representativeness	The modules of technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are similar and representaive of the actual type of technologies used to make the product.										
Geographical	Final assembly site Use phase End-of-life										
representativeness	India	APAC, Europ	oe, Australia	APAC, Europe, Australia							
	[A1 - A3]	[C1 - C4]									
			Electricity Mix; Low voltage; 2020; Asia Pacific, APAC								
Energy model used	Electricity Mix; Low voltage; 2020; India, IN	No energy used	Electricity Mix; Low voltage; 2020; Europe, EU-27	Global, European and French datasets are used.							
			Electricity Mix; Low voltage; 2020; Australia, AU								

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.se.com/contact

Mandatory Indicators	TeSys Tera - Motor Management RJ45 cable - LTMT9RJ401								
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads	
Contribution to climate change	kg CO2 eq	2.88E-01	1.61E-01	2.56E-02	4.90E-02	0*	5.27E-02	-5.59E-02	
Contribution to climate change-fossil	kg CO2 eq	3.66E-01	2.43E-01	2.56E-02	4.67E-02	0*	5.09E-02	-1.06E-01	
Contribution to climate change-biogenic	kg CO2 eq	-7.82E-02	-8.23E-02	0*	0*	0*	0*	5.03E-02	
Contribution to climate change-land use and land use change	e kg CO2 eq	3.03E-08	3.74E-10	0*	0*	0*	2.99E-08	0.00E+00	
Contribution to ozone depletion	kg CFC-11 eq	2.80E-08	2.63E-08	3.92E-11	6.36E-10	0*	1.06E-09	-1.29E-08	
Contribution to acidification	mol H+ eq	4.12E-03	3.57E-03	1.62E-04	1.44E-04	0*	2.48E-04	-1.96E-03	
Contribution to eutrophication, freshwater	kg P eq	5.92E-05	1.65E-06	9.60E-09	1.12E-06	0*	5.64E-05	-9.18E-07	
Contribution to eutrophication, marine	kg N eq	5.65E-04	3.90E-04	7.60E-05	6.25E-05	0*	3.70E-05	-1.20E-04	
Contribution to eutrophication, terrestrial	mol N eq	5.69E-03	3.95E-03	8.34E-04	4.35E-04	0*	4.78E-04	-1.12E-03	
Contribution to photochemical ozone formation - human health	kg COVNM eq	1.85E-03	1.43E-03	2.10E-04	9.96E-05	0*	1.13E-04	-4.05E-04	
Contribution to resource use, minerals and metals	kg Sb eq	1.57E-05	1.39E-05	0*	0*	0*	1.82E-06	-1.18E-05	
Contribution to resource use, fossils	MJ	4.99E+00	3.84E+00	3.57E-01	4.86E-01	0*	3.00E-01	-1.47E+00	
Contribution to water use	m3 eq	2.01E-01	1.46E-01	9.72E-05	3.79E-03	0*	5.11E-02	-8.98E-02	

Inventory flows Indicators	TeSys Tera - Motor Management RJ45 cable - LTMT9RJ401							
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to renewable primary energy used as energy	MJ	3.09E-01	2.01E-01	4.76E-04	6.38E-02	0*	4.37E-02	9.19E-02
Contribution to renewable primary energy used as raw material	MJ	0.00E+00	0*	0*	0*	0*	0*	-6.78E-01
Contribution to total renewable primary energy	MJ	3.09E-01	2.01E-01	4.76E-04	6.38E-02	0*	4.37E-02	-5.86E-01
Contribution to non renewable primary energy used as energy	MJ	4.60E+00	3.45E+00	3.57E-01	4.86E-01	0*	3.00E-01	-1.47E+00
Contribution to non renewable primary energy used as raw material	MJ	3.89E-01	3.89E-01	0*	0*	0*	0*	0.00E+00
Contribution to total non renewable primary energy	MJ	4.99E+00	3.84E+00	3.57E-01	4.86E-01	0*	3.00E-01	-1.47E+00
Contribution to use of secondary material	kg	5.19E-02	5.19E-02	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of fresh water	m³	4.69E-03	3.41E-03	2.26E-06	8.82E-05	0*	1.19E-03	-2.09E-03
Contribution to hazardous waste disposed	kg	1.28E+00	1.28E+00	0*	1.22E-03	0*	0*	-1.09E+00
Contribution to non hazardous waste disposed	kg	5.42E-01	5.04E-01	8.98E-04	2.10E-02	0*	1.53E-02	-1.03E-01
Contribution to radioactive waste disposed	kg	1.18E-04	1.14E-04	6.40E-07	2.60E-06	0*	6.23E-07	-7.25E-05
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	1.20E-02	1.41E-04	0*	0*	0*	1.19E-02	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	2.13E-03	2.66E-06	0*	2.00E-03	0*	1.18E-04	0.00E+00

 $^{^{\}star}$ represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 1.29E-02

^{*} The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

Mandatory Indicators				TeSys Tera	- Motor M	anagem	ent RJ45	cable - LTM	T9RJ401
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq		0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-fossil	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-biogenic	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to acidification	mol H+ eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to eutrophication, freshwater	kg P eq	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to eutrophication marine	kg N eq	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to eutrophication, terrestrial	mol N eq	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to photochemical ozone formation - human ealth	kg COVNM eq	0*	0*	0*	0*	0*	0*	0*	0*
contribution to resource use, minerals and metals	kg Sb eq	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to resource use, fossils	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to water use	m3 eq	0*	0*	0*	0*	0*	0*	0*	0*

Inventory flows Indicators	TeSys Tera - Motor Management RJ45 cable - LTMT9RJ401						T9RJ401		
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to use of renewable primary energy resources sed as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ntribution to total use of renewable primary energy ources	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ntribution to use of non renewable primary energy luding non renewable primary energy used as raw rerial	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ntribution to use of non renewable primary energy ources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ribution to total use of non-renewable primary energy urces	MJ	0*	0*	0*	0*	0*	0*	0*	0*
tribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
ibution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ibution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
bution to net use of freshwater	m³	0*	0*	0*	0*	0*	0*	0*	0*
ribution to hazardous waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*
ibution to non hazardous waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*
bution to radioactive waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*
oution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
bution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
bution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
bution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

^{*} represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.4, database version 2024-01 in compliance with ISO14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology -1/1 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP2503008_V1		Drafting rules	PEP-PCR-ed4-2021 09 06					
			Supplemented by	PSR-0005-ed3-2023 06 06					
Date of issue	03-2025		Information and reference documents	www.pep-ecopassport.org					
			Validity period	5 years					
Independent verification of	the declaration and data, in compliance	with ISO 14021 : 2016							
Internal X External									
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)									
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022									
The components of the present PEP may not be compared with components from any other program.									

Schneider Electric Industries SAS

Country Customer Care Center

http://www.se.com/contact

Head Office

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP2503008_V1 ©2024 - Schneider Electric - All rights reserved

Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"

03-2025