



UK DECLARATION OF CONFORMITY

We: **Manufacturer**
Schneider Electric Industries SAS
35 rue Joseph Monier
92500 Rueil Malmaison - France

UK Representative
Schneider Electric Limited
Stafford Park 5
Telford, TF3 3BL - United Kingdom

Hereby declare under our sole responsibility that the products:

Trademark	Schneider Electric 
Product, Type, Function	Modicon EDGE IO NTS
Models	NTSxxxxxx, see detailed list of references
Serial Number	PPYYWWDLLLNNNNN (PP = Plant Code; YY = Year; WW = Week; D = Day of the week, LLL = Plant production line, NNNNN = unique product number)

are in conformity with the requirements of the following regulationd and conformity was checked in accordance with the following standards:

Regulation	Harmonized standard / Notified body reference
Electromagnetic compatibility regulation (EMC) SI 2016 No.1091	EN 61131-2:2007 Programmable controllers - Part 2: Equipment requirements and tests Other standards considered: IEC 61131-2:2017
Electrical Equipment (Safety) regulation SI 2016 No.1101	EN 61131-2:2007 Programmable controllers – Part 2: Equipment requirements and tests Other standards considered: IEC 61010-1:2017, IEC 61010-2-201:2017
RoHS regulation SI 2012 No. 3032	EN IEC 63000:2018 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances.

Subject to correct installation, maintenance and use conforming to its intended purpose, to the applicable regulations and standards, to the supplier's instructions, user manual and to accepted rules of the art.

Issued at:
Telford – United Kingdom: January 30th, 2025

Name:

Signed by:



701E992E95194EC...
David WILLIAMS
VP marketing UK&I
Zone UK and Ireland

List of references

Commercial Reference	Description
Network Interface Modules	
NTSNEC1200	Network Interface Module, EtherNet/IP, Modbus TCP, 100 Mbps, 2 RJ45
NTSNEC1200K	Network Interface Module + Base + Termination, EtherNet/IP, Modbus TCP, 100 Mbps, 2 RJ45
NTSNEC1200H	Network Interface Module, EtherNet/IP, Modbus TCP, 100 Mbps, 2 RJ45, Hardened
NTSNEC1200HK	Network Interface Module + Base + Termination, EtherNet/IP, Modbus TCP, 100 Mbps, 2 RJ45, Hardened
Power supply Modules	
NTSPFB1002H	Power Supply Module, 24V DC, 3,5 A for Bus and 10,5A for Field, Hardened
NTSPFB1002HK	Power Supply Module + Base, 24V DC, 3,5 A for Bus and 10,5A for Field, hardened
NTSPFD1002H	Power Supply Module, 24V DC, 10,5A Field, Hardened
NTSPFD1002HK	Power Supply Module + Base, 24V DC, 10,5A Field, Hardened
Discrete Input Modules	
NTSDDI0802X	Discrete Input Module, 8 In, 24V DC, Sink, 1/2 Wires
NTSDDI0802XK	Discrete Input Module + Base, 8 In, 24V DC, Sink, 1/2 wires
NTSDDI1602X	Discrete Input Module, 16 In, 24V DC, Sink, 1/2/3 Wires
NTSDDI1602XK	Discrete Input Module + Base, 16 In, 24V DC, Sink, 1/2/3 wires
NTSDDI0602	Discrete Input Module, 6 In, 24V DC, Sink, 1/2/3 Wires
NTSDDI0602K	Discrete Input Module + Base, 6 In, 24V DC, Sink, 1/2/3 wires
NTSDDI1602XH	Discrete Input Module, 16 In, 24V DC, Sink, 1/2/3 Wires
NTSDDI1602XHK	Discrete Input Module + Base, 16 In, 24V DC, Sink, 1/2/3 Wires
NTSDDI1602	Discrete Input Module, 16 In, 24V DC, Sink, 1/2/3 wires,
NTSDDI1602K	Discrete Input Module + Base, 16 In, 24V DC, Sink, 1/2/3 wires,
Discrete Output Modules	
NTSDDO0802	Discrete Output Module, 8 Out, 24V DC, 2A, Source, Protected, 1 Wire
NTSDDO0802K	Discrete Output Module + Base, 8 Out, 24V DC, 2A, Source, Protected, 1 Wire
NTSDDO0802X	Discrete Output Module, 8 Out, 24V DC, 2A, Source, Protected, 1 Wire
NTSDDO0802XK	Discrete Output Module + Base, 8 Out, 24V DC, 2A, Source, Protected, 1 Wire
NTSDDO1602XA	Discrete Output Module, 16 Out, 24V DC, 500mA, Source, Protected, External Supply (A), 1/2 Wires
NTSDDO1602XAK	Discrete Output Module + Base, 16 Out, 24V DC, 500mA, Source, Protected, External Supply (A), 1/2 Wires
NTSDDO0212H	Discrete Output Module, 2 Isolated Out, 24V DC, 2A, Source, Protected, 1/2/3 Wires, Hardened
NTSDDO0212HK	Discrete Output Module + base, 2 Isolated Out, 24V DC, 2A, Source, Protected, 1/2/3 Wires, Hardened
NTSDRA0615	Relay Output Module, Edge I/O NTS, 6 Isolated Out, NO, 2A, 5V to 125V DC, 24V to 240V AC
NTSDRA0615K	Relay Output Module + Base, Edge I/O NTS, 6 Isolated Out, NO, 2A, 5V to 125V DC, 24V to 240V AC
Analog Input Modules	
NTSAMI0400	Analog Input Module, 4 In, Current, Voltage, 2 wires, 10V, 20mA
NTSAMI0400K	Analog Input Module + Base, 4 In, Current, Voltage, 2 wires, 10V, 20mA
NTSACI0802X	Analog Input Module, 8 In, Current, 1/2 wires, Loop Power, 20mA
NTSACI0802XK	Analog Input Module + Base, 8 In, Current, 1/2 wires, Loop Power, 20mA
NTSACI0802XH	Analog Input Module, 8 In, Current, 1/2 wires, Loop Power, Hardened, 20mA
NTSACI0802XHK	Analog Input Module + Base, 8 In, Current, 1/2 wires, Loop Power, Hardened, 20mA
NTSAMI0210	Analog Input Module, 2 Isolated In, Current, Voltage, 2 wires, 10V, 20mA
NTSAMI0210K	Analog Input Module + Base, 2 Isolated In, Current, Voltage, 2 wires, 10V, 20mA

Commercial Reference	Description
NTSAMI0210H	Analog Input Module, 2 Isolated In, Current, Voltage, 2 wires, 10V, 20mA, Hardened
NTSAMI0210HK	Analog Input Module + Base, 2 Isolated In, Current, Voltage, 2 wires, 10V, 20mA, Hardened
Analog Output Modules	
NTSAMO0400	Analog Output Module, 4 Out, Current, Voltage, 10V, 20mA
NTSAMO0400K	Analog Output Module + Base, 4 Out, Current, Voltage, 10V, 20mA
NTSAMO0400H	Analog Output Module, 4 Out, Current, Voltage, 10V, 20mA, Hardened
NTSAMO0400HK	Analog Output Module + Base, 4 Out, Current, Voltage, 10V, 20mA, Hardened
Counting Input Modules	
NTSEHC0100	High Speed Counter Module, 1 Incremental In, 24V DC, 250kHz, 2 In
NTSEHC0100K	High Speed Counter Module + Base, 1 Incremental In, 24V DC, 250kHz, 2 In
Counting Input/Output Modules	
NTSEHC0120H	High Speed Counter Module, 1 Incremental In, 24V DC, 250kHz, 2 In, 4 Out, Hardened
NTSEHC0120HK	High Speed Counter Module + Base, 1 Incremental In, 24V DC, 250kHz, 2 In, 4 Out, Hardened
NTSEHC0220	High Speed Counter Module, 2 Incremental In, 24V DC, 250kHz, 4 In, 8 Out
NTSEHC0220K	High Speed Counter Module + Base, 2 Incremental In, 24V DC, 250kHz, 4 In, 8 Out
Common Distribution Modules	
NTSPCM0808H	Common Distribution Module, 0 V DC, 8 Points, 24V DC, 8 Points, eFuse,Hardened
NTSPCM0808HK	Common Distribution Module + Base, 0 V DC, 8 Points, 24V DC, 8 Points, eFuse,Hardened
NTSPCM1600H	Common Distribution Module, 0 V DC, 16 Points, eFuse,Hardened
NTSPCM1600HK	Common Distribution Module + Base, 0 V DC, 16 Points, eFuse,Hardened
NTSPCM0016H	Common Distribution Module, 24 V DC, 16 Points, eFuse,Hardened
NTSPCM0016HK	Common Distribution Module + Base, 24 V DC, 16 Points, eFuse,Hardened
Field Device Master Modules	
NTSFIO0400	Field Device Master Module, IO-Link Master, Up to 4 ch, 4 wires
NTSFIO0400K	Field Device Master Module, IO-Link Master, Up to 4 ch, 4 wires
Cluster Termination	
NTSXMP0000H	Cluster Termination Module, Hardened.
Dummy Modules	
NTSDMY0100H	Dummy Module, Single Slot, Hardened
NTSDMY0200H	Dummy Module, Double Slot, Hardened
NTSDMY0100HK	Dummy Module + Base, Single Slot, Hardened
NTSDMY0200HK	Dummy Module + Base, Double Slot, Hardened
Baseplate	
NTSXBA0100H	Spare Base, 1 slot, for Input/output Common or Expert Module, Hardened
NTSXBA0200H	Spare Base, 2 slot, for Input/output Common, Expert or Safety Module, Hardened
NTSXBA0201H	Spare Base, 2 slot, for Network Interface Module or Bus extender, Hardened
NTSXBA0301H	Spare Base, 3 slot, for Network Interface Module, Hardened
NTSXBA0103H	Spare Base, 1 slot, for power supply Field and Bus modules, Hardened
NTSXBA0104H	Spare Base, 1 slot, for power supply Field distribution modules, Hardened

List of accessories

Commercial Reference	Description
Terminal Block	
NTSXTB12000H	Screw Terminal Block, 12 Points, 5 mm Pitch, (Without Cover, Low Height Module, Hardened)
NTSXTB12001H	Screw Terminal Block, 12 Points, 5 mm Pitch, (With Cover, Low Height Module, Hardened)
NTSXTB12200H	Spring Terminal Block, 12 Points, 5 mm Pitch, (Without Cover, Low Height Module, Hardened)
NTSXTB12201H	Spring Terminal Block, 12 Points, 5 mm Pitch, (With Cover, Low Height Module, Hardened)
NTSXTB18000H	Screw Terminal Block, 12 Points, 3.81 mm Pitch, (Without Cover, Low Height Module, Hardened)
NTSXTB18001H	Screw Terminal Block, 18 Points, 3.81 mm Pitch, (With Cover, Low Height Module, Hardened)
NTSXTB18200H	Spring Terminal Block, 18 Points, 3.81 mm Pitch, (Without Cover, Low Height Module, Hardened)
NTSXTB18201H	Spring Terminal Block, 18 Points, 3.81 mm Pitch, (With Cover, Low Height Module, Hardened)
NTSXTB18000XH	Screw Terminal Block, 18 Points, 5 mm Pitch, (Without Cover, High Height Module (X), Hardened)
NTSXTB18001XH	Screw Terminal Block, 18 Points, 5 mm Pitch, (With Cover, High Height Module (X), Hardened)
NTSXTB18200XH	Spring Terminal Block, 18 Points, 5 mm Pitch, (Without Cover, High Height Module (X), Hardened)
NTSXTB18201XH	Spring Terminal Block, 18 Points, 5 mm Pitch, (With Cover, High Height Module (X), Hardened)
NTSXTB12010H	Screw Terminal Block, 12 Points, 5 mm Pitch, (Without Cover, AC , Low Height Module, Hardened)
NTSXTB12011H	Screw Terminal Block, 12 Points, 5 mm Pitch, (With Cover, AC, Low Height Module, Hardened)
NTSXTB12210H	Spring Terminal Block, 12 Points, 5 mm Pitch, (Without Cover, AC, Low Height Module, Hardened)
NTSXTB12211H	Spring Terminal Block, 12 Points, 5 mm Pitch, (With Cover, AC, Low Height Module, Hardened)
NTSXTB02030H	Screw Terminal Block, 2 Points, 5 mm Pitch, (power Supply Module, Hardened)
NTSXTB02230H	Spring Terminal Block, 2 Points, 5 mm Pitch, (Power Supply Module, Hardened)