

Product End of Life Instructions

Schneider StarCharge Fast 60





Potential disassembly risks

⚠ WARNING


HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power) > 10cm ²	240	PCBA 1
To be depolluted	2	Electronic Board (Communication) > 10cm ²	173	PCBA 2
To be depolluted	3	Electronic Board (Communication) > 10cm ²	26.5	PCBA 3
To be depolluted	4	Electronic Board (Communication) > 10cm ²	10.3	PCBA 4
To be depolluted	5	Electronic Board (Communication) > 10cm ²	10	PCBA 5
To be depolluted	6	Electronic Board (Communication) > 10cm ²	4.8	PCBA 6
To be depolluted	7	Electronic Board (Communication) > 10cm ²	75.8	PCBA 7
To be depolluted	8	Electronic Board (Communication) > 10cm ²	58	PCBA 8
To be depolluted	9	Liquid crystal displays greater than 100cm ²	280	LCD
To be depolluted	10	Cable (high current)	1300	Cable *2



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Schneider StarCharge Fast charging station is designed to allow private persons or public to have a charging point dedicated to their electric vehicle. Its function unit is to allow the charging of an electrical vehicle 16 hours a day for 10 years.
Product reference	EVD2S60TBCC
Additional similar product references	EVD2S60TBCC EVD2S60TBCC-F EVD2S60TBB EVD2S60TBBC7
Total representative product mass	268000 g
Representative product dimensions	1020mm x 470mm x 1770mm
Accessories	Charging station gun cable
Date of information release	2025/5/12



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No
Recyclability potential	95% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2505030_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

05-2025