

# Product End of Life Instructions

## Harmony XV4 ø40mm Optimum Tower Light With Buzzer





Potential disassembly risks

The information provided in this document assumes that the product is completely de-energized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.


⚠ WARNING

HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
  - Use all necessary personal protective equipment such as gloves and goggles.
- Failure to follow these instructions can result in death or serious injury.



End of Life Instructions



| Recommendation   | Number on drawing | Component / Material   | Weight (in g) | Comment       |
|------------------|-------------------|--|---------------|---------------|
| To be dismantled | 1                 | Dome, Base Enclosure, Spreader, Mounting Button, O-ring, Cap | 223           | Plastic Parts |
| To be depolluted | 2                 | Electronic Components  | 52            | PCBA          |
| To be dismantled | Others            | Spring, Terminal Clamp, Piezo Disc                           | 13            | Metal Parts   |

## Product description

|                                   |  |
|-----------------------------------|--|
| Manufacturer identification       | Schneider Electric Industries SAS  |
| Brand name                        | Schneider Electric   |
| Product function                  | The representative product used in the analysis is a pre-assembled LED indicator tower light which consisting of a base, light modules, buzzer, adapter and fixing plate ( XV4C9S, XV4C55,XV4C23C, XV4C21MX, XV4C020, XVZ02Q). The product is an audible signaling units designed for indication of operating status in industrial applications. Examples: starting or stopping a machine, insufficient material, calling personnel etc. |
| Product reference                 | XV4C9S, XV4C55, XV4C23C, XV4C21MX, XV4C020, XVZ02Q   |
| Total representative product mass | 288 g  |
| Representative product dimensions | H 430mm x L 40mm x W 40mm  |
| Accessories                       | No special accessories needed  |
| Date of information release       | 08-2025  |

## Additional information

|  |  |
|--|--|
| Legal information  | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. |
| In case of special transportation: transportation method | No special transportation required   |
| Recyclability potential                                  | <b>80%</b> The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).   |

Schneider Electric Industries SAS  
Country Customer Care Center  
<http://www.se.com/contact>  
35, rue Joseph Monier  
CS 30323  
F- 92500 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2508015\_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

08-2025