# **Product Environmental Profile**

#### Wiser 1Chanel HUBr 2nd Generation










### General information

Reference product	Wiser 1Chanel HUBr 2nd Generation - CCTFR6311G2			
Description of the product	The Wiser Heat Hubr is the brains of the system, interfacing with the controls through 2.4Ghz RF Zigbee Technology and Wi-Fi access to allow internet access for the APP.			
Functional unit	Wiser Heat HubR operates as a Wi-Fi access point allowing local app access and access through the internet. Linking through 2.4GHz RF ZigBee technology to various smart home devices in different domains, heating, light and shutter control, sensors and energy management. Up to 4 iTRV per zone, Room Thermostat (1 per zone), up to 3 relays to control heating and water circuits, set to ambient temperature up to 16 heating zones according to a temperature set by the user in a range of ambient temperature between 0° à 35°C, with a temperature steps of 0,5°C. With a lifetime of 10 years.			

# Constituent materials



 Others
 50.9%

 Plastics
 47.3%

 Metals
 1.8%

#### Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website <a href="https://www.se.com/ww/en/work/support/green-premium/">https://www.se.com/ww/en/work/support/green-premium/</a>

### (19) Additional environmental information

Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

## **Environmental impacts**

Reference service life time	10 years					
Product category	Other equipments - Active product					
Installation elements	Ref CCTFR9311G2 does not require any special component for the installation operations.  The disposal of the packaging materials is accounted for during the installation phase (including transport to disposal).					
Use scenario	Active product, Load rate of product 42% of time active at 3.54W & 58% of time on standby at 2.53W.					
Geographical representativeness	Europe					
	[A1 - A3]	[A5]	[B6]	[C1 - C4]		
Energy model used	Electricity Mix; Production mix; Low voltage; UK	Electricity Mix; Production mix; Low voltage; UE-27	Electricity Mix; Production mix; Low voltage; UE-27	Electricity Mix; Production mix; Low voltage; UE-27		

Detailed results, including all the optional indicators mentioned in PCRed4, and the split of the Use Phase (B1 to B7), are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneider-electric.com/contact

Mandatory Indicators			Wis	ser 1Chanel HUE	r 2nd Generation	- CCTFR6311G2	:	
learned to disease	Unit	Tatal	Manufacturing	Distribution	Installation	Use	End of Life	Benefits
Impact indicators	Onit	Total	[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to climate change	kg CO2 eq	1.19E+02	1.27E+01	7.78E-02	4.75E-02	1.06E+02	1.63E-01	-5.51E-02
Contribution to climate change-fossil	kg CO2 eq	1.19E+02	1.26E+01	7.78E-02	4.67E-02	1.06E+02	1.54E-01	-5.43E-02
Contribution to climate change-biogenic	kg CO2 eq	2.06E-01	5.41E-02	0*	8.02E-04	1.41E-01	9.75E-03	-8.34E-04
Contribution to climate change-land use and land use change	kg CO2 eq	1.83E-07	1.83E-07	0*	0*	0*	2.92E-10	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	2.57E-06	2.03E-06	6.87E-08	1.25E-09	4.54E-07	1.35E-08	-8.33E-09
Contribution to acidification	mol H+ eq	6.93E-01	8.19E-02	3.38E-04	9.19E-05	6.05E-01	4.98E-03	-3.03E-04
Contribution to eutrophication, freshwater	kg (PO4) <sup>3-</sup> eq	3.67E-04	7.16E-05	0*	6.39E-07	2.90E-04	4.04E-06	-2.95E-07
Contribution to eutrophication marine	kg N eq	8.19E-02	9.40E-03	1.55E-04	3.02E-05	6.88E-02	3.57E-03	-4.54E-05
Contribution to eutrophication, terrestrial	mol N eq	1.14E+00	9.95E-02	1.68E-03	2.27E-04	1.03E+00	1.76E-03	-4.36E-04
Contribution to photochemical ozone formation - human health	kg COVNM eq	2.56E-01	3.34E-02	5.52E-04	6.68E-05	2.21E-01	7.24E-04	-1.38E-04
Contribution to resource use, minerals and metals	kg Sb eq	6.75E-03	6.74E-03	0*	0*	7.68E-06	0*	-7.35E-06
Contribution to resource use, fossils	MJ	2.87E+03	1.66E+02	9.45E-01	0*	2.70E+03	2.79E+00	-7.88E-01
Contribution to water use	m3 eq	7.96E+01	1.23E+01	0*	8.02E-03	3.75E+00	6.36E+01	-2.79E-02

Inventory flows Indicators			W	iser 1Chanel HUE	r 2nd Generation	- CCTFR6311G2		
Inventory flavo	Unit	Total	Manufact.	Distribution	Installation	Use	End of Life	Benefits
Inventory flows	Unit	Total	[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	5.26E+02	6.61E+00	0*	0*	5.19E+02	2.77E-01	1.03E-01
Contribution to use of renewable primary energy resources used as raw material	MJ	9.98E-02	9.98E-02	0*	0*	0*	0*	-1.79E-01
Contribution to total use of renewable primary energy resources	MJ	5.26E+02	6.71E+00	0*	0*	5.19E+02	2.77E-01	-7.66E-02
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.87E+03	1.60E+02	9.45E-01	0*	2.70E+03	2.79E+00	-7.88E-01
Contribution to use of non renewable primary energy resources used as raw material	MJ	6.62E+00	6.62E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	2.87E+03	1.66E+02	9.45E-01	0*	2.70E+03	2.79E+00	-7.88E-01
Contribution to use of secondary material	kg	3.31E-02	3.31E-02	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	2.04E+00	2.86E-01	0*	0*	8.74E-02	1.66E+00	-6.49E-04
Contribution to hazardous waste disposed	kg	1.21E+02	1.19E+02	0*	0*	1.98E+00	3.58E-01	-5.68E-01
Contribution to non hazardous waste disposed	kg	1.87E+01	3.37E+00	0*	8.66E-02	1.53E+01	5.70E-03	-2.78E-01
Contribution to radioactive waste disposed	kg	1.12E-02	7.97E-03	1.55E-05	8.84E-06	3.19E-03	1.87E-06	-2.17E-05
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	1.38E-02	0*	0*	9.92E-03	0*	3.90E-03	0.00E+00
Contribution to materials for energy recovery	kg	5.15E-09	5.15E-09	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	1.43E-02	0*	0*	1.43E-02	0*	0*	0.00E+00
Contribution to biogenic carbon content of the product	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00

 $<sup>^{\</sup>star}$  represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v5.9.4, database version 2022-01 in compliance with ISO14044.

Detailed results, including all the optional indicators mentioned in PCRed4, and the split of the Use Phase (B1 to B7), are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneider-electric.com/contact

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number : SCHN-00865-V01.01-EN	Drafting rules PEP-PCR-ed4-2021 09 06
Verifier accreditation № VH48	Supplemented by PSR-0005-ed2-2016 03 29
Date of issue 10/2023	Information and reference documents www.pep-ecopassport.org
	Validity period 5 years

Independent verification of the declaration and data, in compliance with ISO 14025 : 2006

Internal External X

The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)

PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019

The elements of the present PEP cannot be compared with elements from another program.

Document in compliance with ISO 14025 : 2006 « Environmental labels and declarations. Type III environmental declarations »



Manufactured:

Schnedier Electric Controls UK Ltd

401 Southwy Drive

Plymouth PL6 6QT

UK

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.se.com

Published by Schneider Electric

SCHN-00865-V01.01-EN

©2023 - Schneider Electric - All rights reserved

10/2023