OptiLine 45

Installation trunking, PVC
## Goulottes d'installation, PVC

ISM10100	ISM10300	ISM10500
ISM10100P	ISM10300P	ISM10500P
ISM10110	ISM10310	
ISM10110P	ISM10310P	
ISM10200	ISM10400	
ISM10200P	ISM10400P	

Schneider Electric

Installation

1

10-15mm

2

3

4

Installation of single socket-outlet

!

1

2

3

4

5

Installation of double/triple socket-outlet

!

1

2

3

4

5

Alt.

Installation of VDI outlet

1

2

3

4

5

Installation of cable shelf/cable retainer

1

2

3

Installation of internal corner

1

2
Alt. 1 Alt. 2
Alt. 3

3
80°-100°
Alt. 1

4
+5mm

Installation of external corner

1
Alt. 1 Alt. 2
80mm

2
75°-135°
Alt. 1

3
+5mm

Installation of jointing piece

1

2

Installation of joint cover-piece kit

1

2

3

Installation of joint cover piece for front cover

1

A

A + 2 x 5mm

2

13-16mm

Installation of bend, 90°

1

Alt. 1   Alt. 2

70 mm

2

Alt. 1

3

4

5

+5mm

Installation of T-piece

Installation of wall frame

Installation of stop end and sealing strip

Removal