



LCIE

LICENCE



APPAREILLAGE ELECTRIQUE DOMESTIQUE

LCIE N° : NF012_3246

Titulaire :
License Holder:

SCHNEIDER ELECTRIC INDUSTRIES SAS
35, rue Joseph Monier
92500 RUEIL-MALMAISON France

Site de fabrication :
Factory:

ELDA-ELTRA ELEKTROTECHNIKA SA (N°0999AP)
Bugno 1
78-400 SZCZECINEK POLOGNE

Produit :
Product:

Socle fixe de prise de courant pour installations fixes
Socket-outlet for fixed-electrical installations

Marque commerciale (s'il y a lieu) :
Trade mark (if any):



Modèle, type, référence :
Model, type, reference:

Gamme/series : MUREVA
Voir Annexe / See Annex

Caractéristiques principales :
Main characteristics:

Voir Annexe / See Annex

Informations complémentaires :
Additional information:

/

Le produit est conforme à :
The product is in conformity with:

NF C 61-314:2017

Documents pris en compte :
Relevant documents:

TR 174589-772014 Version : 01,
CBTC n° ES1772, TR CEL/0142-1/16 à CEL/0142-3/16-1,
TR CEL-0335/16-1 à CEL-0335-5/16-1, TR LCIE n° 145411-694705

Annule et remplace (s'il y a lieu) :
Cancels and replaces (if necessary):

La licence / License 696858 du/of 21/12/2016. Mise à jour suite à évolution de(s) norme(s)/update further to the evolution of the standard(s) and Ajout de référence(s) produit/addition of product references

En vertu de la présente décision notifiée par le LCIE organisme mandaté, AFNOR Certification accorde le droit d'usage de la Marque NF à la société qui en est titulaire pour les produits visés ci-dessus, dans les conditions définies par les règles générales de la Marque NF et par les règles de certification NF, pour autant que les contrôles réguliers de la fabrication et les vérifications par tierce partie soient satisfaisants.

On the strength of the present decision notified by LCIE mandated certification body, AFNOR Certification grants the right to use the NF Mark to the licence holder for the above mentioned products, within the frame of the general rules of the NF Mark and of the NF certification rules, as far as the regular checking and third party verifications of the production are satisfactory.

Fontenay-aux-Roses, 29/03/2022

Date de fin de validité / Expiry date :

La validité de la présente licence cesse dès l'annulation de l'une des normes sur lesquelles elle est fondée.
The present license is valid until the cancellation of one of the standards on which it is based.


Julien Gauthier
Responsable Certification/Certification Officer

LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES
S.A.S au capital de 15,745,984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES



Références :

Référence de type Type reference	Avec capot with Cover	Description	Références Reference	Couleur Color		
EAV96187 02 with screwless terminals	EAV92337 02	Socket outlet 2P + earth (x1) with single Surface mounting Box EAV92338 02	with accessory Pilot light S520291	MUR34600 MUR34601	Grey White	
				MUR36133 MUR39133	Grey White	
			with single Flush mounting Frame EAV92354 02	MUR36625 MUR39625	Grey White	
				MUR35031 MUR36630 MUR39030 MUR39630 MUR85031 MUR89030	Grey Grey White White Grey White	
			with switch with main part E2160 with single Surface mounting Box EAV92339 02	MUR36025 MUR36635 MUR39635	Grey Grey White	
			with switch with main part E2190 with single Surface mounting Box EAV92339 02	MUR36636 MUR39636	Grey White	
		Socket outlet 2P + earth (x2) with double Surface mounting Box EAV92356 02		MUR36027 MUR36028 MUR36634 MUR36828 MUR39634 MUR86028	White Grey Grey White White Grey	
			Socket outlet 2P + earth (x3) with triple Surface mounting Box EAV92341 02	MUR36037 MUR36039 MUR86037	Grey White Grey	
		EAV96187 02 with screw-type terminals	EAV92337 02	Socket outlet 2P + earth (x1) with single Surface mounting Box EAV92338 02	MUR38030	Grey
					MUR36030	Grey
		EAV96187 02 with plated screw-type terminals	EAV92337 02	Socket outlet 2P + earth (x1) with single Surface mounting Box EAV92338 02	MUR36010 MUR39010	Grey White
MUR36011 MUR39011	Grey White					

Feuille de norme / <i>Standard sheet</i>	I
Courant nominal / <i>Rated current (A)</i>	16 A 250 V~
Tension nominale / <i>Rated voltage (V)</i>	16 A 250 V~ 8 A VE (with plated screw-type terminals)
Degré de protection / <i>Degree of protection</i>	IP55
Présence de contact de terre / <i>Provision for earthing</i>	avec contact de terre / <i>with earthing contact</i>
Procédé de raccordement du câble / <i>Method of connecting the cable</i>	démontable / <i>rewirable</i>
Type des bornes / <i>Type of terminals</i>	bornes à vis ou sans vis (rigide et souple) / <i>screw-type or screwless (rigid and flexible)</i>
Couleur / <i>Color</i>	Voir tableau ci-dessus / <i>See above table</i>
Broches / <i>Pins</i>	massives / <i>solid</i>
Socles / <i>socket-outlets</i>	
Socles multiples / <i>Multiple socket-outlets /</i> Nombre de socles / <i>Number of socket-outlets</i>	16 A : 1
Degré de protection contre les chocs électriques / <i>Degree of protection against electric shock</i>	protection augmentée / <i>increased protection</i>
Présence des obturateurs / <i>Existence of shutters</i>	avec obturateurs / <i>with shutters</i>
Mode de pose – utilisation / <i>Method of application – mounting</i>	en saillie ou encastré / <i>surface-type or flush-type</i>
Procédé d'installation / <i>Method of installation</i>	conception A / <i>design A</i>

ACCESSOIRES / ACCESSORIES

Type reference	Type of product	Reference	Color
	Accessory Pilot lights:		
S520291	Accessory Pilot light, with wires, 0,15 mA 250 V~	S520291	---
	Flush mounting supporting Frames:		
EAV92354 02	1 gang Flush mounting supporting frame	MUR34107 MUR39107	Grey White
	1 gang Flush mounting supporting frame, with claws	MUR34108 MUR39108	Grey White
EAV92361 02	2 gangs Flush mounting supporting frame, for horizontal installations	MUR34101 MUR39101	Grey White
EAV92355 02	2 gangs Flush mounting supporting frame, for vertical installations	MUR34151 MUR39151	Grey White
EAV92353 02	3 gangs Flush mounting supporting frame, for horizontal installations	MUR34109 MUR39109	Grey White
	Surface mounting Boxes:		
EAV92338 02	1 gang Surface mounting box	MUR37911 MUR39911	Grey White
EAV92356 02	2 gangs Surface mounting box, for horizontal installations	MUR37914 MUR39914	Grey White
EAV92339 02	2 gangs Surface mounting box, for vertical installations	MUR37912 MUR39912	Grey White
EAV92341 02	3 gangs Surface mounting box, for horizontal installations	MUR37713 MUR39913	Grey White
	Accessory for Surface mounting Boxes:		
EAV92351 02	One entry membrane for Surface mounting box	MUR35007 MUR39007	Grey White
EAV92352 02	Three entries membrane for Surface mounting box	MUR35008 MUR39008	Grey White