



1a 220-240V ~ + 0-10V + Z18

Min. 600V AC / 5A, IP65




1b 220-240V ~ + DALI

Min. 600V AC / 5A, IP65




1c 220-240V ~ + D4i Z18

Min. 600V AC / 5A, IP65




2a 220-240V ~ + 0-10V + Z18






8000-13500 lm		12500-20600 lm		21000-31000 lm		20000-33000 lm		24100-40300 lm	
lm	W	lm	W	lm	W	lm	W	lm	W
13500	67	20600	103	31000	155	33000	165	40300	218
10600	53	16500	82	25000	124	25000	124	32300	170
8000	40	12500	62	21000	104	20000	99	24100	126

Factory setting



3A Suspended mounting











3B Surface mounting




Small - 0039604


Large - 0039605




? Lamp shade






	AL	PC
Small	5 pcs	3 pcs
Large	4 pcs	4 pcs



0039742 0039746
0039743 0039747
0039744 0039748



? Sensor






Luminaire		Sensor			
SKU	Type	SKU	Description	IS	Temperature
0039110-0039126	Granit 0-10V	0039161	Granit PIR sensor for 0-10V	IS16501	-25 ... +50°C
0039144-0039153	Granit D4i	V970020	SylSmart SSA-SV9033A-PIR-D DALI	IS16503A	0 ... +45°C
0039144-0039153	Granit D4i	V970021	SylSmart SSA-SV9033A-D DALI	IS16503A	0 ... +45°C
0039110-0039126	Granit 0-10V	V970022	SylSmart SSA-SV9033A-PIR-V 0-10	IS16503A	0 ... +45°C
0039110-0039126	Granit 0-10V	V970023	SylSmart SSA-SV9033A-V 0-10	IS16503A	0 ... +45°C
0039127-0039143	Granit DALI	-	-	-	-



0039783 - Granit self test EM KIT



IS16461



! Z-type

