





Item Code	L (mm)	W (mm)	H (mm)
Start Downlight 5in1 50-125	225	225	60
Start Downlight 5in1 65-185	285	285	60
Start Downlight 5in1 65-260	360	360	60




1



2




3




4

Cool white 6500K  
Natural white 4000K  
Warm white 3000K




7a


AC 220-240V



5





6




7b


Total Max. 3A



8




9




0053153 0053156  
0053154 0053157  
0053155 0053158


**1** Start Downlight 5 in 1 (Surface Mount)




**2**




**3** 220-240V ~ +




**4**











**5**




**6**





**7**







**Start Downlight 5in1 PIR**






<b>1</b>	<b>Brightness</b>	<b>2</b>	<b>3</b>	<b>CCT</b>	<b>4</b>	<b>5</b>	<b>LUX</b>	<b>6</b>	<b>7</b>	<b>Delay</b>	<b>8</b>	<b>Light ON/OFF Settings</b>
●	50% (9W)	●	●	3000K	●	●	10lux	●	●	5s	●	ON (No Dimming)
○	100% (18W)	○	●	4000K	○	●	20lux	○	●	30s	○	OFF (Dimming - 1sec ON / 3 sec OFF)
		●	○	6500K	●	○	40lux	●	○	60		
		○	○	-	○	○	24h	○	○	180s		




<b>1</b>	<b>POWER</b>
●	50% (9W)
○	100% (18W)




<b>2</b>	<b>3</b>	<b>CCT</b>
●	●	3000K
○	●	4000K
●	○	6500K
○	○	—



<b>4</b>	<b>5</b>	
●	●	10 lux
○	●	20 lux
●	○	40 lux
○	○	24 h



<b>6</b>	<b>7</b>	
●	●	5 sec
○	●	30 sec
●	○	60 sec
○	○	180 sec



<b>8</b>	<b>Light ON/OFF Settings</b>
●	ON (No Dimming)
○	OFF (Dimming - 1sec ON / 3 sec OFF)

