









~ 220-240 V 50/60 Hz

 IS500







	L [mm]	W [mm]	H1 [mm]	H2 [mm]	 Kg	ta [°C]
9 klm	446	481	76	96	<5.0	 -30 +50
13 klm	446	481	76	96	<5.0	 -30 +50
20 klm	446	481	76	96	<5.0	 -30 +50
26 klm	446	481	76	96	<5.0	 -30 +50
32 klm	446	481	76	96	<5.0	 -30 +50
40 klm	446	963	76	106	<11.0	 -30 +50
52 klm	446	963	76	106	<11.0	 -30 +50




4b



5a





5b



5 ⚡ 220-240V





Min. 600V AC / 5A, IP65




Y-type



? Z18




④





! 25/50/75/100%




⚙️ 25%










⚙️ 50%





⚙️ 75%




⚙️ 100%




Daylight threshold (⚙️ disable)
100 Lux / 150 Lux / 200 Lux / 300 Lux /
400 Lux / 500 Lux / 1000 Lux / Disable



Stand-by dimming level (⚙️ 10%)
0% / 10% / 30% / 50%
Hold-time (⚙️ 10min)
Test 3s / 30s / 90s / 5min / 10min / 30min



Stand-by time (⚙️ 10min)
10s / 5min / 10min / 30min / 1h / ∞



2825472
Rocks PIR sensor
Remote Controller
<15m