

PRODUCT-DETAILS

PRT/U 1.1.CH

2CSKK5300C PRT/U 1.1.CH - Transponder programming device, Chiara



Informations générales

Extension du type de produit	PRT/U 1.1.CH
Code de produit	2CSKK5300C
EAN	8012542263951
Description courte	2CSKK5300C PRT/U 1.1.CH - Transponder programming device, Chiara
Description longue	The device allows the programming of transponder cards. The device is equipped with two bistable relays (8 A, 250 Vac), and three voltage-free, non-optically insulated inputs; the 5-Vdc scanning voltage is generated by the device itself. The transponder programming device has on the front four LEDs for signaling indications. It requires a 10...32Vdc/12...24Vac auxiliary power supply to ensure its operation even in case of KNX voltage failure.

Installation

Instructions et manuels	2CSN600045D0201
-------------------------	-----------------

Technique

Fiche produit, informations techniques	2CSN600053D0901
Product Range	KNX

Type de montage	Flush Mounted
Finition de surface	Untreated
Matériau	Plastic
Model Number	Transponder programming device
RAL Number	RAL 9003 - Blanc de sécurité
Couleur	White
Nombre de batteries	0
Application Function	Hospitality

Environnement

Indice de protection	IP20
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	66 mm
Produit Hauteur Net	46 mm
Produit Longueur Net	44 mm
Poids net	0.1 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CSC600002U5101
--------------------------------	-----------------

Classifications

ETIM 8	EC002971 - System device clinic-installation
ETIM 9	EC002971 - System device clinic-installation
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Catégories

Produits basse tension → Home and Building Automation → KNX → User Operation → Chiara → Transponder Readers and Card Holders

