

PRODUCT-DETAILS

# SAP/S.3

## SAP/S.3 System Access Point 2\_.0



### Informations générales

|                              |                                  |
|------------------------------|----------------------------------|
| Extension du type de produit | SAP/S.3                          |
| Code de produit              | 2CKA006200A0155                  |
| EAN                          | 4011395261583                    |
| Description courte           | SAP/S.3 System Access Point 2_.0 |

|                    |   |
|--------------------|---|
| Description longue | <p>For commissioning and remote control of the ABB-free@home® system. Support for up to 150 free@home participants (independent of whether wireless or wired). With integrated free@home wireless antenna. With integrated free@home bus connection. Easy to mount thanks to the external power adapter (included in the scope of delivery). Optional supply via the yellow/white twisted pair of the bus line (24 V). Allows the execution of astro and time programs. Commissioning and remote control is executed via the web interface or app. No additional commissioning software is required. Easy commissioning with WLAN ad-hoc mode. Connection to the home network via WLAN client mode or via CAT cable. Suitable as table device. Suitable for wall mounting. 2 x USB ports for future extension of functions. 2.4 GHz and 5 GHz WLAN 1 GHz dual core processor 512 MB working storage Scope of delivery: Mounting plate, power adapter, screws and dowels The bus connection is provided via the enclosed bus terminal.</p> |
|--------------------|---|

### Installation

|                         |                    |
|-------------------------|--------------------|
| Instructions et manuels | No document needed |
|-------------------------|--------------------|

### Technique

|  |                    |
|--|--------------------|
| Fiche produit, informations techniques | No document needed |
|--|--------------------|

|                                    |                                 |
|------------------------------------|---------------------------------|
| Tension nominale (U <sub>r</sub> ) | 230 V                           |
| Fréquence assignée (f)             | 50 ... 60 Hz                    |
| Compatible Bus Systems             | free@home                       |
| Product Range                      | free@home                       |
| Type de montage                    | Surface Mounted                 |
| Poids de la batterie               | 0 g                             |
| Application Function               | Data Communication / Multimedia |

## Environnement

|   |   |
|---|---|
| Température de l'air ambiant                | Operation -5 ... +45 °C                           |
| Indice de protection                        | IP20  |
| Statut RoHS                                 | Following EU Directive 2011/65/EU                 |
| Informations RoHS                           | 2CKA200000E7920                                   |
| REACH Declaration                           | 2CKA309999E9999                                   |
| SCIP  | 68e9c800-c506-4a67-b7cd-c9769c5f2f23 Germany (DE) |
| SCIP simplifié                              | 68e9c800-c506-4a67-b7cd-c9769c5f2f23 Germany (DE) |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363                                   |

## Dimensions

|                      |          |
|----------------------|----------|
| Produit Largeur Net  | 117 mm   |
| Produit Hauteur Net  | 30 mm    |
| Produit Longueur Net | 106 mm   |
| Poids net            | 0.702 kg |

## Certificats et Déclarations (Numéro de document)

|                                |                 |
|--------------------------------|-----------------|
| Déclaration de Conformité - CE | 2CKA100000E2653 |
|--------------------------------|-----------------|

## Classifications

|                |  |
|----------------|--|
| ETIM 8         | EC000699 - Central device for bus system                   |
| ETIM 9         | EC000699 - Central device for bus system                   |
| Catégorie DEEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 8537 10 91   |
| eClass         | V11.0 : 27143117   |

## Catégories

Produits basse tension → Home and Building Automation → free@home → System Infrastructure and Interfacing → System Access Points

