



ABB Xiamen Smart Technology Co., Ltd.

No. 881, FangShanXiEr Road, Xiang'An Industrial Area, Torch Hi-Tech Industrial Development Zone,
Xiamen SEZ, Fujian 361102, P.R. China

DECLARATION OF RoHS COMPLIANCE

RoHS Compliance Statement

The products in this declaration **do not contain** any of the below substances above the maximum concentration values identified with amendment RoHS Directive (2015/863/EU) and in Annex II of the RoHS Directive (2011/65/EU).

Quantity limit: 0.1 % of weight (1000ppm) of any homogeneous material:

1. Lead (Pb)
2. Mercury (Hg)
3. Hexavalent Chromium (Cr VI)
4. Polybrominated Biphenyls (PBB)
5. Polybrominated Diphenyl Ethers (PBDE)

Quantity limit: 0.01 % of weight (100 ppm) of any 'homogeneous material:

1. Cadmium (Cd)

Quantity limit: 0.1 % of weight (1000ppm) of any homogeneous material:

1. Bis(2-Ethylhexyl) phthalate (DEHP)
2. Benzyl butyl phthalate (BBP)
3. Dibutyl phthalate (DBP)
4. Diisobutyl phthalate (DIBP)

The products covered in this declaration:

Presented in Appendix

Product Compliance Responsible



Appendix

Article Number	Material Number	Product description - EN
83173-500	2TMA020180H0006	83173-500,CZ,ABB,IC Keycard
51351MT	2TMA130160B0120	Mounting tool, 125mm
42361F-02	2TMA130160B0133	42361F-02,HGI16-FM,FM,EU,Black,ABB,Flush
41381F-H	2TMA130160H0001	Flush-mounted box, size 1/1
51382CR	2TMA130160N0009	Display module, Desfire/IC
RT/U30.0.1-825	2TMA200050B0005	RoomTouch 5 -825
RT/U30.0.1-811	2TMA200050W0007	RoomTouch 5 -811
BOX/U5.1	2TMA200160B0003	Mounting box 5Inch FM
51381DM	2TMA200160N0040	Dummy module
M2700KP-S	2TMA200160X0005	Standalone keypad module
M251021A-A-02	2TMA210010A0001	Audio module,with LED status, Aluminum alloy
M251022A-A-02	2TMA210010A0002	Audio module, 1/2 pushbuttons,with LED status, with two lock connection, Aluminum alloy
M251023A-A-02	2TMA210010A0003	Audio module, 2/4 pushbuttons,with LED status,with two lock connection, Aluminum alloy
M251021K-A-02	2TMA210010A0005	Keypad module, aluminum alloy
51021CF-A-02	2TMA210010A0007	Cover frame, 1 module,size 1/1, Aluminum alloy
51022CF-A-02	2TMA210010A0008	Cover frame, 2 modules,size 1/2, Aluminum alloy
51023CF-A-02	2TMA210010A0009	Cover frame, 3 modules,size 1/3, Aluminum alloy
51024CF-A-02	2TMA210010A0010	Cover frame, 4 modules,size 1/4, Aluminum alloy
51025CF-A-02	2TMA210010A0011	Cover frame, 6 modules,size 2/3, Aluminum alloy
51026CF-A-02	2TMA210010A0012	Cover frame, 8 modules,size 2/4, Aluminum alloy
51028CF-A-02	2TMA210010A0013	Cover frame, 5 modules,size 1/5, Aluminum alloy
51029CF-A-02	2TMA210010A0014	Cover frame, 10 modules, size 2/5, Aluminum alloy
51021RH-02	2TMA210010A0015	Rain hood, 1 module,size 1/1, Aluminum alloy
51022RH-02	2TMA210010A0016	Rain hood, 2 modules,size 1/2, Aluminum alloy
51023RH-02	2TMA210010A0017	Rain hood, 3 modules,size 1/3, Aluminum alloy
51024RH-02	2TMA210010A0018	Rain hood, 4 modules,size 1/4, Aluminum alloy
51025RH-02	2TMA210010A0019	Rain hood, 6 modules,size 2/3, Aluminum alloy
51026RH-02	2TMA210010A0020	Rain hood, 8 modules,size 2/4, Aluminum alloy
51027RH-02	2TMA210010A0021	Rain hood, 12 modules, size 3/4, Aluminum alloy
51028RH-02	2TMA210010A0022	Rain hood, 5 modules, size 1/5, Aluminum alloy
51029RH-02	2TMA210010A0023	Rain hood, 10 modules, size 2/5, Aluminum alloy
51023F-B-02	2TMA210010B0001	New Proximity key fob, ID card, black, 125KHz, MOQ=5
51024F-B-02	2TMA210010B0002	New Proximity key fob, IC card, black, 13.56MHz, MOQ=5
51021F-L-02	2TMA210010L0001	Proximity key fob, ID card,Blue,125KHz, MOQ=5
51022F-L-02	2TMA210010L0002	Proximity key fob, IC card,Blue, 13.56MHz, MOQ=5
M251021C-02	2TMA210010N0001	Camera module for 2-wire welcome system, with IR lighting
M251021P3-02	2TMA210010N0002	3/6 pushbuttons module
M251021P4-02	2TMA210010N0003	4/8 pushbuttons module

Article Number	Material Number	Product description - EN
51021DN-02	2TMA210010N0004	Nameplate module, with LED backlight, with changeable labeling sheet
M251021CR-02	2TMA210010N0005	Display module with ID card reader
M251022CR-02	2TMA210010N0006	Display module with IC card reader
41021F-02	2TMA210010N0007	Flush-mounted box, 1 module,size 1/1
41022F-02	2TMA210010N0008	Flush-mounted box, 2 modules,size 1/2
41023F-02	2TMA210010N0009	Flush-mounted box, 3 modules,size 1/3
41024F-02	2TMA210010N0010	Flush-mounted box, 4 modules,size 1/4
41025F-02	2TMA210010N0011	Flush-mounted box, 6 modules,size 2/3
41026F-02	2TMA210010N0012	Flush-mounted box, 8 modules,size 2/4, for 230mm panel
41028F-02	2TMA210010N0013	Flush-mounted box, 5 modules,size 1/5
41029F-02	2TMA210010N0014	Flush-mounted box, 10 modules, size 2/5
51021J-02	2TMA210010N0017	Joining fixture
51021B-02	2TMA210010N0021	Proximity badge, ID card, 125KHz, MOQ=10
51011P1-02	2TMA210010N0024	Pushbutton module, 1 button
51011P2-02	2TMA210010N0025	Pushbutton module, 2 buttons
51011P3-02	2TMA210010N0026	Pushbutton module, 3 buttons
51012P1-02	2TMA210010N0027	Pushbutton module, 1 button, with NFC/IC card reader
51012P2-02	2TMA210010N0028	Pushbutton module, 2 buttons, with NFC/IC card reader
51012P3-02	2TMA210010N0029	Pushbutton module, 3 buttons, with NFC/IC card reader
51021S-02	2TMA210010N0034	New ID sticker, suitable to stick on wallet or mobile phone, 125KHz, MOQ=5
51022S-02	2TMA210010N0035	New IC sticker, suitable to stick on wallet or mobile phone, 13.56MHz, MOQ=5
83110-500-02	2TMA210010N0037	Audio Integration Unit
83111-500-02	2TMA210010N0038	Extension Unit
83501-101-500-02	2TMA210010N0039	Camera module
51022F-R-02	2TMA210010R0001	Proximity key fob, IC card,Red, 13.56MHz, MOQ=5
51023F-W-02	2TMA210010W0015	New Proximity key fob, ID card, white, 125KHz, MOQ=5
51024F-W-02	2TMA210010W0016	New Proximity key fob, IC card, white, 13.56MHz, MOQ=5
M21013N3-S-02	2TMA210010X0004	Audio outdoor station, without pushbuttons, size 1/2, stainless steel, Stainless steel
M21013N6-S-02	2TMA210010X0005	Audio outdoor station, without pushbuttons, size 1/3, stainless steel, Stainless steel
M21323N3-S-02	2TMA210010X0006	Video outdoor station, without pushbuttons, size 1/3, stainless steel, Stainless steel
M21323N6-S-02	2TMA210010X0007	Video outdoor station, without pushbuttons, size 1/4, stainless steel, Stainless steel
51022F-Y-02	2TMA210010Y0001	Proximity key fob, IC card,Yellow, 13.56MHz, MOQ=5
42311F-02	2TMA210050A0001	Flush-mounted box for 4.3" video hands-free
42311D-02	2TMA210050A0002	Desktop bracket, suitable for 4.3" video indoor station & 7" video indoor station
M22311-B-02	2TMA210050B0001	4.3" Video hands-free indoor station,Black
M22331-B-02	2TMA210050B0002	D,M22331-B-02,MSI10,VIS,EU,I10,7,Black
52311FC-B-02	2TMA210050B0003	Front cover for 4.3" video hands-free,Black

Article Number	Material Number	Product description - EN
83210 AP-681-500-02	2TMA210050B0005	Indoor audio station
DP7-S-625-02	2TMA210050B0006	ABB-free@homeTouch 7"
52311FC-S-02	2TMA210050S0002	Front cover for 4.3" video hands-free,Silver
83210 AP-683-500-02	2TMA210050S0004	Indoor audio station
M22002-W-02	2TMA210050W0001	Audio handset indoor station, 3 buttons,White
M22001-W-02	2TMA210050W0003	Audio handset indoor station, 6 buttons,White
M22302-W-02	2TMA210050W0005	4.3" Colour video handset indoor station,White
M22311-W-02	2TMA210050W0007	4.3" Video hands-free indoor station,White
M22331-W-02	2TMA210050W0009	D,M22331-W-02,MSI10,VIS,EU,I10,7,White
83210 AP-624-500-02	2TMA210050W0016	Indoor audio station
DP7-S-611-02	2TMA210050W0017	ABB-free@homeTouch 7"
M2303-02	2TMA210050W0018	Guard unit, can be located in central until to manage whole system or inside one building to manage each separate building
M2304-02	2TMA210160B0001	Video distributor, necessary for multi-video indoor station branch connection
M2305-02	2TMA210160B0002	Switch actuator, with relay output, suitable for door or light connection
83327-500-02	2TMA210160B0003	4-way Analog camera interface, support up to 4 analog cameras(PAL/NTSC)
M2300-02	2TMA210160H0001	System controller, MDRC, 1200mA, with one on/all on setting
M2301-02	2TMA210160H0002	Mini-system controller, MDRC, 650mA, with one on/all on setting
M2302-02	2TMA210160H0003	Gateway, MDRC. Support multi-working mode for different applications.
83325/2-500-02	2TMA210160H0004	Video outdoor distributor
53001DR-02	2TMA210160H0005	DIN-rail adaptor, suitable for video distributor/switch actuator/camera interface, size:4 U
83350-500-02	2TMA210160H0006	Telephone gateway
83342-500-02	2TMA210160H0007	IP gateway
M2308-02	2TMA210160N0004	2-wire adaptor, used to connect PC(with PC management software installed) to 2-wire system, to manage user cards/user name centrally
M20001-02	2TMA210310N0003	Audio 1 family kit, aluminum OS, 1/2 button + audio handset
M20321-02	2TMA210310N0005	Video 1 family kit, aluminum OS, 1/2 button + 4.3" handsfree
M22381-B-02	2TMA220050B0008	M22381-B-02,ASI18,7'VIS,Black,ABB,IL
M22381-W-02	2TMA220050W0015	M22381-W-02,ASI18,7'VIS,White,ABB,IL
M22401-W	2TMA220050W0022	4.3" video indoor station, DES+APP, WiFi
42381S-B-02	2TMA220160B0002	42381S-B-02,SM,EU,Black,ABB,SM box
42381S-W-02	2TMA220160W0003	42381S-W-02,SM,EU,White,ABB,SM box