

PRODUCTS FAMILY DECLARATION FOR SMART TOUCH OF ABB

# PRODUCT ENVIRONMENTAL PROFILE

## Environmental Product Declaration



ORGANIZATION ABB Xiamen Smart Technology Co., Ltd		WEBSITE <a href="https://new.abb.com/cn/en/about/businesses/electrification/xiamen-smart-technology-co">https://new.abb.com/cn/en/about/businesses/electrification/xiamen-smart-technology-co</a>			
ADDRESS No.7,Fangshan South Road, Hi-tech area, Torch park, XiangAn District, Xiamen, China (assembly sites)		CONTACT INFORMATION Mr. Jock -zhao Wu, jock-zhao.wu@cn.abb.com			
STATUS Approved	SECURITY LEVEL Public	Registration number PEP ecopassport® ABBG-00043-V01.01-EN	REV. A	LANG. en	PAGE 1/7

# ABB Purpose & Embedding Sustainability

ABB is demonstrating their commitment to sustainability by making themselves sustainable. Across their own operations and value chain, aspiring to become a role model for others to follow. With **ABB Purpose** ABB is focusing on reducing harmful emissions, preserving natural resources, and championing ethical and humane behavior to achieve this. Detail info see the website: Sustainability strategy 2030 — ABB Group (global.abb)



## General Information

<b>Reference product</b>	The reference product is one unit of IP touch produced by ABB; the representative product is ST/U10.1.11-811 (2TMA310050W0001).
<b>Description of the product</b>	The smart touch panel is an important device of door entry system, free@home and KNX system. It's with impressed industry design, especially the metal frame color variation. Through video, audio and screen, it acts as the indoor station in door entry system and can also be used as central control panel for building automation.
<b>Functional unit of the representative product</b>	To provide smooth and effective communication with outdoor station for host and visitor during door entry system as indoor device and to control and cooperate with other devices to realize smart building as central control panel in free@home and KNX system over a reference lifetime of 10 years.
<b>Products concerned</b>	The products concerned: ST/U10.1.1-811(2TMA310051W0001), ST/U10.1.1-825 (2TMA310051B0001), ST/U10.2.1-811 (2TMA310051W0002), ST/U10.2.1-825 (2TMA310051B0002), ST/U10.3.1-811 (2TMA310051W0003), ST/U10.3.1-825 (2TMA310051B0003), ST/U10.4.1-811 (2TMA310051W0004), ST/U10.4.1-825 (2TMA310051B0004), ST/U10.1.11-811 (2TMA310050W0001), ST/U10.1.11-825 (2TMA310050B0001), ST/U10.2.11-811 (2TMA310050W0002), ST/U10.2.11-825 (2TMA310050B0002), ST/U10.3.11-811 (2TMA310050W0003), ST/U10.3.11-825 (2TMA310050B0003), ST/U10.4.11-811 (2TMA310050W0004), ST/U10.4.11-825 (2TMA310050B0004).

STATUS	SECURITY LEVEL	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	PEP ecopassport® ABBG-00043-V01.01-EN	A	en	2/7



# Constituent materials

**Total weight of Reference product** Net weight of the product is 800.2 g. The total weight of packaged product is 1078.3 g (including product packaging and transportation packaging).




Figure 1 Constituent materials of the reference product (2TMA310050W0001)

Table 1 Information on mass of reference product and its packaging

Components	2TMA310050W0001	Product weight, incl. product pack (kg)	Product weight, incl. product pack and transportation pack (kg)
Product (kg)	0.80	1.07	1.08
Product packaging (kg)	0.27		
Transportation packaging (kg)	0.01		

Detailed constituent materials of the reference product were shown in Figure 1 and then listed in Table 2.

Table 2 Materials distribution of the reference product

Plastics as % of weight		Metals as % of weight		Paper as % of weight		Other as % of weight	
Name and CAS number	Weight-%	Name and CAS number	Weight-%	Name and CAS number	Weight-%	Name and CAS number	Weight-%
PC	11.0%	Aluminum	8.4%	Paper	25.1%	Electronic parts	48.1%
ABS	4.3%	Copper	0.2%			Others	< 0.1%
Rubber	2.6%						
PU foam	0.2%						



# Environmental impacts

<b>Reference lifetime</b>	10 years
<b>Product category</b>	Smart touch module. According to the Specific rules for electrical switchgear and control gear Solutions (PSR-0005-ed3-EN-2023 06 06), the product is covered by other equipment - Category 2: active products.

STATUS	SECURITY LEVEL	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	PEP ecopassport® ABBG-00043-V01.01-EN	A	en	3/7

<b>Installation elements</b>		The product is installed manually. There is no input of materials / accessories and energy during the installation. The main environmental impact was caused by the waste generated in this stage.			
<b>Use scenario</b>		The reference product is used in Germany using low voltage electricity.			
<b>Geographical representativeness</b>		The studied product is produced in China but used in Germany.			
<b>Technological representativeness</b>		In the manufacturing stage, specific data was collected to calculate the environmental impact caused by the manufacturing process. To produce raw materials and parts, datasets from Ecoinvent 3.8 were used. During the dataset selection, the technological representation was considered carefully. Datasets with the same production processes were preferred. If not available, datasets with similar production processes were chosen.			
<b>Software and databases used</b>		Simapro version 9.4.04 & databases Ecoinvent 3.8 & EF 3.0			
<b>Standards applied in ABB</b>		ABB had used many recycling materials, e.g., plastic and metal. The products' standards applied include: EN 62368-1:2014/A11:2017 EN IEC 61000-6-1:2019 EN 61000-6-3:2007/A1:2011			
<b>Energy model used</b>	<b>Manufacturing</b>	<b>Distribution</b>	<b>Installation</b>	<b>Use</b>	<b>End of life</b>
	Average electricity mix in China	Non-applicable	Non-applicable	Germany	Global

Table 3 Environmental impact indicators of life cycle Impact assessment

**Compulsory Indicators**

Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of life
Climate change	kg CO2 eq	3.07E+02	6.36E+01	9.77E+00	4.37E-01	2.32E+02	1.25E+00
Climate change - Fossil	kg CO2 eq	2.88E+02	6.33E+01	9.77E+00	1.36E-02	2.14E+02	1.24E+00
Climate change - Biogenic	kg CO2 eq	1.86E+01	1.53E-01	3.12E-03	4.23E-01	1.80E+01	5.54E-03
Climate change - Land use and LU change	kg CO2 eq	3.97E-01	1.03E-01	5.86E-04	4.92E-06	2.93E-01	3.43E-04
Ozone depletion	kg CFC11 eq	1.11E-05	2.95E-06	2.22E-06	1.76E-09	5.85E-06	8.93E-08
Acidification	mol H+ eq	1.02E+00	3.99E-01	5.10E-02	9.39E-05	5.47E-01	2.05E-02
Eutrophication, freshwater	kg P eq	3.63E-01	4.28E-02	1.24E-04	1.41E-06	3.20E-01	7.50E-05
Eutrophication, marine	kg N eq	3.35E-01	1.43E-01	1.88E-02	4.39E-05	1.59E-01	1.41E-02
Eutrophication, terrestrial	mol N eq	2.18E+00	8.17E-01	2.05E-01	3.95E-04	1.15E+00	9.36E-03
Photochemical ozone formation	kg NMVOC eq	5.62E-01	2.13E-01	5.29E-02	1.01E-04	2.92E-01	3.46E-03
Resource use, minerals and metals	kg Sb eq	9.30E-03	7.40E-03	2.72E-06	3.97E-08	1.89E-03	1.31E-05
Resource use, fossils	MJ	3.86E+03	7.67E+02	1.37E+02	1.29E-01	2.95E+03	9.54E+00
Water use	m3 depriv.	2.78E+01	1.37E+01	9.06E-02	1.02E-02	1.37E+01	3.12E-01

Note: the recycled content and the scrape rates of raw materials of the products and products' packaging are adjusted to 0% and 30% respectively according to the PSR.

Table 4 Resource use indicators of life cycle Impact assessment

STATUS	SECURITY LEVEL	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	PEP ecopassport® ABBG-00043-V01.01-EN	A	en	4/7

**Compulsory Indicators**

Resource use indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of life
Use of renewable primary energy, excluding renewable primary energy resources used as raw materials	MJ	7.80E+02	8.87E+01	4.11E-01	3.22E-03	6.89E+02	1.22E+00
Use of renewable primary energy resources as raw materials	MJ	3.56E+00	3.56E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of renewable primary energy resources	MJ	7.83E+02	9.23E+01	4.11E-01	3.22E-03	6.89E+02	1.22E+00
Use of non-renewable primary energy, excluding renewable primary energy resources used as raw materials	MJ	3.85E+03	7.61E+02	1.37E+02	1.29E-01	2.95E+03	9.54E+00
Use of non-renewable primary energy resources as raw materials	MJ	6.15E+00	6.15E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non-renewable primary energy resources	MJ	3.86E+03	7.67E+02	1.37E+02	1.29E-01	2.95E+03	9.54E+00
Use of secondary materials	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Freshwater	m <sup>3</sup>	1.95E+00	5.03E-01	3.92E-03	3.41E-04	1.44E+00	9.31E-03

Table 5 Waste category indicators of life cycle Impact assessment

**Compulsory Indicators**

Waste category indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of life
Hazardous waste disposed	kg	9.72E-03	4.09E-03	3.65E-04	3.12E-07	4.70E-03	5.62E-04
Non-hazardous waste disposed	kg	2.62E+01	7.21E+00	2.21E-01	2.78E-01	1.39E+01	4.56E+00
Radioactive waste disposed	kg	1.54E-02	2.11E-03	9.71E-04	5.90E-07	1.22E-02	5.21E-05

Table 6 Output flow indicators

**Compulsory Indicators**

Output flow indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of life
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	kg	7.34E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.34E-02
Materials for energy recovery	kg	9.23E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.23E-02
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Note: The recovery of materials for materials and energy was calculated according to Annex D of the PCR.

**Biogenic Carbon of product and packaging**

As no biogenic carbon in the product, thus, only the biogenic carbon in the packaging was calculated. Of the product packaging and packaging for transportation, the materials containing biogenic carbon are wood pallet and paper board.

Table 7 Amount of biogenic carbon of product and packaging

Item	Unit (kg of C)	Total
Biogenic carbon content of the product	0.00E+00	0.00E+00
Biogenic carbon content of the associated packaging	1.22E-01	1.22E-01

## Extrapolation to a homogeneous environmental family

To determine the environmental impact of a product covered by the PEP other than the representative product, the following rules apply:

- 1) Manufacturing stage

STATUS Approved	SECURITY LEVEL Public	DOCUMENT ID. PEP ecopassport® ABBG-00043-V01.01-EN	REV. A	LANG. en	PAGE 5/7
--------------------	--------------------------	---	-----------	-------------	-------------

The impact for this phase of a product covered by the PEP other than the representative product is proportional to weight of the product, thus, the impacts should be calculated by multiple the coefficients factor\_1 in Table 8 by the environmental impact for this phase of the representative product.

2) Distribution

The impact for this phase of a product covered by the PEP other than the representative product is proportional to the packaged product weight, thus, the impacts should be calculated by multiple the coefficients factor\_2 in Table 8 by the environmental impact for those phases of the representative product.

3) Installation

The impact for this phase of a product covered by the PEP other than the representative product is proportional to weight of the product packaging, thus, the impacts should be calculated by multiple the coefficients factor\_3 in Table 8 by the environmental impact for those phases of the representative product.

4) Use

The environmental impact for B1-B6 stage of a product covered by the PEP other than the representative product should be calculated by multiple the factor\_4 in Table 8 by the environmental impact for this phase of the representative product. Factor\_4 is proportional to the amount of energy consumption.

5) End of life phases

The impacts of the representing product from the end-of-life are less than 2% of the total impact. However, the impact for this phase of a product covered by the PEP other than the representative product is calculated by multiple the coefficients factor\_1 in Table 8 by the environmental impact for this phase of the representative product.

Table 8 Extrapolation rules for homogeneous environmental family products

SAP Number	Article Number	Factor_1	Factor_2	Factor_3	Factor_4
2TMA310051W0001	ST/U10.1.1-811	1.01	1.03	1.07	1.00
2TMA310051B0001	ST/U10.1.1-825	1.01	1.03	1.07	1.00
2TMA310051W0002	ST/U10.2.1-811	1.22	1.18	1.07	1.00
2TMA310051B0002	ST/U10.2.1-825	1.22	1.18	1.07	1.00
2TMA310051W0003	ST/U10.3.1-811	1.22	1.18	1.07	1.00
2TMA310051B0003	ST/U10.3.1-825	1.22	1.18	1.07	1.00
2TMA310051W0004	ST/U10.4.1-811	1.22	1.18	1.07	1.00
2TMA310051B0004	ST/U10.4.1-825	1.22	1.18	1.07	1.00
2TMA310050W0001	ST/U10.1.11-811	1.00	1.00	1.00	1.00
2TMA310050B0001	ST/U10.1.11-825	1.01	1.01	1.00	1.00
2TMA310050W0002	ST/U10.2.11-811	1.22	1.16	1.00	1.00
2TMA310050B0002	ST/U10.2.11-825	1.22	1.16	1.00	1.00
2TMA310050W0003	ST/U10.3.11-811	1.22	1.16	1.00	1.00
2TMA310050B0003	ST/U10.3.11-825	1.22	1.16	1.00	1.00
2TMA310050W0004	ST/U10.4.11-811	1.22	1.16	1.00	1.00
2TMA310050B0004	ST/U10.4.11-825	1.22	1.16	1.00	1.00

STATUS	SECURITY LEVEL	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	PEP ecopassport® ABBG-00043-V01.01-EN	A	en	6/7

Registration number: ABBG-00043-V01.01-EN	Drafting Rules: "PCR-ed4-EN-2021 09 06" Supplemented by "PSR-0005-ed3-EN-2023 06 06"
Verifier accreditation number: VH50	Information and reference documents: <a href="http://www.pep-ecopassport.org">www.pep-ecopassport.org</a>
Date of issue: 09-2023	Validity period: 5 years
Independent verification of the declaration and data in compliance with ISO 14025: 2006	
Internal: <input type="checkbox"/>	External: <input checked="" type="checkbox"/>
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)	
PEPs are compliant with XP C08-100-1:2016 or EN 50693:2019 The components of the present PEP may not be compared with components from any other program.	
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"	

STATUS	SECURITY LEVEL	DOCUMENT ID.	REV.	LANG.	PAGE
Approved	Public	PEP ecopassport® ABBG-00043-V01.01-EN	A	en	7/7