

PRODUCT-DETAILS

# TB/U6.4.1-CG

## TB/U6.4.1-CG Control element 6g.



### Informations générales

Extension du type de produit	TB/U6.4.1-CG
Code de produit	2CKA006300A1542
EAN	4011395230763
Description courte	TB/U6.4.1-CG Control element 6g.
Description longue	Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely configurable multifunction control element. With integrated KNX bus coupler. With integrated temperature sensor. With integrated proximity function. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1

### Installation

Instructions et manuels	No document needed
-------------------------	--------------------

### Technique

Fiche produit, informations techniques	No document needed
Number of Buttons	6
Number of Actuation Points	6

Compatible Bus Systems	KNX (TP)
Product Range	KNX
Design Range	tacteo
Type de montage	Surface Mounted
Finition de surface	Surface protection: Untreated Surface finishing: Glossy
Matériau	Glass
Couleur	other
Nombre de batteries	0
Application Function	Blind / Shutter / Shading Control Electrical Load and Light Control Room Climate Control

## Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5454
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Produit Largeur Net	86 mm
Produit Hauteur Net	86 mm
Produit Longueur Net	34 mm
Poids net	104.4 g
Profondeur d'encastrement (t <sub>2</sub> )	35 mm

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E2527
--------------------------------	-----------------

## Classifications

ETIM 8	EC000672 - Touch sensor for bus system
ETIM 9	EC000672 - Touch sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143138

---

## Catégories

---

Produits basse tension → Home and Building Automation → KNX → User Operation → ABB tacteo® → 6 fold



360