


PRODUCT-DETAILS

SAH/S16.10.7.1

SAH/S16.10.7.1 Switch/Shutter Actuator, 16-fold, 10 A, MDRC



Informations générales

Extension du type de produit	SAH/S16.10.7.1
Code de produit	2CDG110248R0011
EAN	4016779066822
Description courte	SAH/S16.10.7.1 Switch/Shutter Actuator, 16-fold, 10 A, MDRC
Description longue	The compact 10 A combi switch actuator has 16 independent switching relays. The outputs can be used individually via ABB i-bus® KNX for switching electrical loads or in pairs for controlling 230 V AC roller shutter or blind drives (no electromechanically interlocking). The device features a manual operation, which can also be disabled. Via the manual operation the outputs can be operated manually and the switching or driving status is displayed. The device is powered by KNX and requires no additional power supply.

Installation

Instructions et manuels	2CDG941211P0002
-------------------------	-----------------

Technique

Fiche produit, informations techniques	2CDC505179D0211
Voltage Range	230 V AC

Auxiliary Voltage AC/DC	KNX
Tension de sortie (U_{out})	230 V AC
Courant nominal (I_n)	10 A
Maximum Switching Current	10 A
Maximum Switching Power	1200 W
Power Loss	6 W
Contact Position Indication	ON / OFF
Nombre de sorties	16
Nombre de LED	10
Maximum Number of Switching Outputs	16
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Type de montage	DIN-Rail
Manual Operation	Oui
Suitable for C-Load	Non
Couleur	light grey
Nombre de batteries	0
Application Function	Blind / Shutter / Shading Control Electrical Load and Light Control

Environnement

Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	2CDK505208D2701
REACH Declaration	9AKK107492A1906
SCIP	136c4a14-8d9e-4c0f-87a4-0b29193c931d Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	8
Produit Largeur Net	140 mm
Produit Hauteur Net	90 mm
Produit Longueur Net	63.5 mm
Poids net	0.502 kg
Profondeur d'encastrement (t_2)	64.5 mm
Schéma dimensionnel	2CDC072027F0017

Certificats et Déclarations (Numéro de document)

CB Certificate	9AKK107991A3222
Déclaration de Conformité - CE	2CDK505208D2701

Classifications

ETIM 8	EC001097 - Switch actuator for bus system
ETIM 9	EC001097 - Switch actuator for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8537 10 91
UNSPSC	31251516
eClass	V11.0 : 27143125
Code de catégorie granulaire IDEA (IGCC)	3268 >> Switch actuator

Catégories

Produits basse tension → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 10 A



360