

PRODUCT-DETAILS

# 6320/10-20-500

## 6320/10-20-500 triton 1/2gang MF/IR



### Informations générales

Extension du type de produit	6320/10-20-500
Code de produit	2CKA006320A0002
EAN	4011395138571
Description courte	6320/10-20-500 triton 1/2gang MF/IR
Description longue	With integrated KNX bus coupler. With labelling field. Transparent labelling sheet with standard symbols included in delivery. Rocker switch left/right (switching/dimming/blind/value sender/light scenes/fan function).

### Installation

Instructions et manuels	DEBJE-ba_73_1_7426_6320-500-Man
-------------------------	---------------------------------

### Technique

Fiche produit, informations techniques	2CKA001473B8838
Number of Actuation Points	1
Compatible Bus Systems	KNX (TP)
Product Range	KNX

Type de montage	Flush Mounted
Finition de surface	Surface protection: Lacquered Surface finishing: Matt
Matériau	Thermoplastic
Couleur	platinum
Nombre de batteries	0
Application Function	Blind / Shutter / Shading Control Electrical Load and Light Control

## Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5605
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Produit Largeur Net	90 mm
Produit Hauteur Net	84 mm
Produit Longueur Net	33 mm
Poids net	59 g
Profondeur d'encastrement (t <sub>2</sub> )	10 mm

## Commande

ID du produit remplacé	6320-0-0002
------------------------	-------------

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E1509
--------------------------------	-----------------

## Classifications

ETIM 8	EC000672 - Touch sensor for bus system
ETIM 9	EC000672 - Touch sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143138

---

## Catégories

---

Produits basse tension → Home and Building Automation → KNX → User Operation → Busch-triton® → 1/2 fold

