

PRODUCT-DETAILS

# EUB/S 1.1

## EUB/S1.1 EIB Monitoring Unit, MDRC



### Informations générales

|                              |   |
|------------------------------|---|
| Extension du type de produit | EUB/S 1.1   |
| Code de produit              | 2CDG110066R0011   |
| EAN                          | 4016779649919   |
| Description courte           | EUB/S1.1 EIB Monitoring Unit, MDRC  |
| Description longue           | Monitors up to 100 bus devices in KNX systems, which can be divided into 5 groups. The devices are monitored to ensure their presence and minimum functionality (send and receive). Monitoring can be undertaken based on the physical address or the group address. A total of four different monitoring modes are available. No additional power supply required, the device is powered from KNX bus. |

### Installation

|                         |                 |
|-------------------------|-----------------|
| Instructions et manuels | 2CDG941020P0002 |
|-------------------------|-----------------|

### Technique

|  |                                    |
|--|------------------------------------|
| Fiche produit, informations techniques | 2CDC513025D0202<br>2CDC513028D0201 |
| Power Loss                             | 0.3 W                              |
| Compatible Bus Systems                 | KNX (TP)                           |
| Product Range                          | KNX                                |
| Type de montage                        | DIN-Rail                           |

|                      |                     |
|----------------------|---------------------|
| Manual Operation     | Non                 |
| Couleur              | light grey          |
| Nombre de batteries  | 0                   |
| Application Function | Safety and Security |

## Environnement

|   |                                   |
|---|-----------------------------------|
| Indice de protection                        | IP20                              |
| Statut RoHS                                 | Following EU Directive 2011/65/EU |
| Informations RoHS                           | 2CDK513046D2701                   |
| REACH Declaration                           | 9AKK107492A1906                   |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363                   |

## Dimensions

|                                     |                 |
|-------------------------------------|-----------------|
| Width in Number of Modular Spacings | 2               |
| Produit Largeur Net                 | 36 mm           |
| Produit Hauteur Net                 | 90 mm           |
| Produit Longueur Net                | 64.5 mm         |
| Poids net                           | 0.095 kg        |
| Schéma dimensionnel                 | 2CDC072025F0017 |

## Certificats et Déclarations (Numéro de document)

|                                |                 |
|--------------------------------|-----------------|
| Déclaration de Conformité - CE | 2CDK513046D2701 |
| KNX Certificate                | 9AKK105710A0036 |

## Classifications

|  |  |
|--|--|
| ETIM 8                                   | EC000676 - Logic component for bus system                  |
| ETIM 9                                   | EC000676 - Logic component for bus system                  |
| Catégorie DEEE                           | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B                           | Business To Consumer                                       |
| CN8                                      | 8538 90 91   |
| UNSPSC                                   | 32151705   |
| eClass                                   | V11.0 : 27143103   |
| Code de catégorie granulaire IDEA (IGCC) | 3567 >> PLC function/technology module                     |
| Code de classification d'objet           | A  |

## Catégories

Produits basse tension → Home and Building Automation → KNX → Safety and Monitoring

