

PRODUCT-DETAILS

RC/A8.2

RC/A8.2 Room Controller Basis Device, 8 Modules, SM



Informations générales

| | |
|------------------------------|--|
| Extension du type de produit | RC/A8.2 |
| Code de produit | 2CDG110106R0011 |
| EAN | 4016779681261 |
| Description courte | RC/A8.2 Room Controller Basis Device, 8 Modules, SM |
| Description longue | Accommodates up to 8 plug-in modules. It controls their function and communicates as one bus device via the ABB i-bus®. Any module type can be plugged into each module slot. Manual operation for functional tests. |

Installation

| | |
|-------------------------|-----------------|
| Instructions et manuels | 2CDG941062P0002 |
|-------------------------|-----------------|

Technique

| | |
|--|------------------------------------|
| Fiche produit, informations techniques | 2CDC514053D0201 2CDC514061D0201 |
| Auxiliary Voltage AC/DC | 110 ... 240 V AC |
| Power Loss | 4 W |
| Compatible Bus Systems | KNX (TP) |
| Product Range | KNX |
| Type de montage | Surface Mounted |

| | |
|----------------------|--|
| Manual Operation | Oui |
| Couleur | white |
| Nombre de batteries | 0 |
| Application Function | Blind / Shutter / Shading Control Electrical Load and Light Control Room Climate Control |

Environnement

| | |
|---|-----------------------------------|
| Indice de protection | IP54 |
| Statut RoHS | Following EU Directive 2011/65/EU |
| Informations RoHS | 2CDK514018D2701 |
| REACH Declaration | 9AKK107492A1906 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Dimensions

| | |
|----------------------|---------|
| Produit Largeur Net | 50 mm |
| Produit Hauteur Net | 270 mm |
| Produit Longueur Net | 316 mm |
| Poids net | 1.45 kg |

Certificats et Déclarations (Numéro de document)

| | |
|--------------------------------|-----------------|
| Déclaration de Conformité - CE | 2CDK514018D2701 |
|--------------------------------|-----------------|

Classifications

| | |
|--------------------------------|--|
| ETIM 8 | EC001581 - Basic module for bus system |
| ETIM 9 | EC001581 - Basic module for bus system |
| Catégorie DEEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 8537 10 91 |
| eClass | V11.0 : 27143152 |
| Code de classification d'objet | A |

Accessories

| Identifier | Description | Type | Quantity | Unit Of Measure |
|-----------------|--|-------------|----------|-----------------|
| 2CDG110005R0011 | BE/M4.230.1 Binary Input Module, 4-fold, 230 V | BE/M4.230.1 | 1 | piece |
| 2CDG110006R0011 | BE/M4.24.1 Binary Input Module, 4-fold, 24 V | BE/M4.24.1 | 1 | piece |
| 2CDG110007R0011 | BE/M4.12.1 Binary Input Module, 4-fold, Contact Scanning | BE/M4.12.1 | 1 | piece |
| 2CDG110002R0011 | SA/M2.6.1 Switch Actuator Module, 2-fold, 6 A | SA/M2.6.1 | 1 | piece |
| 2CDG110100R0011 | SA/M2.16.1 Switch Actuator Module, 2-fold, 16 A | SA/M2.16.1 | 1 | piece |
| 2CDG110003R0011 | JA/M2.230.1 Shutter Actuator Module, 2-fold, 230 V AC | JA/M2.230.1 | 1 | piece |
| 2CDG110004R0011 | JA/M2.24.1 Shutter Actuator Module, 2-fold, 24 V DC | JA/M2.24.1 | 1 | piece |
| 2CDG110107R0011 | SD/M2.6.2 Switch/Dim Actuator Module, 2-fold, 6 AX | SD/M2.6.2 | 1 | piece |
| 2CDG110108R0011 | LR/M1.6.2 Light Controller Module, 1-fold, 6 AX | LR/M1.6.2 | 1 | piece |
| 2CDG110013R0011 | ES/M2.230.1 Electronic Switch Actuator Module, 2-fold, 230 V | ES/M2.230.1 | 1 | piece |
| 2CDG110014R0011 | ES/M2.24.1 Electronic Switch Actuator Module, 2-fold, 24 V | ES/M2.24.1 | 1 | piece |

Catégories

Produits basse tension → Home and Building Automation → KNX → Multifunction Room Automation → Room Controller Series

