

PRODUCT-DETAILS

M12-C61

M12-C61 Cable



Informations générales

Extension du type de produit	M12-C61
Code de produit	2TLA020056R0000
EAN	7350024452341
Description courte	M12-C61 Cable
Description longue	M12-C61 is a shielded cable with a straight M12-5 female connector and a free end. The five conductors have a cross section of 0.34 mm ² . The jacket is made of black PVC. The length of the cable is 6 meters.

Commande

Quantité minimum	1 pièce
Code douanier	8544429090

Downloads Préférés

Fiche produit, informations techniques	2TLC010065L0201
Instructions et manuels	2TLC010065L0201
Marketing Video	9AKK10103A4645 2TLC010018N0201

Dimensions

Produit Longueur Net	6 m
Produit Hauteur Net	15 mm
Produit Largeur Net	15 mm
Poids net	0.302 kg

Technique

Adapté pour

Orion1-4-14-015-B
 Orion1-4-14-030-B
 Orion1-4-14-045-B
 Orion1-4-14-060-B
 Orion1-4-14-075-B
 Orion1-4-14-090-B
 Orion1-4-14-105-B
 Orion1-4-14-120-B
 Orion1-4-14-135-B
 Orion1-4-14-150-B
 Orion1-4-14-165-B
 Orion1-4-14-180-B
 Orion1-4-30-015-B
 Orion1-4-30-030-B
 Orion1-4-30-045-B
 Orion1-4-30-060-B
 Orion1-4-30-075-B
 Orion1-4-30-090-B
 Orion1-4-30-105-B
 Orion1-4-30-120-B
 Orion1-4-30-135-B
 Orion1-4-30-150-B
 Orion1-4-30-165-B
 Orion1-4-30-180-B
 Orion2-4-K2-050-B
 Orion2-4-K3-080-B
 Orion2-4-K4-090-B
 Orion2-4-K4-120-B
 Orion3-4-K1C-050-B
 Orion3-4-K2C-080-B
 Orion3-4-K2C-090-B
 Orion3-4-K2C-120-B
 Orion1-4-14-030-E
 Orion1-4-14-045-E
 Orion1-4-14-060-E
 Orion1-4-14-075-E
 Orion1-4-14-090-E
 Orion1-4-14-105-E
 Orion1-4-14-120-E
 Orion1-4-14-135-E
 Orion1-4-14-150-E
 Orion1-4-14-165-E
 Orion1-4-14-180-E
 Orion1-4-30-030-E
 Orion1-4-30-045-E
 Orion1-4-30-060-E
 Orion1-4-30-075-E
 Orion1-4-30-090-E
 Orion1-4-30-105-E
 Orion1-4-30-120-E
 Orion1-4-30-135-E
 Orion1-4-30-150-E
 Orion1-4-30-165-E
 Orion1-4-30-180-E
 Orion2-4-K2-050-E
 Orion2-4-K3-080-E
 Orion2-4-K4-090-E
 Orion2-4-K4-120-E
 Orion3-4-K1C-050-E
 Orion3-4-K2C-080-E
 Orion3-4-K2C-090-E
 Orion3-4-K2C-120-E
 Adam DYN-Info M12-5
 Adam DYN-Status M12-5
 Adam DYN-Reset M12-5
 Adam OSSD-Info M12-5
 Adam OSSD-Reset M12-5
 Adam AS-i M12-4
 Spot 10

JSTD25F

Environnement

REACH Declaration	2CMT2022-006480
Informations RoHS	2CMT2022-006499
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Certificats et Déclarations (Numéro de document)

Certificat ecULus	2TLC172257D0201
Declaration of Conformity - CCC	No declaration needed
Déclaration de Conformité - CE	No delcaration needed
Declaration of Conformity - UKCA	No declaration needed
Certificat UL	2TLC172257D0201

Classifications

E-Number (Sweden)	3861404
ETIM 4	EC000057 - Low voltage power cable
ETIM 5	EC000057 - Low voltage power cable
ETIM 6	EC001855 - câble confectionné pour détecteur/actionneur
ETIM 7	EC001855 - Sensor-actuator patch cord
ETIM 8	EC001855 - Sensor-actuator patch cord
ETIM 9	EC001855 - Sensor-actuator patch cord
Code de classification d'objet	W
UNSPSC	26121603
eClass	V11.0 : 27060313

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Barrières immatérielles

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Câbles et connecteurs

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Optical Safety Devices
Accessories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Safety Sensors, Switches
and Locks Accessories

