


PRODUCT-DETAILS

DS804P-K125/0.3AS

DS804P-K125/0.3AS Residual Current Circuit Breaker with Overcurrent Protection



Informations générales

Extension du type de produit	DS804P-K125/0.3AS
Code de produit	2CCG001332R0001
EAN	7612271518011
Description courte	DS804P-K125/0.3AS Residual Current Circuit Breaker with Overcurrent Protection
Description longue	The DS800 series residual circuit breaker with overcurrent protection (RCBO) is available as 2P, 3P and 4P device. It is for protection of end user against overload and short-circuit currents. The DS800 range offers several types of protection. Type A (pulse current sensitive residual current protection device), type AC (alternating current sensitive residual current protection device), type AS (pulse current sensitive residual current protection device - selective) and type A-AP-R (pulse current sensitive residual current protection device - short-time delay).

Technique

Normes et standards	IEC 60947-2
Tripping Characteristic	K
Tension	230 / 415 V AC
Courant nominal (I_n)	125 A
Courant nominal de fonctionnement (I_e)	125 A
Rated Residual Current	300 mA
Pouvoir assigné de coupure ultime en court-circuit (I_{cu})	50 kA

Maximum Breaking Capacity	50 kA
Pouvoir assigné de coupure de service en court-circuit (I_{CS})	40 kA
Fréquence assignée (f)	50 ... 60 Hz
Power Loss	55.1 W
Nombre de pôles	4
Number of Protected Poles	4
Operating Characteristic	Selective
Type de libération	K
Accessories Available	Oui

Environnement

Statut RoHS	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Informations RoHS	2CCC413008D0206
REACH Declaration	9AKK108468A1490
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	227.5 mm
Produit Hauteur Net	108.2 mm
Produit Longueur Net	82.3 mm

Commande

Quantité minimum	1 pièce
------------------	---------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	9AKK108468A1488
Declaration of Conformity - UKCA	9AKK108468A1489

Installation

Instructions et manuels	9AKK108467A9515
-------------------------	-----------------

Downloads Préférés

Fiche produit, informations techniques	9AKK107991A8329
--	-----------------

Classifications

ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
--------	---

ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
CN8	85362020

Catégories

Produits basse tension → Appareillage modulaire et parafoudres → Protection différentielle → Disjoncteurs différentiels

