



96

lumens/watt

## Integrated Bulkhead

LED Bulkhead G1 TU D30 25W 840 S  
NNM

93107560

---

### Product information

A simple and elegant light fitting, designed with Integrated LED Light Module and dedicated optic, both for interior and exterior applications. The Integrated Bulkhead range offers a comprehensive choice of versions including two sizes, opal diffuser and optional sensor function. It is a wall and ceiling LED luminaire that can be utilised in versatile application ranges including damp environments, entrance halls, receptions, stairwells, corridors, circulation routes, rest areas and outside walls of buildings.

---

## Product data

Product code	93107560
Description	LED Bulkhead G1 TU D30 25W 840 S NNM
DIALux description	TUNGSRAM - Integrated Bulkhead - 2400lm - 25W - 4000K - 80CRI - 93107560[SKU] - Surface
Brand	TUNGSRAM
Product category	Integrated Bulkhead
Product family	Bulkheads
Application areas	Stairways / Corridors
DUN Code	10064894579100
Light source	LED
Sensor	Yes
Emergency option	No EM
Mounting type	Surface
Weight [kg]	1,05
Body color	White
Product dimensions (Length) x (Width) x (Height) [mm]	Dia 300 x Dia 300 x 109
Operating temperature min [°C]	-30
Operating temperature max [°C]	40
Rated ambient temperature (tq) [°C]	25
Cooling	Passive
Certifications	CE
General warranty [year]	5

## Performance data

System power [W]	25
Nominal luminous flux [lm]	2400
Rated efficacy [lm/W]	96
Rated life L70/B50 [h]	60000
IP front (optical)	65
IP back (electrical)	65
IP Rating	65
Impact resistance (IK)	IK10

## Photometrical data

Photometric distribution	Wide
Nominal correlated colour temperature (CCT) [K]	4000
Colour rendering index (CRI) [Ra]	$\geq 80$
Nominal beam angle [°]	$125 \pm 12$
UGR value (4H8H)	26,4
Colour consistency in MacAdam steps SDCM	$\leq 6$


## Electrical data

IEC protection class	Class II
Operating voltage [V]	220-240V
Rated frequency or frequency range [Hz]	50/60Hz
Lamp input current [mA]	130
Nominal lamp power factor	$\geq 0.7$
Controllability	Static

## Logistic data

Box quantity	1
Shipment	Standard
Product status	Available

## Light distribution



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[Installation guide \(PDF\)](#)

[Images \(HTTP\)](#)

[Photometry files for EMERGENCY versions \(HTTP\)](#)

[DoC document \(PDF\)](#)

[Datasheet \(HUN\) \(PDF\)](#)

[Datasheet \(FR\) \(PDF\)](#)