
# **TUNGSRAM**

Innovation is our heritage EST. 1896





## LED GU10 LED Start GU10 5W(50) 840 35° TU 1/8 93094489

### **Product information**

This new entry level range of highly competitive LED GU10 and R50 products consume only 3.5W and 5W respectively and offer a fantastic energy saving alternative to 50W and 35W Halogen GU10 lamps.

#### **Application areas**



Retail



Office





Home



## Product data

Product Code	93094489
Bulb Shape	PAR
Bulb Finish	White
Bulb maximum overall diameter [mm]	50
Nominal Length [mm]	53
Net weight per piece [g]	29
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	GU10
Replacement Product Code	93118696

### Performance data

Nominal/ Rated Beam Angle [°]	35
Nominal center beam candlepower (CBCP) [cd]	700
Rated Lumens [lm]	365
Weighted energy consumption [kWh/1000h]	5.0
Useful lumens (at 90° cone) [lm]	365
Rated efficacy [lm/W]	73
Energy efficiency class (EEC)	F
Rated life L70/B50 [h]	15 000
Nominal correlated colour temperature (CCT) [K]] 4000	
Nominal lumens [lm]	390
Colour Rendering Index (CRI) [Ra]	80




### Electrical data


Nominal lamp power factor	0.5
Rated power [W]	5.0
Number of switching cycles	50 000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240
Nominal power [W]	5


## Logistic data

Shipment	Standard
DUN Code	20064894509609
EAN Code	0064894509605
Pack Quantity	8
Inner pack type	Box
Product status	Available

# Light distribution









#### LED GU10 LED Start GU10 5W(50) 840 35° TU 1/8 93094489

#### Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

Datasheet (PDF)

Images (HTTP)

Doc documents Gen7 (PDF)

Doc documents Gen8 (PDF)

Datasheet (FR) (PDF)