
### **TUNGSRAM**

Innovation is our heritage EST. 1896





# LED Stik- Dimmable LED DimSTIK 9(60)840 E27 TU 93104356

#### **Product information**

Tungsram keeps innovating and introduces the LED Stik- Dimmable to complete the most successful range\* in the LED lamps to replace CFL and eCFL.

 LED Stik- Dimmable Led Lamp range won the IDEA Bronze design award in 2017 and the IF Design award in 2018

#### Application areas



Office



Hospitality



<del>合</del>) Home



Other



## LED Stik- Dimmable LED DimSTIK 9(60)840 E27 TU 93104356

#### Product data

Product Code	93104356
Bulb Shape	T38
Bulb Finish	White
Bulb maximum overall diameter [mm]	38
Nominal Length [mm]	116
Net weight per piece [g]	46
Dimmability	Yes
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E27

#### Performance data

Nominal/ Rated Beam Angle [°]	240
Rated Lumens [lm]	810
Weighted energy consumption [kWh/1000h]	9.0
Rated efficacy [lm/W]	90
Energy efficiency class (EEC)	F
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	810
Colour Rendering Index (CRI) [Ra]	80


#### Electrical data

Nominal lamp power factor	>0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50k
Nominal lamp voltage range [V]	220-240V 50/60Hz
Nominal power [W]	9

#### Logistic data

Shipment	Standard
DUN Code	15994100023613
EAN Code	5994100023616
Pack Quantity	15
Product status	Available

#### Light distribution





#### LED Stik- Dimmable LED DimSTIK 9(60)840 E27 TU 93104356

#### Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

Datasheet (PDF)

Images (HTTP)

DoC document (PDF)

Dimming compatibility (PDF)

