JГUNGSRAM[™]

Innovation is our heritage EST. 1896





36 lumens/watt

Tungsram LED Filament Heliax Dimmable

LED Fil Heliax Candle 3.5W Dim 820 E14TU

93096493

Product information

The LED Filament Heliax is the brand new product range of Tungsram that is developed using the new LED filament technology: the flexible filament. Designed with a spiral and installed in nice decorative shapes, this new range offers high quality, high value and high aesthetic of light and creates a designed atmosphere for your customized application. You will enjoy seeing it in the restaurants, at the hotel reception desks, at design shops as well as in your living room.

Application areas





Product data

Product Code	93096493
Bulb Shape	B35
Bulb Finish	Gold
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	97
Net weight per piece [g]	15
Dimmability	Yes
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E14

Performance data

Nominal/ Rated Beam Angle [°]	310
Rated Lumens [lm]	125
Weighted energy consumption [kWh/1000h]	3.5
Rated efficacy [lm/W]	35.7142857142857
Energy efficiency class (EEC)	A
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]]	2000
Nominal lumens [lm]	125
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor	0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0,5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	15000
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	3.5

Logistic data

Shipment	Standard
DUN Code	15994100013515
EAN Code	5994100013518
Pack Quantity	10
Product status	Phased-out

Downloads & Links

Go to the catalog site (HTTP) Images (HTTP) DoC document (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.