

**Rittal – The System.**

Faster – better – everywhere.



**SZ 9785.040**

**Lock and push-button inserts and  
profile half-cylinders**

État: 28/10/2022 (La source: [rittal.com/fr-fr](http://rittal.com/fr-fr))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SZ 9785.040 - Lock and push-button inserts and profile half-cylinders pour poignées

Dispositifs de verrouillage pour le montage dans la poignée confort, la mini-poignée confort, l'Ergoform-S standard, la poignée rabattable

## Caractéristiques

Référence	SZ 9785.040
Composition de la livraison	Avec 3 clés, par dispositif de verrouillage
Longueur	40 mm
Montage dans le système de poignée	Poignée Confort VX pour serrures semi-cylindriques Poignée Confort TS pour serrures semi-cylindriques Poignée Confort AX Mini-poignée Confort Mini-comfort handle for EL 3-part for profile half-cylinders Mini-comfort handle AE for profile half-cylinders Poignée Ergoform-S standard
Remarque	Prévu exclusivement pour les poignées Rittal correspondantes
Verrouillage	Serrure à clé: Serrure semi-cylindrique selon la norme DIN 18 252 différentes fermetures
Unité d'emballage	1 p.
Poids/UE	0,16 kg
Taux de cuivre (kg / pièce)	0
Numéro du tarif douanier	83016000
EAN	4028177493629
ETIM 7.0	EC000743
ECLASS 8.0	27409218

# Approbation

---

Approbation

GOST