
NPC+ (No Polish Connector)



The NPC+ (No Polish Connector) eliminates field polishing, loose parts, and termination tools. The innovative buffer clamp design eliminates rework by delivering superior twist and transmission with applied load (TWAL) mechanical performance. After fibre preparation and cleaving, installation is a simple three-step process: insert fibre, actuate splice, activate the buffer clamp. Faster than fusion splicing, the NPC+ delivers savings in installation expense and reduces overall complexity of termination.





Family Spec Sheet EMEA_BEN Page 1 | Revision Date 2024-12-30

NPC+ (No Polish Connector)



Specifications

General Specifications	
Product type	Field-Installable Connectors

Standards	
RoHS	Free of hazardous substances according to RoHS 2011/65/EU
Approvals and Listings	Insertion loss requirements of GR-1081-CORE, Issue 1 (GR-326-CORE, Issue 4) Thermal Cycle and Thermal Age; Back reflection performance was typical of an index gelmatched mechanical splice connector

Dimensions	
Length	0 mm

Ordering Information

Part Number	Product Description	Units Per Delivery
NPCP-LC-OM2-12	NPC+ LC/OM2/250/900 (12 pieces)	Piece
NPCP-LC-OM4-12	NPC+ LC/OM4/250/900 (12 pieces)	Piece
NPCP-LCU-SM-12	NPC+ LC/UPC/SM/250/900 (12 pieces)	Piece
NPCP-SC-OM2-120-C	NPC+ SC/OM2/250/900 (120 pieces)	Piece
NPCP-SC-OM2-48	NPC+ SC/OM2/250/900	Piece
NPCP-SC-OM34-120-C	NPC+ SC/OM3/4/250/900 (120 pieces)	Piece
NPCP-SC-OM34-48	NPC+ SC/OM3/4/250/900	Piece
NPCP-SCA-120-C	SC APC, FS, 250/900 µm including one EasyCleaver and one semi-tight buffer clamp	Piece
NPCP-SCA-48	SC APC, FS, 250 μm and 900 μm	Piece
NPCP-SCU-SM-120-C	NPC+ SC/UPC/SM/250/900 (120 pieces)	Piece
NPCP-SCU-SM-48	NPC+ SC/UPC/SM/250/900	Piece

Family Spec Sheet EMEA_BEN Page 2 | Revision Date 2024-12-30

NPC+ (No Polish Connector)





Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany +00 800 2675 4641 • FAX: +49 30 5303 2335 • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2024 Corning Optical Communications. All rights reserved.

Family Spec Sheet EMEA_BEN Page 3 | Revision Date 2024-12-30