


G13 Fluorescent Push-Through Lampholder

Article number: 26.291.4011-0

EAN: -



Product information "G13 Fluorescent Push-Through Lampholder"

For cut-outs open at the rear or enclosed cut-outs with 4.5 mm dia. locating hole

A pair of lampholders provides a lamp length tolerance compensation of 3 mm

Color: white

Fluorescent lamps: G13

Front test: yes

Lamp axis height: 30

Luminaire wall thickness: 0.4 - 2.0

Material: Housing: PCRotor: PBT

Note warranty conditions: *Warranty conditions of BJB GmbH & Co. KG as stated as available via the Internet under <https://www.bjb.com/en/legal-information/general-terms-and-conditions/> are valid.

Packaging quantity:	500
Producttype:	G13 Push-Through Lampholders
Retaining pins:	yes
Rotor:	with
Series:	Linear Fluorescent Lampholders for dry rooms (IP20)
T-marking:	130
Top Test:	yes
UL:	yes
Weight:	7 g
approbation:	cULus
cULus file no.:	E-92235
mounting method 1:	Snap fixing
old article number:	26.291.4011.50

Available Downloads

- > [US_General_Information](#)
- > [Allgemeine Informationen](#)

Available CAD Downloads

- > [2D-CAD \(DXF\)005-M0U-02](#)
- > [3D-CAD \(STEP, Parasolid, IGES, 3D-PDF\)005-M0U-06](#)

Certifications

Article Number	Documents
26.291.4011-0	Genehmigung_liegt_vor-Approval_at_hand3677956
26.291.4011-0	Genehmigung_liegt_vor-Approval_at_hand2849931
26.291.4011-0	Genehmigung_liegt_vor-Approval_at_hand3463569
26.291.4011-0	Genehmigung_liegt_vor-Approval_at_hand749725
26.291.4011-0	ENEC_Zeichen-ENEC_Approval5164211
26.291.4011-0	cULus_gültig_für_USA_und_Kanada-cULus_(USA_and_Kanada)727851

U out
500 V

Tm 110



T 130



18 AWG0,5 -1,0 mm²

