

ORIGINAL LINE H2

OEM quality for trucks



The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Order reference	64175
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	84 W ¹⁾
Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

¹⁾ Maximum

Photometrical data

Luminous flux	2150 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

Dimensions & weight



Length	31.0 mm
Diameter	9 mm
Product weight	2.35 g

Lifespan

Lifespan B3	90 h
Lifespan Tc	250 h

Additional product data

Base (standard designation)	X511
-----------------------------	------

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H2
--------------	----

Country specific categorizations

Order reference	64175
-----------------	-------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300218960	OSRA64175	-	-	-
4050300218977	OSRA64175	-	-	-
4050300218960	OSRA64175	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300218960	ORIGINAL LINE H2	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm ³	4.35 g
4050300218977	ORIGINAL LINE H2	Bundle 10	58 mm x 63 mm x 117 mm	0.43 dm ³	50.80 g
4050300218984	ORIGINAL LINE H2	Shipping carton box 100	361 mm x 109 mm x 122 mm	4.80 dm ³	540.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM