

ORIGINAL LINE H8

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64212 |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| | |
|-----------------|--------------------|
| Power input | 43 W ¹⁾ |
| Nominal voltage | 12.0 V |
| Nominal wattage | 35.00 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|--------|
| Luminous flux | 800 lm |
| Luminous flux tolerance | ±15 % |

Dimensions & weight



| | |
|----------------|---------|
| Diameter | 12.0 mm |
| Product weight | 20.00 g |
| Length | 67.0 mm |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 400 h |
| Lifespan Tc | 800 h |

Additional product data

| | |
|-----------------------------|---------|
| Base (standard designation) | PGJ19-1 |
|-----------------------------|---------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

| | |
|--------------|----|
| ECE category | H8 |
|--------------|----|

Country specific categorizations

| | |
|-----------------|-------|
| Order reference | 64212 |
|-----------------|-------|

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300498751 | OSRA64212 | - | - | - |
| 4050300498768 | OSRA64212 | - | - | - |
| 4050300498751 | OSRA64212 | - | - | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4050300498751 | ORIGINAL LINE H8 | Folding carton box 1 | 33 mm x 37 mm x 71 mm | 0.09 dm ³ | 26.00 g |
| 4050300498768 | ORIGINAL LINE H8 | Bundle 10 | 127 mm x 66 mm x 130 mm | 1.09 dm ³ | 290.00 g |
| 4050300498775 | ORIGINAL LINE H8 | Shipping carton box 100 | 341 mm x 154 mm x 191 mm | 10.03 dm ³ | 3091.00 g |
| 4052899262478 | ORIGINAL LINE H8 | Blister 1 | 135 mm x 95 mm x 40 mm | 0.51 dm ³ | 30.89 g |
| 4052899262485 | ORIGINAL LINE H8 | Shipping carton box 10 | 335 mm x 115 mm x 146 mm | 5.62 dm ³ | 410.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File |
|--|
|  360 Degree Image ORIGINAL H8 64212 |

Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM