

## 64572 1000 W 230 V

Halogen (> 130 V) Double End | Offering a broad portfolio of high quality double end halogen lamps used in the stage and studio markets



### Areas of application

- Stage & Theatre
- Studio, TV, & Film
- Professional Photography
- Club & Disco

### Product features and benefits

- Robust construction for lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift



Technical data

General Product Information

ANSI code	-
LIF code	P2/35
Global order reference	64572


Electrical Data

Nominal wattage	1000 W
Nominal voltage	230 V

Photometric Data

Nominal luminous flux	26000 lm
Useful luminous flux ( $\Phi_{use}$ )	24030 lm
$\Phi_{use}$ value refers to luminous flux	360
Color temperature	3200 K
Correlated color temperature CCT	3131 K
Chromaticity coordinate x	0.428
Chromaticity coordinate y	0.401
Color rendering index Ra	100

Physical Attributes & Dimensions



Lamp base	R7s
Diameter	18.0 mm
Length	88.4 mm
Length with base excl. base pins/connection	88.40 mm
Product weight	10.30 g

Operating Conditions

Product datasheet

Burning position	Any
Dimmable	Yes

Lifetime Data

Nominal lifetime	75 hr
------------------	-------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321325181
Energy efficiency class	G
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321325181	OSRH64572	-	-	-

# Product datasheet

## Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321325181	64572 1000 W 230 V	Folding carton box 1	33 mm x 33 mm x 112 mm	0.12 dm <sup>3</sup>	17.00 g
4008321325198	64572 1000 W 230 V	Shipping carton box 50	345 mm x 180 mm x 127 mm	7.89 dm <sup>3</sup>	1046.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.