

# 64743 1000 W 120 V

Halogen (75-130 V) Single End | Offering a broad portfolio of high quality single end halogen lamps used in the stage and studio markets



#### Areas of application

- Stage & Theatre
- Studio, TV, & Film
- Professional Photography
- Club & Disco

### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift







# Product datasheet

### Technical data

### **General Product Information**

Product number (Americas)	54570	
Product name (Americas)	64743 FEL 1000W 120V 12/CS 1/SKU	
Lamp type	SINGLE END	
ANSI code	FEL	
LIF code	CP/77	
Global order reference	64743	


### **Electrical Data**

Nominal wattage	1000 W	
Nominal voltage	120 V	
Type of current	AC	

### **Photometric Data**

Nominal luminous flux	27500 lm	
Color temperature	3200 K	
Color rendering index Ra	100	
Light center length (LCL)	60.3 mm	
Light center length (LCL) - (in)	2.352 in	

# **Physical Attributes & Dimensions**



Lamp base	G9.5
Diameter (in)	0.787 in
Diameter	20.0 mm
Length	101.0 mm
Filament	CC-8
Product weight	21.70 g

# Product datasheet

# **Operating Conditions**

Burning position	Any
Dimmable	Yes

### Lifetime Data

Nominal lifetime	300 hr

# **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Primary article identifier 4008321225702			
Energy efficiency class G			
Declaration no. in SCIP database	No declarable substances contained		
Candidate list substance 1 No declarable substances contained			

### Product datasheet

#### Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321225702	64743 1000 W 120 V	Folding carton box 1	40 mm x 40 mm x 128 mm	0.20 dm <sup>3</sup>	68.00 g
4008321225719	64743 1000 W 120 V	Shipping carton box 12	190 mm x 150 mm x 139 mm	3.96 dm <sup>3</sup>	640.40 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.