## **OSRAM**

# LEDriving LG

The premium LED daytime running light by OSRAM





**LED lightguide technology**Pixel-free brilliance and dynamic curves



DRL & Position Light

LED daytime running light including
position light compatible with a wide
range of car models and easy to install



For drivers who want to increase visibility during the day



#### Stylish highlights for your car

LEDriving LG – this premium LED daytime running light by OSRAM combines high technology, attractive design and absolutely uniform light distribution. This high-quality, LED daytime running light, with its head-turning design and curved shape, will make any car look that bit more dynamic. Thanks to the high IP 69K protection rating, intensive car washes do not pose any threat. The OSRAM LED LEDriving LG is suitable for many vehicle models and allows simple, quick self installation. With its bright light color of 6,000 Kelvin, LEDriving LG can be used as daytime running as well as position light. Thanks to intelligent control, an automatic operation is possible. OSRAM offers a 5-year-guarantee for this top product. Note: LEDriving LG is certified according to ECE, SAE, CCC regulations (ECE R87 approval).

## Product datasheet

#### Technical data

## **General Product Information**

#### **Electrical Data**

#### **Photometric Data**

Color temperature	6000 K
-------------------	--------

## **Physical Attributes & Dimensions**





Product weight	953.00 g
----------------	----------

## **Lifetime Data**

	ars
--	-----

## Additional product data

Connector to lamp	Wire Kit
-------------------	----------

## **Capabilities**

#### Certificates & standards

Approval marks – approval	E4 approval
Standards	ECE R87, R7

## Logistical data

Commodity code	85122000900

#### Product datasheet

#### **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Primary article identifier	4052899200494   4052899266506	
Candidate list substance 1	Lead	
CAS No. of substance 1	7439-92-1	
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.	
Declaration no. in SCIP database	19f74344-8fa5-4c6e-8ebb-52f2404cbddf   165e644a- c839-4073-94d5-6f636c4739aa	

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899200494	LEDriving LG	Folding carton box 1	288 mm x 79 mm x 204 mm	4.64 dm <sup>3</sup>	1162.00 g
4052899200500	LEDriving LG	Shipping carton box 4	350 mm x 305 mm x 233 mm	24.87 dm³	5235.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Download Data

	File
大	User instruction LED Daytime Running Light Kit LEDDRL102
Z	User instruction GPRS_Safety symbols instructions

#### Legal advice

Detailed guarantee terms can be found at www.osram.com/am-guarantee.Compatible with start-stop-systems and hybrid vehicles

#### **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

## Product datasheet

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















