

COOL BLUE INTENSE (NEXT GEN) H7

Extra white light for LED look



LED look

Extra white light for stylish LED look



Up to 5,000 Kelvin ^{1), 2)}


High contrast and brilliantly white light for most stylish and modern look on the road



Up to 100% more brightness ^{1), 3)}

More light allows to see farther and therefore react sooner

Product datasheet



The extra white light with up to 5,000 K

Discover COOL BLUE INTENSE - high-tech halogen lamps, almost in the league of LED lamps. With its powerful and bright extra white light up to 5,000 Kelvin, whose cool beam makes it look very like a LED lamp, it gives real design fans their money's worth. The automotive lamp also provides a high-contrast light similar to daylight, which makes it easier on the eyes than the light from standard lamps. In comparison to minimum ECE requirements, the OSRAM COOL BLUE INTENSE range is up to 100% more brightness! The modern design with silver cap (H4/H7/H8/H11/HB4) is ideal for use in clear-glass headlights. That gives your car a stylish look.

1) H1, H4, H7, H11, HB3, HB4, HIR2.

2) Measured in headlamps.

3) Compared to minimum ECE R112 requirements.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64210CBN
------------------------	----------

Electrical Data

Power input	58 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1500 lm
Luminous flux tolerance	±10 %
Color temperature	up to 5000 K

Physical Attributes & Dimensions

Diameter	12.0 mm
Product weight	12.20 g
Length	59.0 mm
Lamp base	PX26d

Lifetime Data

Lifespan B3	100 hr
Lifespan Tc	200 hr

Capabilities

Technology	Halogen lamp
------------	--------------

Certificates & standards

ECE category	H7
Approval marks – approval	E1 approval

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)

Product datasheet

Primary article identifier	4062172159326 4062172251709 4062172269209 4062172387538 4062172149310 4062172149358 4062172395038
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172149310	COOL BLUE INTENSE (NEXT GEN) H7	Hard Cover Box 2	113 mm x 48 mm x 106 mm	0.44 dm ³	116.00 g
4062172149327	COOL BLUE INTENSE (NEXT GEN) H7	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm ³	667.00 g
4062172149358	COOL BLUE INTENSE (NEXT GEN) H7	FS ECO 1	34 mm x 34 mm x 58 mm	0.44 dm ³	16.00 g
4062172149365	COOL BLUE INTENSE (NEXT GEN) H7	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm ³	1762.00 g
4062172251709	COOL BLUE INTENSE (NEXT GEN) H7	Blister 1	135 mm x 95 mm x 35 mm	0.44 dm ³	24.00 g
4062172251716	COOL BLUE INTENSE (NEXT GEN) H7	Shipping carton box 10	279 mm x 115 mm x 146 mm	4.68 dm ³	318.00 g
4062172387538	COOL BLUE INTENSE (NEXT GEN) H7	HFB ECO 2	100 mm x 51 mm x 120 mm	0.44 dm ³	54.00 g
4062172387545	COOL BLUE INTENSE (NEXT GEN) H7	Shipping carton box 10	266 mm x 111 mm x 134 mm	3.96 dm ³	351.00 g
4062172395038	COOL BLUE INTENSE (NEXT GEN) H7	BLI ECO 1	95 mm x 34 mm x 135 mm	0.44 dm ³	22.00 g
4062172395045	COOL BLUE INTENSE (NEXT GEN) H7	Shipping carton box 10	194 mm x 144 mm x 110 mm	3.07 dm ³	282.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction GPRS_Safety symbols instructions
 ref_pim_amsproduct360degreeimages COOL BLUE INTENSE H7 64210CBN

Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM