OSRAM

ORIGINAL MINIWATT -

Original spare part





The cost-effective original spare parts

ORIGINAL MINIWATT signal lamps for cars are original spare parts with reliable OEM quality from OSRAM. The products impress with their hard-glass technology, a high and constant luminous flux as well as a high color temperature.

Technical data

Product information

| Application (Category and Product specific) | Auxiliary lamp |
|---|----------------|
|---|----------------|

General Product Information

| Global order reference | 64111 |
|------------------------|-------|
|------------------------|-------|


Electrical Data

| Power input | 5 W |
|-----------------------|--------|
| Nominal voltage | 12.0 V |
| Nominal wattage | 5 W |
| Test voltage | 13.5 V |
| Power input tolerance | ±7.5 % |

Photometric Data

| Nominal luminous flux | 80 lm |
|-------------------------|-------|
| Luminous flux tolerance | ±15 % |

Physical Attributes & Dimensions



| Diameter | 9 mm |
|----------------|---------|
| Diameter | 9 mm |
| Product weight | 2.32 g |
| Length | 33.0 mm |
| Lamp base | BA9s |

Lifetime Data

| Lifespan B3 | 150 hr |
|-------------|--------|
| Lifespan Tc | 500 hr |

Capabilities

Certificates & standards

| ECE category | - |
|--------------|---|
| LCL category | |

Environmental & Regulatory Information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | | |
|---|------------------------------------|--|--|
| Primary article identifier 4050300883069 4050300647258 4008321095 | | | |
| Candidate list substance 1 | No declarable substances contained | | |
| Declaration no. in SCIP database | No declarable substances contained | | |

Country specific information

| Product code | METEL code | SEG-No. | STK number | UK Org |
|---------------|---------------|---------|------------|--------|
| 4008321095015 | OSRA64111 | - | 4739538 | - |
| 4050300647258 | OSRA64111BLI2 | - | - | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|----------------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4008321095015 | ORIGINAL MINIWATT 64111 | Unpacked 1 | 33 mm x 9 mm x 9 mm | 0.00 dm ³ | 2.00 g |
| 4008321095039 | ORIGINAL MINIWATT 64111 | Shipping carton box 50 | 205 mm x 144 mm x 64 mm | 1.89 dm ³ | 231.00 g |
| 4050300647258 | ORIGINAL MINIWATT 64111 | Blister 2 | 95 mm x 70 mm x 18 mm | 0.00 dm ³ | 10.00 g |
| 4008321141576 | ORIGINAL MINIWATT 64111 | Shipping carton box 20 | 137 mm x 80 mm x 103 mm | 1.13 dm ³ | 131.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File



User instruction
GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















