

## SHARXS HTI 1500 W/D7/60

SharXS HTI | Special high performance double end lamps with eXtreme Seal (XS) technology and consistent lengths, including SharXS, Baby SharXS and Maxi SharXS



### Areas of application

- Concert Lighting
- Club & Disco
- Stage & Theatre
- Studio, TV, & Film
- Architecture & Architainment

### Product features and benefits

- SHARXS lamps provide consistent lengths and bases within each SharXS family for simplified fixture designs (Baby SharXS - 93mm, SharXS - 136mm, Maxi SharXS - 220mm)
- Robust design with eXtreme Seal (XS) technology, allowing up to 450°C at the pinch seal
- Hot restart capability
- Natural tone of light with CRI as high as 90 for "Brilliant" types
- Pre-focus base for accurate lamp installation



Technical data

General Product Information

Product number (Americas)	54319
Product name (Americas)	SHARXS HTI 1500W/D7/60 10/CS 1/SKU
Family brand	SharXS HTI
Product remark	May be operated from 1,200...1,500 W
Global order reference	SHARXS HTI 1500 W/D7/60


Electrical Data

Nominal wattage	1500 W
Nominal voltage	110 V
Ignition voltage	5.0 / 35 kVp
Nominal current	13.6 A

Photometric Data

Luminance	42000 cd/cm <sup>2</sup>
Nominal luminous flux	145000 lm
Color temperature	6000 K
Color rendering index Ra	>80
Light center length (LCL)	57.5 mm

Physical Attributes & Dimensions



Electrode gap (cold)	7.0 mm
Diameter	24.5 mm
Diameter (in)	0.984 in
Diameter	24.5 mm
Length	136.0 mm
Product weight	35.00 g

Operating Conditions

Burning position	Any
Maximum permitted pinch temperature	450 °C

Lifetime Data

Nominal lifetime	750 hr
------------------	--------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321285294
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321285294	OSRHTI1500D760	-	-	-

# Product datasheet

## Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, Maxi SharXS HTI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321285294	SHARXS HTI 1500 W/D7/60	Shipping carton box 1	182 mm x 87 mm x 58 mm	0.92 dm <sup>3</sup>	99.00 g
4008321285300	SHARXS HTI 1500 W/D7/60		- x - x -	11.26 dm <sup>3</sup>	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.