

93520 300 W 82 V

Halogen (75-130 V) with Reflector | Offering a broad portfolio of high quality reflector halogen lamps used in the stage and studio markets




Areas of application

- Stage & Theatre
- Studio, TV, & Film
- Professional Photography
- Club & Disco

Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift



Technical data

General Product Information

Product number (Americas)	54979
Product name (Americas)	FHS 300W 82V 24/CS 1/SKU
Lamp type	MR13
ANSI code	FHS
LIF code	-
Product remark	Available on request
Global order reference	93520


Electrical Data

Nominal wattage	300 W
Nominal voltage	82.0 V
Type of current	AC

Photometric Data

Nominal luminous flux	650 lm
Color rendering index Ra	100
Focal length	152.5 mm

Physical Attributes & Dimensions



Lamp base	GX5.3
Diameter	42.0 mm
Diameter (in)	1.654 in
Diameter	42.0 mm
Length	45.0 mm
Filament	CC-8
Coating	Dichroic

Product datasheet

Product weight	27.40 g
----------------	---------

Operating Conditions

Burning position	s90
------------------	-----

Lifetime Data

Nominal lifetime	70 hr
------------------	-------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300350196
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300350196	OSRH93520	-	-	-

Product datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300350196	93520 300 W 82 V	Folding carton box 1	44 mm x 44 mm x 54 mm	0.11 dm ³	36.00 g
4050300350202	93520 300 W 82 V	Shipping carton box 24	195 mm x 155 mm x 135 mm	4.08 dm ³	822.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.