

# 64741 1000 W 240 V

Halogen (>  $130\ V$ ) Double End | Offering a broad portfolio of high quality double end halogen lamps used in the stage and studio markets



#### Areas of application

- Stage & Theatre
- Studio, TV, & Film
- Professional Photography
- Club & Disco

#### Product features and benefits

- Robust construction for lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift







## Product datasheet

### Technical data

### **General Product Information**

ANSI code	EKM	
LIF code	P2/7	
Global order reference	64741	

### **Electrical Data**

Nominal wattage	1000 W
Nominal voltage	240 V

### **Photometric Data**

Nominal luminous flux	25000 lm	
Useful luminous flux (Фuse)	25480 lm	
Φuse value refers to luminous flux	360	
Luminous efficacy	26 lm/W	
Color temperature	3200 K	
Correlated color temperature CCT	3160 K	
Chromaticity coordinate x	0.426	
Chromaticity coordinate y	0.400	
Color rendering index Ra	100	

## **Physical Attributes & Dimensions**



Lamp base	R7s
Diameter	12.0 mm
Diameter	12.0 mm
Length	185.7 mm
Length with base excl. base pins/connection	185.70 mm
Product weight	16.70 g

## Product datasheet

## **Operating Conditions**

Burning position	Other
Dimmable	Yes

### Lifetime Data

## **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Primary article identifier 4050300283197			
Energy efficiency class	G		
Declaration no. in SCIP database	No declarable substances contained		
Candidate list substance 1 No declarable substances contained			

### Product datasheet

#### Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300283197	64741 1000 W 240 V	Folding carton box 1	- x - x -		
4050300283203	64741 1000 W 240 V	Shipping carton box 12	250 mm x 117 mm x 95 mm	2.78 dm <sup>3</sup>	345.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.