

CARSO - LABORATOIRE SANTÉ ENVIRONNEMENT HYGIÈNE DE LYON

Laboratoire Agréé pour les analyses d'eaux par le Ministère de la Santé

Laboratoire habilité par le Ministère chargé de la santé en application de l'article R*.1321-52 du code de la santé publique

ATTESTATION DE CONFORMITE SANITAIRE

Certificate of sanitary conformity

Conformément à l'arrêté du 29 mai 1997 modifié et à la circulaire du Ministère de la Santé
Direction Générale de la Santé DGS/SD7A N° 571 du 25 Novembre 2002

Coordonnées du demandeur d'ACS / Contact details of the ACS owner :

UPONOR GmbH
Industriestrasse 56
97437 HASSFURT
Allemagne

Nom de l'accessoire représentatif / Reference of the representative accessory :

Raccord étamé / Tin plated metallic fitting 1070560 Uponor S-Press PLUS tee 16-16-16

N° de dossier attribué par le laboratoire habilité / File reference :

23 ACC LY 461

Date de réalisation des essais d'inertie selon la norme XP P41-280 : aucun essai n'est nécessaire pour délivrer cette ACS.

Tests date (according to the standard XP P 41-280): A testing is not required to issue this ACS.

Commentaires: Les composants organiques sont conformes à l'arrête du 29 mai 1997 modifié. Les composants métalliques sont conformes à l'arrêté du 25 juin 2020.

Comments: Organic components are compliant with the decree dated 29th May 1997 modified. Metallic components are compliant with the decree dated 25th June 2020.

Famille d'accessoires couverte par l'ACS / Accessories' family covered by this certificate :

Raccords étamés / Tin plated metallic fittings S-PRESS PLUS

Références / References (145 references) :

Voir annexe Jointe / See Annex Enclosed
(6 pages)

Attestation délivrée par / Certificate issued by :

Christelle AUTUGELLE
Responsable MCDE
CARSO - L.S.E.H.I.

Signature :



Date de délivrance / Date of issue : 21 Décembre 2023

Date d'expiration / Expiry date : 21 Décembre 2028

Commentaires / Comments : Renouvellement / Renewal 18 ACC LY 826.

Le revêtement en étain est conforme aux dispositions de l'arrêté du 18 Janvier 2018 / The tin plating is in compliance with the disposals of the decree dated January 18, 2018.

F_MC060-b 15/09/2014 MLN

Société par action simplifiée au capital de 2 283 622,38 Euros - RCS Lyon B 410 545 313 - SIRET 410 545 313 00042 - APE 7120 B - N° TVA : FR 82 410 545 313

Siège Social et laboratoire : 4, avenue Jean Moulin - CS 30228 - F - 69633 VENISSIEUX cedex - Tél. : (33) 04 72 76 16 16 - Fax : (33) 04 78 72 35 03

Site web : www.groupecarso.com - e-mail : mcde@groupecarso.com

ANNEXE à l'ACS 23 ACC LY 461

Raccords étamés couvert par l'ACS / *Tin plated metallic fittings with ACS 23 ACC LY 461*

Références	Description
1070501	Uponor S-Press PLUS adapter male thread 16-R3/8"MT
1070502	Uponor S-Press PLUS adapter male thread 16-R1/2"MT
1070503	Uponor S-Press PLUS adapter male thread 16-R3/4"MT
1070504	Uponor S-Press PLUS adapter male thread 20-R1/2"MT
1070505	Uponor S-Press PLUS adapter male thread 20-R3/4"MT
1070506	Uponor S-Press PLUS adapter male thread 20-R1"MT
1070507	Uponor S-Press PLUS adapter male thread 25-R3/4"MT
1070508	Uponor S-Press PLUS adapter male thread 25-R1"MT
1070509	Uponor S-Press PLUS adapter male thread 32-R1"MT
1070510	Uponor S-Press PLUS adapter male thread 32-R1 1/4"MT
1070511	Uponor S-Press PLUS adapter male thread BENELUX 16-R15mm CU
1070512	Uponor S-Press PLUS adapter male thread BENELUX 20-R22mm CU
1070513	Uponor S-Press PLUS adapter male thread BENELUX 25-R22mm CU
1070515	Uponor S-Press PLUS adapt. female thread 16-Rp1/2"FT
1070516	Uponor S-Press PLUS adapt. female thread 20-Rp1/2"FT
1070517	Uponor S-Press PLUS adapt. female thread 20-Rp3/4"FT
1070518	Uponor S-Press PLUS adapt. female thread 20-Rp1"FT
1070519	Uponor S-Press PLUS adapt. female thread 25-Rp3/4"FT
1070520	Uponor S-Press PLUS adapt. female thread 25-Rp1"FT
1070521	Uponor S-Press PLUS adapt. female thread 32-Rp1"FT
1070522	Uponor S-Press PLUS adapt. female thread 32-Rp1 1/4"FT
1070523	Uponor S-Press PLUS elbow 16-16
1070524	Uponor S-Press PLUS elbow 20-20
1070525	Uponor S-Press PLUS elbow 25-25
1070526	Uponor S-Press PLUS elbow 32-32
1070527	Uponor S-Press PLUS bend 16-16
1070528	Uponor S-Press PLUS bend 20-20
1070529	Uponor S-Press PLUS bend 25-25
1070530	Uponor S-Press PLUS bend 32-32
1070531	Uponor S-Press PLUS elbow male thread 16-R3/8"MT
1070532	Uponor S-Press PLUS elbow male thread 16-R1/2"MT
1070533	Uponor S-Press PLUS elbow male thread 20-R1/2"MT
1070534	Uponor S-Press PLUS elbow male thread 20-R3/4"MT
1070535	Uponor S-Press PLUS elbow male thread 25-R3/4"MT
1070536	Uponor S-Press PLUS elbow male thread 25-R1"MT
1070537	Uponor S-Press PLUS elbow male thread 32-R1"MT
1070538	Uponor S-Press PLUS elbow male CU adapt. 16-G3/8"MT/10CU
1070539	Uponor S-Press PLUS elbow female thread 16-Rp1/2"FT

ANNEXE à l'ACS 23 ACC LY 461

Raccords étamés couvert par l'ACS / *Tin plated metallic fittings with ACS 23 ACC LY 461*

(suite /1st)

Références	Description
1070540	Uponor S-Press PLUS elbow female thread 20-Rp1/2"FT
1070541	Uponor S-Press PLUS elbow female thread 20-Rp3/4"FT
1070542	Uponor S-Press PLUS elbow female thread 25-Rp3/4"FT
1070543	Uponor S-Press PLUS elbow female thread 25-Rp1"FT
1070544	Uponor S-Press PLUS elbow female thread 32-Rp1"FT
1070545	Uponor S-Press PLUS elbow 45deg 25-25
1070546	Uponor S-Press PLUS elbow 45deg 32-32
1070547	Uponor S-Press PLUS coupling 16-16
1070548	Uponor S-Press PLUS coupling 20-20
1070549	Uponor S-Press PLUS coupling 25-25
1070550	Uponor S-Press PLUS coupling 32-32
1070552	Uponor S-Press PLUS reducer 20-16
1070553	Uponor S-Press PLUS reducer 25-16
1070554	Uponor S-Press PLUS reducer 25-20
1070555	Uponor S-Press PLUS reducer 32-20
1070556	Uponor S-Press PLUS reducer 32-25
1070560	Uponor S-Press PLUS tee 16-16-16
1070561	Uponor S-Press PLUS tee 20-20-20
1070562	Uponor S-Press PLUS tee 25-25-25
1070563	Uponor S-Press PLUS tee 32-32-32
1070566	Uponor S-Press PLUS tee reducer 16-20-16
1070567	Uponor S-Press PLUS tee reducer 20-16-16
1070568	Uponor S-Press PLUS tee reducer 20-16-20
1070569	Uponor S-Press PLUS tee reducer 20-20-16
1070570	Uponor S-Press PLUS tee reducer 20-25-16
1070571	Uponor S-Press PLUS tee reducer 20-25-20
1070572	Uponor S-Press PLUS tee reducer 25-16-16
1070573	Uponor S-Press PLUS tee reducer 25-16-20
1070574	Uponor S-Press PLUS tee reducer 25-16-25
1070575	Uponor S-Press PLUS tee reducer 25-20-16
1070576	Uponor S-Press PLUS tee reducer 25-20-20
1070577	Uponor S-Press PLUS tee reducer 25-20-25
1070578	Uponor S-Press PLUS tee reducer 25-25-16
1070579	Uponor S-Press PLUS tee reducer 25-32-25
1070580	Uponor S-Press PLUS tee reducer 32-16-32
1070581	Uponor S-Press PLUS tee reducer 32-20-32
1070582	Uponor S-Press PLUS tee reducer 32-25-25
1070583	Uponor S-Press PLUS tee reducer 32-25-32
1070592	Uponor S-Press PLUS tee male thread 16-R1/2"MT-16
1070593	Uponor S-Press PLUS tee male thread 25-R3/4"MT-25
1070594	Uponor S-Press PLUS tee male thread 32-R3/4"MT-32

ANNEXE à l'ACS 23 ACC LY 461

Raccords étamés couvert par l'ACS / *Tin plated metallic fittings with ACS 23 ACC LY 461*
(suite /2nd)

Références	Description
1070595	Uponor S-Press PLUS tee female thread 16-Rp1/2"FT-16
1070596	Uponor S-Press PLUS tee female thread 20-Rp1/2"FT-20
1070597	Uponor S-Press PLUS tee female thread 20-Rp3/4"FT-20
1070598	Uponor S-Press PLUS tee female thread 25-Rp1/2"FT-25
1070599	Uponor S-Press PLUS tee female thread 25-Rp3/4"FT-25
1070600	Uponor S-Press PLUS tee female thread 32-Rp1/2"FT-32
1070601	Uponor S-Press PLUS tee female thread 32-Rp3/4"FT-32
1070602	Uponor S-Press PLUS adapter swivel nut 16-G1/2"SN
1070603	Uponor S-Press PLUS adapter swivel nut 16-G3/4"SN
1070604	Uponor S-Press PLUS adapter swivel nut 20-G1/2"SN
1070605	Uponor S-Press PLUS adapter swivel nut 20-G3/4"SN
1070606	Uponor S-Press PLUS adapter swivel nut 25-G3/4"SN
1070607	Uponor S-Press PLUS adapter swivel nut 25-G1"SN
1070608	Uponor S-Press PLUS adapter swivel nut 25-G1 1/4 "SN
1070609	Uponor S-Press PLUS adapter swivel nut 32-G1"SN
1070610	Uponor S-Press PLUS adapter swivel nut 32-G1 1/4"SN
1070611	Uponor S-Press PLUS elbow swivel nut 16-G3/8"SN
1070612	Uponor S-Press PLUS elbow swivel nut 16-G1/2"SN
1070613	Uponor S-Press PLUS elbow swivel nut 20-G1/2"SN
1070614	Uponor S-Press PLUS elbow swivel nut 25-G3/4"SN
1070615	Uponor S-Press PLUS adapter 16-15CU
1070616	Uponor S-Press PLUS adapter 20-18CU
1070617	Uponor S-Press PLUS adapter 20-22CU
1070618	Uponor S-Press PLUS adapter 25-22CU
1070619	Uponor S-Press PLUS adapter 25-28CU
1070620	Uponor S-Press PLUS adapter 32-28CU
1070621	Uponor S-Press PLUS stop end 16
1070622	Uponor S-Press PLUS stop end 20
1070623	Uponor S-Press PLUS stop end 25
1070624	Uponor S-Press PLUS stop end 32
1070629	Uponor S-Press PLUS U-tap elbow 16-Rp1/2"FT-16
1070630	Uponor S-Press PLUS U-tap elbow 20-Rp1/2"FT-20
1070631	Uponor S-Press PLUS U-tap elbow 20-Rp1/2"FT-16
1070632	Uponor S-Press PLUS U-tap elbow 16-Rp1/2"FT-20
1070633	Uponor S-Press PLUS U-tap elbow 25-Rp1/2"FT-25
1070634	Uponor S-Press PLUS U-tap elbow 25-Rp1/2"FT-20
1070635	Uponor S-Press PLUS U-tap elbow 20-Rp1/2"FT-25
1070636	Uponor S-Press PLUS U-tap elbow mixer 16-16-R1/2"MT
1070637	Uponor S-Press PLUS U-tap elbow mixer 20-20-R3/4"MT
1070638	Uponor S-Press PLUS tap elbow M 16-Rp3/8"FT
1070639	Uponor S-Press PLUS tap elbow M 16-Rp1/2"FT

CARSO - LABORATOIRE SANTÉ ENVIRONNEMENT HYGIÈNE DE LYON

Laboratoire Agréé pour les analyses d'eaux par le Ministère de la Santé

ANNEXE à l'ACS 23 ACC LY 461

Raccords étamés couvert par l'ACS / *Tin plated metallic fittings with ACS 23 ACC LY 461*

(suite et fin / *3rd and End*)

Références	Description
1070640	Uponor S-Press PLUS tap elbow M 20-Rp1/2"FT
1070641	Uponor S-Press PLUS tap elbow M 20-Rp3/4"FT
1070642	Uponor S-Press PLUS tap elbow M 25-Rp3/4"FT
1070644	Uponor S-Press PLUS tap elbow L 16-Rp1/2"FT
1070645	Uponor S-Press PLUS tap elbow L 20-Rp1/2"FT
1070646	Uponor S-Press PLUS tap elbow XL 16-Rp1/2"FT
1070647	Uponor S-Press PLUS tap elbow XL 20-Rp1/2"FT
1070648	Uponor S-Press PLUS tap elbow twin 90deg long 16-Rp1/2"FT-16
1070649	Uponor S-Press PLUS tap elbow twin 90deg long 20-Rp1/2"FT-20
1070652	Uponor S-Press PLUS adapter wall penetr. 16-G1/2"FT
1070653	Uponor S-Press PLUS tap elbow LWC 16-Rp1/2"FT l=25
1070654	Uponor S-Press PLUS tap elbow LWC 16-Rp1/2"FT l=35
1070658	Uponor S-Press PLUS elbow flushing tank Geberit 16-1/2"FT
1070659	Uponor S-Press PLUS tee adapter Geberit 16-G1/2"FT-16
1070661	Uponor S-Press PLUS tap elbow mount.Unit 16-Rp1/2"FT c/c80mm
1070662	Uponor S-Press PLUS tap elbow mount.Unit 16-Rp1/2"FT c/c150mm
1070705	Uponor S-Press PLUS adapter 16-10CU
1070706	Uponor S-Press PLUS adapter 16-12CU
1070707	Uponor S-Press PLUS adapter 20-15CU
1070708	Uponor S-Press PLUS adapter swivel nut 16-G3/8"SN
1091728	Uponor S-Press PLUS adapter male thread 16-G3/8"MT
1105816	Uponor S-Press PLUS adapter 16-14CU
1105817	Uponor S-Press PLUS adapter 16-16CU
1105818	Uponor S-Press PLUS elbow swivel nut 16-G3/4"SN
1105819	Uponor S-Press PLUS elbow swivel nut 20-G3/4"SN

Christelle AUTUGELLE
Responsable Laboratoire MCDE

Signature :
A la date du : 21 Décembre 2023