



**CARACTERISTIQUES ELECTRIQUES
ELECTRICAL CHARACTERISTICS**

Type		Rechargeable Sealed Nickel Cadmium
IEC Designation		1/3 AA Flat Top
Tension nominale / Nominal voltage		1.2V
Tension mini en décharge / Mini discharge voltage		1V
Capacité nominale / Nominal Capacity		150mAh
Capacité mini / Minimal Capacity		150mAh
Cycle life at 80% DOD (0,5C)		> 500 (IEC standard)
Resistance Interne / Internal Impedance (at 1000hz)		< 70 mΩ
Température d'usage / Ambient temperature	Charge / Charging	0 to 35°C
	Décharge / Discharging	-30 to 60°C
Temperature de stockage / Storage temperature		-30 to 35°C (Humidity: 65 ± 20%)
Charge standard 16h		15 mA (C/10) at 20°C
Charge rapide / Fast charge		150 mA (with an appropriate end of charge cut-off system)
Charge de maintient / Trickle charge		5 mA ~ 7.5 mA

**CARACTERISTIQUES PHYSIQUES
PHYSICAL CHARACTERISTICS**

Accumulateur / Battery	
Dimension (mm)	16.4 x 14.1 (+/- 1)
Poids / Weight (g.)	6

