



	
H (mm)	Cod.	H (mm)	Cod.	H (mm)	Cod.	H (mm)	Cod.
1000	GW 45 154	1000	GW 45 164	1000	GW 45 174	1000	GW 45 184
1200	GW 45 155	1200	GW 45 165	1200	GW 45 175	1200	GW 45 185

							
H (mm)	Cod.	H (mm)	Cod.	H (mm)	Cod.	H (mm)	Cod.
1600	GW 45 157	1600	GW 45 167	1600	GW 45 177	1600	GW 45 187
1800	GW 45 158	1800	GW 45 168	1800	GW 45 178	1800	GW 45 188
2000	GW 45 159	2000	GW 45 169	2000	GW 45 179	2000	GW 45 189

Nel caso la porta non si chiuda correttamente, regolare le guide asta


Adjust the guide rods if the door will not shut properly

Au cas où la porte ne se ferme pas correctement, régler les guidages tige




Si la puerta no cierra correctamente, regular las guías de varilla


Falls sich die Tür nicht richtig schließt, müssen die Stangenführungen eingestellt werden



DX



SX







GEWISS - MATERIALE ELETTRICO

SAT



+39 035 946 111
8.30 - 12.30 / 14.00 - 18.00
da lunedì a venerdì



+39 035 946 260
24 ore al giorno



SAT on line
gewiss@gewiss.com