CORPPC3G15M12

# RNF Cord 3G1.50MM2 - Molded PC16 Male Plug / 16A Neutrik Female Plug - 2 m

## DESCRIPTION

Extension cord with RNF3G1.50MM2 cable - Black elastomer sheath - Connected with a molded PC16 male plug and a PowerCon True One Neutrik female connector - Length 2 m



## ADVANTAGES

- RNF cable 3G1.50 mm², flexible elastomer sheath; resistant to oils, hydrocarbons, UV, and weather.
- POWERCON Neutrik female connector 16A + molded PC16 male 2P+T (16A, IP54, NF) — secure locking, ergonomic grip.
- 2 m for sound, stage lighting, pro video; heat shrink, velcro.

Updated: 22/05/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

## CONSTRUCTION & TECHNICAL PERFORMANCE

| | |
|---|---|
| Outer Sheath Material | elastomer |
| Color | Black |
| Cable reference | RNF 3G1.50MM2 |
| Number of translucent sleeves | 2 |
| Cord Length (m) | 2m |
| End 1 - Connector 1 Reference | 2-pole + earth 16A molded male plug |
| End 2 - Connector 1 Reference | POWERCON TRUE1 Female Connector - NAC3FXWTOP - NEUTRIK |
| Outer Diameter (mm) | 10 mm |
| Weight (Kg/U) | 0.00 |

## ADDITIONAL INFORMATION

| | |
|---|---|
| Brand 2 - Connector | NEUTRIK |
| Product Packaging | Unit |

Updated: 22/05/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

## Additional Information



Updated: 22/05/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.