CORPPC3G25M12

RNF 3G2.5MM2 Cord - Molded PC16 Male Plug / 16A Neutrik Female Plug - 2 m Grey

DESCRIPTION

Extension cord with RNF3G2.50MM2 cable - Black elastomer sheath - Connected with a molded PC16 male plug and a PowerCon True One Neutrik female connector - Length 2 m



ADVANTAGES

- RNF cable 3G 2.50 mm², black elastomer sheath, flexible.
- Resistant to oils, hydrocarbons, UV, and extreme climates; durable.
- Neutrik POWERCON 16A single-phase female connector: secure locking, good grip.
- Molded PC16 male plug 16A (2P+T), IP54, NF compliant.

Updated: 22/05/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

CONSTRUCTION & TECHNICAL PERFORMANCE

Outer Sheath Material	elastomer
Color	Black
Cable reference	RNF 3G2.50MM2
Number of translucent sleeves	2
Cord Length (m)	2m
End 1 - Connector 1 Reference	2-pole + earth 16A molded male plug
End 2 - Connector 1 Reference	POWERCON TRUE1 Female Connector - NAC3FXWTOP - NEUTRIK
Outer Diameter (mm)	12 mm
Weight (Kg/U)	0.00

ADDITIONAL INFORMATION

Brand 2 - Connector	NEUTRIK
Product Packaging	Unit

Updated: 22/05/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

Additional Information



Updated: 22/05/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.