

HPR96144

## 144-port SC/APC fiber patch panel

### DESCRIPTION

FTTH connection point



### ADVANTAGES

It allows connection of optical columns up to 144 fibers. Compliant with the Objectif Fibre guide recommendations. Its format is compatible with ISP products.

**CASANOV@**  
/ADALTRA

Updated: 29/05/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

**CONSTRUCTION & TECHNICAL PERFORMANCE**

|                          |                  |
|--------------------------|------------------|
| Number of Optical Fibers | Up to 144 fibers |
| Weight (Kg/U)            | 6.60             |

**MECHANICAL CHARACTERISTICS**

|                   |          |
|-------------------|----------|
| Installation type | Interior |
|-------------------|----------|

**ENVIRONMENTAL CHARACTERISTIC**

|           |                                                                                                               |
|-----------|---------------------------------------------------------------------------------------------------------------|
| Standards | Connectivity: SC-APC 8° compliant with IEC 61754-4 and 60874-14-10 standards<br>Compliant with Objectif Fibre |
|-----------|---------------------------------------------------------------------------------------------------------------|

**ADDITIONAL INFORMATION**

|                   |        |
|-------------------|--------|
| Product Packaging | Carton |
|-------------------|--------|

## Additional Information

